

Dartfish User Guide

07/07/2011



Table of contents

1	Introduction	2
1.1	Support and help to use your software	3
2	Getting familiar with Dartfish	6
2.1	The Dartfish workspace	6
2.1.1	The Start Page	7
2.1.2	Displaying Dartfish Modules	8
2.1.3	The Library	8
2.1.4	Resizing windows	9
2.2	Video playback	10
2.2.1	The Timeline	10
2.2.2	Trimming video clips	10
2.2.3	Video panel controls	11
2.2.4	Repeat mode	12
2.3	Saving projects and videos	12
2.3.1	Saving a project	12
2.3.2	Saving a new video	13
2.4	Sharing video files	14
2.4.1	Video Sharing Wizard	14
2.4.2	Converting video	15
2.5	Remote controlling Dartfish	18
2.5.1	Installing the remote control	18
2.5.2	Using the StreamZap remote	19
2.6	The next steps	20
3	Video Library	22
3.1	Defining your library	22
3.2	The Library workspace	23
3.2.1	The Library Toolbar	24
3.2.2	The Items List	25
3.2.3	Item Properties	26
3.2.4	The Tray	28
3.3	Organizing your library	29
3.3.1	Understanding Keywords	29
3.3.2	Defining your categories	30
3.3.3	Editing categories	30
3.3.4	Editing keywords	31
3.3.5	Classifying video clips	31
3.3.6	Removing keywords from video clips	32
3.3.7	Importing/exporting keyword sets	33
3.3.8	Exporting keyword data	33
3.4	Importing files to the library	35
3.4.1	Using the Video File Importer	36
	Video File Importer - selecting files.....	36
	Video File Importer - naming and filing videos	37

Notes on the Video File Importer.....	38
3.4.2 Video Recorder: get video from DV tape camcorders	38
Setting up capture.....	39
Setting Clip Properties.....	40
Using Recording options.....	42
Selecting a recording location.....	43
Using an encoding profile.....	44
The background task manager.....	44
Capturing video to Library.....	46
3.5 Locating video files	46
3.5.1 Using Keywords	46
3.5.2 Using Search	47
3.5.3 Using Folders	48
3.6 Saving the tray's content	49
3.6.1 Creating a playlist	49
3.6.2 Reusing a playlist	50
3.6.3 Modifying a playlist	50
3.7 Sharing video files	50
3.8 Converting video clips	50
3.9 Video Formats and Dartfish	51
3.10 Correcting video property errors	52
3.11 The next steps	53
4 Live capture & instant replay during training	56
4.1 Preparing InTheAction for use	56
4.1.1 Selecting capture device	56
4.1.2 Using more than one camera	57
4.1.3 Defining recording folder	58
4.1.4 Defining clip properties	58
4.1.5 Defining pre-record & clip durations	59
4.1.6 Defining a replay sequence	60
4.1.7 About pre-record buffer	61
4.2 Instant visual feedback during training	62
4.2.1 Capturing and replaying	62
4.2.2 Controlling the replay	63
4.2.3 Remote controlling InTheAction	63
4.2.4 Using a sound trigger	64
4.3 Comparing clips during training	65
4.3.1 Setting reference	66
4.3.2 Working with comparison view	66
4.3.3 Synchronizing clips in InTheAction	67
4.4 Using drawings in InTheAction	67
4.4.1 Drawing Library	67
4.5 Self coaching with live delay	68
4.5.1 Live delay settings	68
4.6 Next steps	69
5 Analyzing Performance	72
5.1 Analyzer workspace	73
5.2 An analyzer project - the Storyboard	74

5.2.1 Loading clips	74
5.2.2 Playing clips	75
5.2.3 Saving an analyzer project	76
5.3 Analyze a performance	76
5.3.1 Enhancing images	76
5.3.2 Drawing on the video	77
Adding and modifying drawings.....	78
Drawing properties.....	79
Clone rectangle.....	80
Picture	80
Measuring angles.....	81
Measuring distances.....	82
Using stopwatches.....	83
Tracking objects manually.....	84
Tracking objects automatically.....	85
Fading drawings in and out.....	86
Using data tables.....	87
5.3.3 Adding comments	87
Written comments.....	88
Audio commentary.....	88
5.3.4 Analyzing key positions	88
Adding key positions.....	89
Editing key positions.....	90
Analyzing a key position.....	90
Importing key positions.....	91
Adding key positions at a fixed interval.....	92
5.4 Comparing performances	92
5.4.1 Loading multiple clips	93
5.4.2 Display modes	94
5.4.3 Synchronizing video clips	94
5.4.4 Synchronizing at key positions	95
5.4.5 Setting default synchronization	96
5.4.6 Analyzing in split-screen mode	96
5.5 Key position mosaic	97
5.5.1 Activating the mosaic	98
5.5.2 Drawing on the mosaic	98
5.6 Next steps	98
 6 Dartfish outputs - publishing & sharing	 102
6.1 Destinations	102
6.2 Sharing video files	106
6.2.1 Video sharing wizard	106
6.2.2 Sharing video by Dartfish TV	107
6.3 Producing MediaBooks	108
6.3.1 Step1 - Select destination	110
6.3.2 Step2 - Mediabook settings	111
6.3.3 Step3 - Video settings	112
6.3.4 Step3 - Preview	113
6.3.5 Step4 - Publishing	113
6.3.6 Mediabooks on Dartfish TV	114
6.3.7 Publishing to Dartfish TV	115
6.4 Saving movies from the Analyzer	116
6.4.1 Step1 - Video settings	117

6.4.2	Step2 - File information	117
6.5	Creating still images	118
6.5.1	Saving pictures to 'My Computer'	118
6.5.2	Attaching pictures to email	119
6.5.3	Printing Pictures	119
6.5.4	Snapshot images	120
6.6	Recording analysis	121
6.6.1	Enabling the Analysis Recorder	121
6.6.2	Setting clip properties	121
6.6.3	Other clip properties	122
6.6.4	Setting recording device	122
6.6.5	Using the Analysis Recorder	123
7	Unique ways to view sport - SimulCam & StroMotion	126
7.1	Compare with SimulCam	126
7.1.1	Getting good SimulCam results	127
7.1.2	Step 1 - clip selection and synchronization	128
	Loading video clips.....	128
	Synchronizing video clips.....	128
	Trimming the clips	129
7.1.3	Step 2 - camera movement calculation	129
	Drag & zoom alignment method.....	130
	Checking alignment.....	132
	Matched alignment points method.....	133
	Adding new alignment frames.....	134
7.1.4	Step 3 - blending, preview and saving	135
	Blending mode.....	135
	Previewing your clip.....	135
	Saving SimulCam results	136
7.1.5	Publishing new video clips	136
	Choosing video settings.....	136
	Assigning file name, destination and categories.....	137
	Video creation.....	137
7.1.6	Next steps	137
7.2	Dissect motion with StroMotion	138
7.2.1	Step 1 - Load & trim the video clip	139
7.2.2	Step 2 - Camera movement computation	140
7.2.3	Step 3 - Panorama reconstruction	141
7.2.4	Step 4 - Draw clones & save results	141
	Identifying key frames	141
	Drawing clone objects.....	142
	Publishing StroMotion.....	143
	Saving StroMotion.....	144
7.2.5	Next steps	144
8	Tagging Video	148
8.1	What is Tagging?	149
8.2	The Tagging Workspace	150
8.2.1	The Library	150
8.2.2	The Video Panel	151
8.2.3	The Tagging Panel	152
8.2.4	The Events List	154


8.3	Creating Tagging panels	155
8.3.1	Adding/deleting/moving/copying tools	156
8.3.2	Modifying properties	157
8.3.3	Planning a tagging panel	158
8.3.4	Panel layout tools	160
8.3.5	Event creation buttons	162
8.3.6	Keyword addition tools	163
8.3.7	The Zone Tool	165
8.3.8	Team Manager tool	166
8.3.9	Team Group Box and Player List Selector	167
8.3.10	The Filename Template tool	169
8.3.11	Properties list	169
8.3.12	Automating tagging	171
8.3.13	Using variable keywords	173
8.3.14	Saving Tagging Panels	174
8.4	Tagging video	175
8.4.1	Using tagging panels	175
8.4.2	Tag Video Clip mode	177
8.4.3	Tag Live mode	178
8.4.4	Using the Team Manager	179
8.4.5	Using keyboard shortcuts	179
8.4.6	Manual tagging	179
8.5	Importing events	180
8.5.1	Synchronizing imported events	182
8.5.2	Quick Import	184
8.6	Review & edit events	184
8.6.1	Selecting events from the Events List	184
8.6.2	Editing the event	185
8.6.3	Editing event timings	185
8.6.4	Hiding unused categories	186
8.6.5	Reviewing events and video during live tagging	187
8.7	Filtering and viewing statistics	187
8.7.1	The table search	189
8.7.2	Undo searches	189
8.8	Producing & sharing tagging resources	190
8.8.1	Sharing game video	190
8.8.2	Publishing events	193
8.8.3	Adding notes to events	196
8.8.4	Storyboard	196
8.8.5	Exporting events	197
9	Displaying metadata from external devices	200
9.1	Support for metadata in Dartfish Software	200
9.2	Setting Advanced Options	201
9.2.1	Analyzer Advanced Options	202
9.2.2	InTheAction Advanced Options	202
9.2.3	Section summary	202
9.3	Capturing & displaying Metadata with the InTheAction	202
9.3.1	Checking that Metadata is received	203
9.3.2	Displaying Metadata in Live Mode	204
9.3.3	Section summary	206
9.4	Using Metadata in the Analyzer	206
9.4.1	Displaying Metadata diagrams	207

9.4.2 Displaying Metadata on the Video	209
9.5 Using the Drawing Library	209
9.5.1 Managing Overlay Templates	209
9.5.2 Selecting the current Template	210

10 Dartfish Readers 214

10.1 Dartfish CSV Reader	214
10.1.1 Requirements and installation	214
10.1.2 About CSV data	215
10.1.3 Linking Data	216
Linking Data	216
CSV document properties	220
Time Stamp	221
Selecting columns as Data Streams	222
Managing links	223
10.1.4 Viewing data	224
Synchronization	225
Draw ings	225
10.1.5 Sharing linked data	227
Publishing	227
Sharing data	227
10.2 Dartfish SRM Reader	228
10.2.1 Requirements and installation	229
10.2.2 SRM data	230
10.2.3 Linking Data	230
Linking Data	231
Managing links	233
10.2.4 Viewing data	234
Synchronization	235
Draw ings	236
10.2.5 Sharing linked data	237
Publishing	238
Sharing data	238

Chapter



Introduction

1 Introduction

Dartfish software provides advanced video tools to enhance your training programs and improve athletic performance. The system works both during workout and afterward when time allows for a more in-depth analysis of a performance.

During the workout

Using Dartfish *InTheAction**, you will be able to provide instant visual feedback to your athletes. This feedback will supplement your personal coaching and allow you to maximize the benefits of using the muscle memory (proprioceptive) of your athletes and students. Thanks to a wide variety of customizable play modes, the use of video can be fully integrated into your usual activities with athletes on the field.

After the workout

Dartfish software's set of video analysis features allow you to create new perspectives and innovative views of your athletes' performances:

- You are able to compare and view performances as never before to highlight areas needing improvement.
- You can annotate video with text and drawings to aid and communicate analysis
- Dartfish's video management system helps you manage all your training videos with ease and efficiency.

Share your analysis

You can share your analysis with anyone, anywhere to continue the communication and learning experience. You can send video clips via e-mail, create enhanced CD/DVDs or even publish interactive analysis on the Internet.

Make sense of competition footage

*Tagging** is Dartfish's notational analysis tool. Use it to create a descriptive index of the key events in a game or other long video. Tagging has tools to turn your index into a focussed team feedback presentation and also display frequency statistics of each event. Tags are created by clicking a set of fully customizable buttons, or by import from your sports own statistical tools, or even from the Dartfish *Easytag* app for iPhone or iPad, available from the Apple App Store.

Display data on video

For those working quantitatively, measurements of time, distance and angle can be made on video and recorded in a *Data Table*. The Data Table can even record changes in measurement or changes in position of tracked* objects.

Using the *Data Reader* add-ons*, you can import data from any device or software that can create a CSV (character separated value) file and relate the output to what the video shows.

Dartfish is also capable of simultaneously recording video and data using *InTheAction**. This allows data to be displayed or graphed on video immediately after capture. Dartfish has developed links to several force platforms but also makes its SDK (software developer kit) available to you to develop your own links.

Use Dartfish special effects for unique analysis opportunities

*Stromotion** and *Simulcam** are tools used by sports broadcasters world-wide to analyze and explain movement to their audience. Users of Dartfish can also benefit from these tools. Simulcam is the only way to get a realistic comparison of video when the camcorder is panning. Stromotion and *ball tails** give an understanding of how performers and objects move from one position to another.

! *Asterisked features are not available in all Dartfish editions

1.1 Support and help to use your software

This manual provides help to learn the range of Dartfish software features but it isn't the only source of help available to you.

Start with the video demonstrations on the *Start page*, which guide you through getting started with the basic features. Then, increase your understanding by reading these help chapters or using the more comprehensive video based tutorials available online.

The Dartfish Customer Care Portal

In addition to this help, a wide range of support is available to you and the easiest way to access all of this is by following the links on the *Start Page* of your Dartfish software. This is your gateway to:

Training Resources: Learn at your own pace with tutorials, comprehensive guides, instructor-led online seminars or arrange tailored training courses.

Technical Support: Search the Dartfish knowledge base and find answers to your questions or contact our experienced team directly.

Download Section: Get your products, updates, drivers and release notes online.

Product Information: Get an overview of your previously registered products, retrieve your license key at any time or register another product.



An alternative way to access the Customer Care Portal is to use your Browser to take you to <http://support.dartfish.com>

Registering your software

Your first step in getting support is to register your software because the possibilities available to you vary according to the support package supplied with your software. In the case where you have multiple users of the same software, each user can register and create their own login because the support package is linked to the software and not to its users.

Note that registering your software is not the same as providing the licence key during installation or activating it after installation. Registration is the process that identifies you as a user of your software and it is highly recommended that all users should register in order to benefit from Dartfish support.

Talk to us

Dartfish has evolved and developed thanks to a continuous dialogue with users, we look forward to your comments and suggestions to help enhance future versions. Our continuing goal is to make every software release better to fit the needs of our users.

Chapter



Getting familiar with Dartfish

2 Getting familiar with Dartfish

Whether you are new to Dartfish or looking to improve your knowledge, this chapter is essential reading. It covers all the basic information and skills that you will need in order to be able to use Dartfish effectively.


You will become familiar with

- The Dartfish workspace and the Start Page
- Video playback
- The basics of the Video Library
- Saving projects and videos
- Sharing video clips between Dartfish's different modules and with other athletes or coaches.
- Remote controlling Dartfish software.

After "getting familiar with Dartfish" you will be well on your way to using the broad range of analysis, instructional and video sharing features that comprise this complete Sports coaching tool.

2.1 The Dartfish workspace

Dartfish workspace is designed so you can navigate through the video analysis and sharing processes easily. Following, is an illustration of the Dartfish workspace.




1. The *Menu bar* to access different Dartfish views and functions. Click a menu at the top of the program window to see the related menu commands.
2. The *Toolbar* buttons control what appears on the workspace such as the library and each module (e.g. *Analyzer*)

3. The *Library* allows you to manage, locate and share video clips and Dartfish projects. The library includes:
 - the *Folder View* and *Keyword View* (on the left) to locate the files.
 - the *Items List* (on the right) which lists the located files.
 - the *Tray* (at the bottom) is a working area for storing video clips that you want to work with.
4. The *Module* window is to carry out your tasks such as video capture, replay, comparison and drawings.

! Context menus are also available throughout the program. Place the mouse pointer in the pane in which you want to work. Press the right mouse button, and select a command from the menu.

2.1.1 The Start Page

The first time you launch Dartfish, the workspace is occupied by the *Start Page*.



The *Start Page* is divided into 4 areas:

1. *Continue last session* - click on *Continue* to continue your last work session (this link will not show the very first time you launch the software).
2. *Start a new task* - use these links to configure the workspace for the selected task.
3. *Getting started tutorials* - click on a link to launch a video tutorial to help you get started with a specific task.
4. *Access to customer care* - the start page is the best route to getting the training and support available to you. By using these links, information about your software and

your support history are automatically communicated to the support team, allowing them to best advise you. Links to tutorials and training take you to where you can access free training or arrange for a local instructor to contact you.

Check for updates

The Dartfish team is constantly working to improve the software and many of the updates are free. Information found here will advise you when a new update is available.

Closing the Start Page

If you wish, you can disable the *Start Page* when you launch your Dartfish software by "unchecking" *Always display the Start Page at startup* which is at the bottom left hand side of the *Start Page*.

It is possible to re-start the *Start Page* at any time by selecting *Tools > Start Page* in the *Menu bar*. The *Start Page* is closed by selecting any other Dartfish module from the *Toolbar* or *Tools menu*.

2.1.2 Displaying Dartfish Modules

Dartfish is composed of *Modules* - each with individual functions for analysis, instruction, sharing etc. A module is displayed in two ways:

1. by clicking the appropriate *Toolbar* button.
2. by selecting the module from the *Tools* menu in the *Menu bar*

You do not need to close a module to open a new one - clicking on a module button automatically replaces the old one with your selection. Only the *Library* can be simultaneously displayed next to a module.

The core modules are listed below. More modules can be available based on the Dartfish software edition you purchased. Read the relevant help chapters to learn how to use them.



Importer - import video files from a range of video devices and drives.



Player - playback and trimming of video clips



Analyzer - comparison of clips, drawing tools, key position analysis and publishing.


2.1.3 The Library

The *Library* allows you to locate, load, manage and share video clips. It is displayed and hidden using the *Library* button on Dartfish's toolbar.



F8 keyboard shortcut - closes/opens the library; it has the same function as clicking the library button.

The library module is shown below with its four main parts labeled:



1. The *Library Toolbar* contains buttons used to control the appearance and content of the *Items List*.
2. The *Keywords View* is used to locate video clips matching categories and values selected (see link). When this area displays its *Folders View*, the content of selected windows folders will be displayed in the *Items List*.
3. The *Items List* is a list of video, image and project files that can be used by Dartfish.
4. The *Tray* is a working area for storing video clips that you want to work with. It is used to share video clips between Dartfish modules and also share by email, CD ROM and Internet.

2.1.4 Resizing windows

You can resize windows in the workspace as follows:

1. Place your cursor near the boundary between two windows.
2. Once the cursor changes into a bar with two small arrows on either side, click and hold down the left button of your mouse. Then you can move the cursor until the window is at your desired size.

The windows can be resized both vertically or horizontally.

! When you close the software, the new layout is saved.

2.2 Video playback


The ability to control playback (play, pause, play frame-by-frame, modifying playback speed, etc.) is one of the simplest benefits of using video analysis software.

To visualize a video clip, first open it by:

- Double clicking the corresponding file name in the *Items List* of the *Library* OR
- Drag & drop your chosen clip onto the video panel of the module.

2.2.1 The Timeline

The *Timeline* is a visual representation of the video clip(s) currently loaded in a module.



The overall length of the video clip is represented by the bar along the bottom of the *Timeline*. The part of the clip that will actually play is represented by the pale blue area between the cue in point (■) and the cue out point (■). The current playing position (the *Playhead*) is marked by ■. The image displayed in a module screen corresponds to the playhead's current position.

2.2.2 Trimming video clips

Trimming video clips, that is setting new cue in/out points, is often necessary. Perhaps because unnecessary footage has been captured at the start or end of the clip. Perhaps because you can analyze or coach more effectively if the clip is shortened to show only specific actions.

Setting cue in / out points

1. Point the mouse at the cue in/out marker (■ / ■).
2. Click and drag to the chosen start/end point. The video display will show the selected start/end frame as you drag.
3. Release the mouse button.

You can also click in the *Timeline* to position the Playhead, right-click and select *Set In* or *Set Out*.



Once the new in and out points are set, you have the choice of saving the trimmed video

clip (see Saving a new video to learn how to do this).

Reset cue in/out points

1. Right-click on either the cue in/out markers or the Playhead.
2. Select *Reset in/out Points* from the context menu (see illustration above).

You can also select *Control>Reset user's in/out values* from the *Menu bar*.

2.2.3 Video panel controls

All the different modules have some control over how video is played. The video panel controls for the *Player* module are shown below. Most modules will have some of these features although not all controls will always be available according to that module's specific needs.




The buttons have the following functions (from left to right):

- *Play/pause* - becomes a pause button when the video is playing (keyboard shortcut: Space bar)
- *Stop* - also returns to the start of the clip ([Shift] + S)
- *Step previous* - back one frame ([Ctrl] + [left arrow])
- *Step next* ([Ctrl] + [right arrow])
- *Previous clip* - play the previous clip in the *Tray* ([Ctrl] + P).
- *Next clip* ([Ctrl] + N).

💡 Hit F11 on your keyboard to display the video in full screen. Use the keyboard shortcuts listed above to control the video playback.

Controlling speed

A wide variety of playback speeds can be selected using the speed control, shown below.



Clicking a number will position the speed cursor accordingly (e.g. 0.5). You can also click and drag the cursor to select a precise speed (e.g. 0.35 as illustrated above).

Moving the Playhead

You can directly move the Playhead to a new position. To do this:

1. Stop or pause the video, if it is playing.
2. Click anywhere in the pale blue area of the *Timeline* (or click and drag the Playhead left or right).

2.2.4 Repeat mode

What do you want to happen when the clip(s) you have loaded finish playing? The *Repeat* button found in many Dartfish modules (located on the left of the speed control) offers a number of choices as shown below.



Play current clip once.



Repeat current clip.



Play all (clips loaded into the tray) once.



Play all then repeat.

To change the repeat mode

Click the repeat mode button. Each time it is clicked, the mode (and the button icon) will change.

! The tooltip (the yellow box which appears when you point your mouse at a button or control) shows both the mode that will be activated when the repeat mode button is clicked and the current mode in parenthesis.

2.3 Saving projects and videos

When working with many Dartfish modules you will have the choice of saving a "project" or saving the video file resulting from the project.

Saving a project

When you save a project you are saving all the information that relates to the creation of that project; the video files used, the settings chosen etc. Generally you will save projects if you wish to make changes to the project to get a better result or because you wish to base a new project on the settings used previously.

! It is important to note that projects do not actually include the video files used by the project. For example, saving a project using two 5Mb video clips will not end up in a project file somewhere over 10Mb. It also means that if sharing projects with other Dartfish users, you will also need to give them the video files used by that project.

Saving a video clip

When you save a video clip you are creating a new video file that can be used by other Dartfish modules or shared with others - even those who do not have the Dartfish software will be able to play back video clips on their own computers.

2.3.1 Saving a project


Select *File>Save* (or *File>Save As...*) from the *Menu bar* to save a project. The type of project (and project file icon) depends on the module currently in use when saving:

➤  - Analyzer project

-  - SimulCam project
-  - StroMotion project

! If a project is saved in a *Monitored folder* of your *Library* (see section Defining your library in the Library chapter), it will be displayed in the *Items List*.

! If you did not save a project when changing modules, you will be prompted to do so. Select **Yes** to save a project.



To open a saved project

- Double-click on the project icon in the *Items List*
- Select *File>Open* from the *Menu Bar*.

To start a new project

Select *File>New* from the *Menu Bar*. If you did not save the current project, you will be prompted to do so (see above). Starting a new project will also empty the *Storyboard* of the *Analyzer*.

2.3.2 Saving a new video

Select *File>Save Movie...* from the *Menu bar* to save a new video. A wizard will guide you through the saving steps. Different wizards are shown based on the module currently opened.

Video Trimming Wizard

The Video Trimming Wizard will launch when the *Player* module is open. Complete the wizard to save a trimmed version of the clip currently loaded in the *Player* (see Trimming video clips to learn how to set the cue in/out values).

There are two options:

- *Replace the original video clip by the trimmed video clip* - Used to delete unnecessary footage at the beginning and end of a captured clip.
- *Create new video clip into the following folder* - Used to extract video clips from a longer footage.

Video Saving Wizard

The Video Saving Wizard will launch when the *Analyzer* module is open. Complete the wizard to save a montage of the analysis contained in the *Storyboard* (read the chapter on the *Analyzer*). The main steps of the wizard are:

1. Selecting the video settings (see Converting video)
2. Entering the file information, i.e. a file name and the category/values to classify the new video (see Organizing your library to learn more about the file name and categories)
3. Selecting the destination folder

2.4 Sharing video files

Dartfish offers many ways of sharing videos with athletes or other coaches. The *Video Sharing Wizard* guides you through the process of selecting and compressing video before exporting it to the appropriate media. The choices of sharing destination are:

- *My Computer* - copy your video to a folder, to an external drive or to a network server.
- *Email* - the video clip is compressed and attached to an email in your default email program (see note below).
- *Recordable CD or DVD* - burn video to CD or data DVD directly from Dartfish.
- *Enhanced Recordable CD or DVD* - creates a CD with an easy-to-use interface customized with your branding and contact information.
- *Internet* - send video to a FTP location.
- *Dartfish TV* - Dartfish's online media sharing platform.

! The share by email option works for any MAPI email software such as MS Outlook or Outlook Express. For other email software or web-based email like Hotmail you will have to attach video files through the software or website itself.

2.4.1 Video Sharing Wizard

Loading clips for sharing

The *Video Sharing Wizard* is a feature of the *Tray*. Start by loading the video clips you wish to share into the *Tray*. To do this, drag-and-drop video files from the *Items List* to the *Tray*. Hold down the [Ctrl] key while clicking on the files to select multiple files.




Once video clips are loaded, click the tray's *Share* button.

The Video Sharing Wizard

The process of sharing is guided by the *Video Sharing Wizard*. Three steps are common to all sharing destinations.

1. Selecting the sharing *Destination* - Click on a destination then on the *Next>* button (at the bottom of the window) to proceed.



2. Selecting which videos you wish to share. "Check" those to be shared as shown below or click the *Select All* button:



3. Choose the video settings (encoding profile) appropriate for the selected destination (see Video settings for information on the different encoding profiles).

Specific additional information may be entered according to the selected destination. Read the information displayed in the wizard to complete these information (also see the Outputs from Dartfish - Publishing & Sharing chapter).

2.4.2 Converting video

When sharing or storing video, there are two important considerations:

File Size: video file sizes can be very large which can be a problem when storage space or the distribution method have limited capacity.

Video streaming: unless video files will be played from a local drive there are likely to be limits on the rate at which data can be streamed. The amount of video data streamed per second is expressed as its bit rate. Most obviously, video played from the internet needs

to have a lower bit rate than that produced by a typical video camcorder. Networks and optical drives also impose limits on the maximum bit rate of video which can be played from them.

These considerations are addressed by compressing video by means of encoding and any Dartfish process which results in the creation of new video offers a range of suitable encoding profiles.

About video encoding

The subject of video encoding is a difficult one involving many variables but to enable the best choice for encoding video with Dartfish it is useful to have a basic understanding of the following:

Image quality: Compression results in a loss of image quality – for any video format, the greater the compression the lower the image quality. Direct comparison between formats based purely on bit-rate is difficult because more recent codecs such as Windows Media 9 and H.264 achieve greater compression (smaller file size and a lower bit rate) for the same perceived image quality as older codecs such as MPEG-2 and AVI (DV).

HD versus SD: High definition (HD) video images appear sharper than standard definition (SD) because they have higher resolution (more pixels). When Dartfish encodes video it almost always retains the resolution of the source video; so when an encoding profile name refers to HD or SD this is a reflection of the resulting bit-rate and perceived image quality and does not indicate a change in resolution.

Intended use: This, more than any other factor, will influence the encoding profile chosen. For Dartfish analysis one of the Windows Media profiles is generally the best choice but if the video is being created for playback on an iPhone or upload to Dartfish.tv, one of those specific profiles might be used. If video is being created for use on the internet your web master may have a preferred video format.

Encoding versus re-encoding: Dartfish processes such as *Save Movie (Player)*, *Convert*, *Share* and *Publish Events (tagging)* re-encode the source video using the selected profile. Changing the video format can result in a loss of quality, although this won't be noticeable unless repeated. This is not an issue for Dartfish processes which create new video; *Save Movie (Analyzer)*, *Simulcam/Stromotion*, *Analysis recorder*.

Dartfish encoding profiles


A complete list of Dartfish encoding profiles, their bit rates and suggested use can be found in the Options (*Tools menu > Options > Encoding Profiles*). The different formats available are summarized below

Format	Intended use
Windows Media	Windows media encoding offers a good quality to compression ratio and is the preferred option for producing video from Dartfish when the output will be played on a computer's media player or in Dartfish. Windows media video can also be used for internet but your website administrator may prefer another format.
Windows Media for Analysis Recorder	Highly compressed and reduced frame rate WMV used by the Dartfish <i>Analysis Recorder</i> to encode video (Pro and TeamPro editions)
MPEG-2	MPEG-2 video is produced by many camcorders and is also the encoding used for DVDs. These profiles will be the preferred encoding for users who wish to maintain a library of MPEG-2 video or who produce DVDs. To carry out analysis tasks Dartfish needs to create an index for each MPEG-2 file. Encoding by Dartfish creates the index but if the file is moved or shared with other Dartfish users the index needs to be recreated, which delays access to the file. This may be a reason for some users to avoid MPEG-2.

MPEG-4 (H.264)	The MPEG-4 encoding profiles are used to produce H.264 encoded video for playback on mobile devices and YouTube.
AVI (DV)	AVI (DV) is the video format created from camcorders using DV tape. AVI (DV) is an old format which is less compressed than WMV or MPEG and this encoding will be primarily used by tape camcorder users who wish to maintain a library of DV video.
Dartfish.tv encoding profiles	Contributors to Dartfish.tv can download the encoding profiles used to produce video for their channel. Use of these profiles offers the possibility to create video which is already encoded, thereby speeding up the publication process. These profiles can be exported/imported to distribute within an organization.
SWF (Flash)	Flash encoding is only used by Dartfish to create video for Analyzer Mediabooks.

Video Settings in the Sharing Wizard

The Video Sharing Wizard includes a *Video Settings* step in which you can choose to share the original video, or re-encode it.




Video Conversion Wizard

Existing Video files on your hard drive can be converted to a range of other video formats with the *Video Conversion Wizard*. The process is as follows:

1. Select files from the *Items List* or from the *Tray*. Multiple files can be selected by holding down the ctrl key and clicking each file.
2. Point at one of the selected files and click the right hand mouse button
3. Select *Convert* from the context menu that appears.

The subsequent process of choosing file format and location is the same as that for saving new movies but you are reminded to pay special attention to whether you want to replace the existing file or create a new file with a different name.



2.5 Remote controlling Dartfish

Many of Dartfish's buttons and controls can be activated by the remote control which is issued with all Dartfish editions except Connect and Classroom. During coaching sessions you are free to move and interact with your athletes and not your keyboard or mouse. In fact, it is one of the many features that the Dartfish team have put in place to help video analysis work in the real world.

The remote control works with an infra-red receiver which connects to a USB port. The range of use depends on weather conditions, other sources of infra red interference and how fresh the batteries in the remote control are. You can typically expect around 25 meters.

2.5.1 Installing the remote control

The infrared remote control receiver must be connected and software drivers installed.



Software for the remote control is optionally installed from the Dartfish software installer but is not automatically installed with the software. The remote control will not function if its software is not installed.

To install the remote control drivers:

1. Insert the software installation disk and wait for the list of options to be displayed.
2. Choose Drivers from the list of choices
3. Choose Streamzap remote

Full instructions are given in the help documentation available with the installer.

When the receiver is connected for first time use, Windows will detect the new hardware and install the drivers for that USB port. Depending on your Windows setup this is a two step process:

1. In the first step, Windows asks whether you want to go online to search for drivers. The answer to this is No, not this time. Driver software is already available as part of the Dartfish installation.
2. In the second step you are asked if you want to install manually or automatically. The answer is Automatic [Recommended]. This is the recommended and default option.

Now Windows should successfully install drivers software for the infra red receiver.

! If you do not have administration rights to install software on your computer you will need to get the administration login or find an administrator to help you. Drivers need to be installed for each USB port to which the IR receiver will be connected.

Trouble shooting installation

Look for the Dartfish Remote icon in the system tray area of the Windows taskbar:

If it is red:  The remote control is installed and functional. Ensure that the receiver is pointed towards the remote control, batteries are fresh, the receiver is within range and there aren't other sources of infra red interference - the flashing red light on the receiver confirms when an IR signal is received but not whether it is strong enough or from which source.

If it is grey:  The remote control software is installed but the IR receiver is not connected. If it is connected to a USB port the likelihood is that drivers are not installed for that USB port correctly. Try removing the receiver and connecting it to a different USB port.

If it is not present: In a small number of cases the Streamzap software does not automatically start after installation. In this case you can force it to start by restarting the computer or manually activating its executable file at `/program files/Streamzap/Remote/zremote.exe`.

2.5.2 Using the StreamZap remote

The Streamzap remote controls many of the functions in different Dartfish modules. Remotes issued after summer 2005 now have the function of each button printed on the control. We recommend that you become familiar with these buttons and how they can help you coach more effectively. For older Streamzap remotes you can use the following guide to the equivalent buttons on your control.

 If this looks like too much to remember how about starting with the group of 6 buttons under *Play* and *Pause*. Next use one of the 2 buttons to *Start capture*. You can learn the rest as you find you need them.

💡 Now that you can use Dartfish remotely you should be able to display video in full screen. Type [F11] or look for the *Full Screen* button on the remote.



2.6 The next steps

In this chapter, you learned the basics of Dartfish software.

Your next step is to learn how to get video from your digital camera onto your computer so that you can experiment with your own video straight away. Read the Capturing Video chapter.

You can learn more about how Dartfish can help you find relevant video files with the Organizing your library chapter. It will explain in detail the advantages of using categories to classify and find your video clips.

Chapter



Video Library

3 Video Library

The Video Library is a complete set of features used to locate and manage the files you wish to analyze or share:

- The video library is "built" from the Windows folders containing those files that are relevant for use with Dartfish.
- Because you are likely to analyze many video files, Dartfish helps you locate relevant content using a flexible video content management system called *Keywords* which allow you to describe the content of video clips more comprehensively than relying on organizing video into different Windows folders.
- Dartfish uses a *Library* module which offers rapid access to your content as well as a variety of tools to help you locate relevant video files.
- The *Library* module has a powerful sharing feature called the *Tray*. It provides a workspace containing files which are being worked with. This not only makes them readily accessible for use in Dartfish but also allows you to both archive on CD/DVD and share its content by a variety of media including email, Internet and CD ROM.

In this chapter you will learn how to:

- Define your library. Learn how to include the content you wish to see in the Dartfish *Library*.
- Organize your library using Dartfish's *Keywords*.
- Import files to the library - either by capturing new video files from a video camera or using files given to you by other coaches or athletes.
- Locate video files using Dartfish's array of search tools.
- Create Playlists from the contents of the library.
- Share video files by email, CD/DVD or Internet.
- Convert video clips.

3.1 Defining your library

The library is the collection of ALL the video files that you want to use with Dartfish. These files can be stored on several folders on your hard drive.

To define the library you must tell Dartfish which folders to monitor. Only the video clips found in these folders will show in the *Library* module. The default monitored folder is the windows Videos folder

To add the contents of a folder to the library

1. From the menu bar, select *Tools > Options* (or type F3)
2. Click on the *Library* option




3. Click on the *Add...* button. A browser window will open.
4. Chose a folder and click on *OK*. The sub folders of this folder will also be included in the library.
5. Repeat steps 3 and 4 to add additional folders.
6. To remove a folder from the list, click the folder in the list and click on the *Remove* button.

3.2 The Library workspace

The *Library* module is your route to accessing the content of the library. It is displayed and hidden using the *Library* button on Dartfish's toolbar.



The library module is shown below with its four main parts labeled:




1. The *Library Toolbar* contains buttons used to control the appearance and content of the *Items List*.
2. The *Keywords* view is used to filter the *Items List* for video clips matching categories and keywords selected. When this area displays its *Folders* view, the content of selected windows folders will be displayed in the *Items List*.
3. The *Items List* is a list of video, image and project files that can be used by Dartfish.
4. The *Tray* contains thumbnails of recently created or opened videos. Think of it as giving you quick access to the files you are currently using.

3.2.1 The Library Toolbar

The function of the *Library Toolbar's* buttons is to help you locate the items you wish to use from the *Items List*. These buttons have the following functions:

- **Keywords button** - to display a list of categories and values by which the *Items List* can be filtered. To learn more about doing this see the topic *Locating video files*.




- **Folders button** - this displays a list of Windows folders. The *Items List* will show the contents of the folder selected from this list.



- **View Type** button - to control how items are represented in the *Items List*. Items can be displayed in a simple list or showing details such as file size and category/values used. The thumbnail views show an image of the first frame of video.



- **Back/forward** navigation buttons - As different categories and folders are selected from the *Folders view* or *Categories view* the *Back* and *forward* buttons become available to navigate between them.



3.2.2 The Items List


The *Items List* is a list of items that Dartfish is able to use. This includes video clips, images and Dartfish projects, each represented by its own icon examples of which are shown below:

-  - Video clips
-  - Picture files
-  - Analyzer projects
-  - SimulCam projects
-  - StroMotion projects

File management using the *Items List*

File management functions such as file renaming, deletion and copying can be carried out from the *Items List*. Display the range of options as follows:

1. Point the mouse at the item(s) you wish to edit.
2. Click the right mouse button. A context based "Quick menu" appears.



3. Left click the function you wish to use.

! The use of the *Convert* function is explained in the topic Converting video clips.

Opening video clips

There are three methods of opening a video file from the *Items List*:

1. Point at the item and double click the mouse.
2. Drag and drop the item from the *Items List* on to the video display. This method offers more flexibility when there is more than one video display to choose from.
3. Drag and drop the item onto the *Tray* section of the *Library* module. From here it can be added to the video display as needed.

Opening Projects

Projects must be opened using the relevant Dartfish module. Either the appropriate module is opened first or, if a project item is double clicked (method 1 above), the appropriate module will start, closing the current module if necessary.

Opening Images

Image files can be opened by double clicking them however they will not be opened into Dartfish, instead the default image viewing software on your computer will be used.

3.2.3 Item Properties

Further information about items can be revealed by using the *Details* view or the properties window.

Details View

Details view is selected by clicking the *View Type* button on the *Library Toolbar*. The details view reveals additional file and categorization information about each item as shown below.

Name	Size	Type	Created	Club
 Iniaki Iron 7	6.39 Mo	Clip vidéo	18.04.2005...	Drive




These details can be exported as a CSV file see the [topic](#) Exporting keyword data.


The Properties window

To display an item's properties:

1. Point the mouse at the item.
2. Click the right mouse button. A context based "Quick menu" appears.



3. Select the *Properties...* option. The properties window appears for the selected item as shown below.



Although much of the properties information is similar to that displayed in *Details* view, there are two useful pieces of additional information:

- File location - the folder on your hard drive where this file is located. The *Open Containing Folder* button allows you to open this location to see other content of this folder.
- Comment - comments can be edited in the properties window and can be used to provide additional information about the file. This is particularly useful if you intend to share the file (see Sharing video files) as your comments will form part of the content of an *Enhanced CD*.

The Properties window - source info tab

The properties window also shows information about the video source. Some of these properties can be modified to correct errors in the video. See *Correcting video property errors*

3.2.4 The Tray

The *Tray* is a working area for the collection of video files currently being used. It allows you rapid access to files you want to analyze and provides a method for taking files from one module to another.



Additionally, organizing items into the *Tray* is the first step for:

- Sharing video files (see Sharing video files).

Adding clips to the Tray

Items will appear in the *Tray* when:

- Video clips are opened from the *Items List*.
- New clips are captured from a video camera.
- Video clips are added by drag & drop from the *Items List*.

Clearing the Tray

Selected items are removed from the *Tray* by clicking the *Clear* button.



If no files are selected the entire content of the *Tray* is cleared.

File management using the Tray

The items appearing in the *Tray* are a representation of the original file so unsurprisingly, the file management functions available to items in the *Items List* (see The Items List) are also available to items in the *Tray*.

1. Point the mouse at the item(s) you wish to edit.
2. Click the right mouse button. A context based "Quick menu" appears.



3. Left click the function you wish to use.

3.3 Organizing your library


Your Dartfish software includes a versatile video management system called *Keywords*. The *Keywords* are used to describe the contents of your video clips in a simple and clear manner. For example, you can define categories such as the name of the athlete, discipline, location of the filming, assessment of performance etc and each video clip can be classified and easily located by using Keywords in any or all of these categories.

Continuing this example, it becomes very easy to locate videos containing "John Smith" doing "Bench press", "Incorrectly" and distinguish these from video of other athletes or even of "John Smith" throwing the "Javelin".

3.3.1 Understanding Keywords


To understand the Keywords system, you must be able to distinguish between the following elements:

- The *File Name* that is defined for each video clip physically stored on your hard drive. A video clip is identified with the icon illustrated below, with the file name displayed underneath (as you can see in Windows Explorer).




- The Keywords that represent the details of each clip. For example "Swing" and "Front" can be used to describe a video clip containing a swing filmed from the front in golf.

The process of classifying consists of assigning keywords to your video clips, i.e. labeling them.



- The *Categories* that group the Keywords of the same kind.



3.3.2 Defining your categories

To help you decide what categories and keywords you need, imagine you have several hundred video clips on your computer. How would you label each one to identify it? When you look for these video clips one year from now, what might you be looking for?


- Perhaps you film different sports or different disciplines within a sport. For this create a *Sport* category or a *Discipline* category with values for each sport or discipline that you work with.
- Perhaps you will want to compare video clips filmed from the same angle. That will be much easier if you are able to distinguish clips filmed from the front and ignore those filmed from the side. In this case, you may use the category *Camera Angle*.
- So, what else might you look for? *Age group* perhaps if you want to compare athletes of a similar age; An *Assessment* category if you want to be able to distinguish video where a skill is performed well from where it is performed badly.

Once you have replied to these questions, you can create the nomenclature that will allow you to classify and locate your video clips.


3.3.3 Editing categories

To create a new Category

1. Click on the *New* button at the top of the library and select *New category...* from the menu that appears.



2. Enter the name of your new category (e.g. Camera angle) and click OK.



The new category will appear in the *Categories* list.

To rename a category:

1. Right-click on a category label and select *Edit...* from the context menu
2. Type the new name and press the enter key on the keyboard.


To delete a category:

1. Click your mouse on a category to select it.
2. Click on the *Delete category or value* button in the category tool bar .
3. Confirm the action by clicking OK. The category will disappear from the *Categories* list.

! When a category is deleted all keywords within that category are also deleted. Video clips using those keywords are not deleted but they will lose the deleted values.

3.3.4 Editing keywords

Keywords appear beneath the category headings. If needed, click on the arrow sign to the left of a category to expand its list of corresponding keywords. In the example below "Event" is the category and "highjump", "javelin"... etc are the keywords used to describe the video clips.



Creating, deleting and renaming keywords is done in the same way as for categories (see Editing categories) except that you start by selecting the category which contain the keyword.

3.3.5 Classifying video clips

Once your categories and keywords have been defined, you can classify your video clips. This process consists of assigning keywords to your video clips, i.e. labeling them, in the same way as you would label your suitcase to help you recognize it.

It is not just video clips that can be classified; any item that Dartfish lists in its *Items List* can be categorized to make it easier to locate.

To add a keyword to an item:

1. Select the item(s).
2. Drag the item on to the desired keyword.

Remember that you are not limited to adding a single keyword. You can repeat this process as often as you like BUT only one keyword from each category can be added to each item.



You can classify several video clips at once. To do this, press on the Shift or Ctrl button on your keyboard while left clicking with your mouse on the clips you wish to classify. Then drag and drop the files to a keyword as described above.

To change the keyword attached to an item:

1. Select the item(s).
2. Drag the item to a different keyword within the same category.




It is often better to add keyword to your video clips as they are captured from your camera. To find out how to do, see the topic [Setting Clip Properties](#)

3.3.6 Removing keywords from video clips

As seen in the [Editing categories](#) topic, deleting a keyword from the categories list will also remove that keyword from any items which hold it. However it is also possible to remove a keyword from a video clip.

To remove a keyword

1. Click the *View Type* button at the top of the *Library* module



2. Select *Details*.
3. Alter the width of the *Items List* so that you are able to see the headings for each category (these are only visible in *Details* or *Thumbnail Details* views). To do this you will click and drag the right hand border of the *Items List*.
4. Find the keyword you want to remove. To do this you may have to make the *Items List* wider still or use the scroll bar at the bottom of the *Items List*.
5. Right click on the value and choose *Rename* from the context menu. The keyword will enter an editing mode as shown below:

Name	Club	Size
Iniaki Iron 7	Drive	6.39 Mo
Iniaki_0305(2)(1)	Drive	8.18 Mo
Iniaki_0305(2)	Drive	8.18 Mo
Iniaki_0305(3)	Drive	9.28 Mo

6. Delete the existing keyword (*Backspace* key on your keyboard).

3.3.7 Importing/exporting keyword sets

The category and keyword information for each video clips is stored in a small extra *Metadata* file (with a ".dartclip" file extension). Although this is not visible in Dartfish's *Items List* you can see it using Windows Explorer as shown below.

 Iniaki_0305(4).avi	9'935 Ko	Clip vidéo
 Iniaki_0305(3).avi.dartclip	1 Ko	Dartclip files
 Iniaki_0305(3).avi	9'512 Ko	Clip vidéo
 Iniaki_0305(2).avi.dartclip	1 Ko	Dartclip files

When your video clips are shared, the recipient will also inherit a new set of categories and keywords provided the metadata file was also shared. All Dartfish's sharing processes include metadata.

What happens when inherited categories match existing categories?

Provided that the spelling and capitalization is identical, the new video clips will fit neatly into the existing keyword system. But if, for example, the new video clip has a value of "Front View" and you use a value "front view" then both keywords will now appear in your "View direction" category.

When you and your fellow coaches will use the same categorization system (or you have more than one computer) you can export a set of Category/keywords from one computer to another.

Exporting Categories / keywords

1. Click the *Add a new category or keyword* button .
2. Select the *Export keyword set...* option.
3. Save the export file.

! Make sure you know where the export file has been saved as it will be passed (by disk, network or email) to the other coach or computer.

Importing Categories / keywords

1. Click the *Add a new category or keyword* button .
2. Select the *Import keyword set...* option.
3. Locate and open the file to be imported. The new categories and keywords are now visible in the *Keywords view*.

3.3.8 Exporting keyword data


Dartfish allows the export of the video library's keyword data in a CSV file that allows the data to be stored and analyzed in databases and spreadsheets.

keywords associated with video files contain a lot of information that may be of more benefit than assisting with finding and identifying the content of video files. For example,

specialist shoe shops gather information about the shoes that customers buy as a result of video analysis; researchers making observations from video may record that information using keywords.

To export Category / keyword data as a CSV file


1. Use the search and filter tools to isolate the video clips with data to be exported.
2. Point the mouse anywhere on the *Items List* and click the right mouse button.
3. Choose *Export List* from the context menu that appears.



4. Save the CSV file. It can be reopened by spreadsheet software such as MS Excel.

It is not necessary, but it may help, to change the library view to one of the details views. This will allow you to see what data is held for each file prior to export. To do this:

1. Click the View button at the top of the library.



2. Select *details* or *thumbnail details* view.

3.4 Importing files to the library

Dartfish imports files to its library by one of two processes; *Video Recorder* or *Video file Importer*. Access to these tools is via the *Importer* button on the toolbar which allows you to select one of these tools by accessing its drop-down menu.



If you are not sure which tool is best for you, click the *Importer* button itself and choose from a list of video devices and sources. Dartfish will then start the correct tool according to your choice.

Video File Importer

Copies files from any disks or folders internal to, or connected to, your computer. This includes:

- Camcorders recording to hard-drive or internal memory
- DVD camcorders
- DVDs or CDs in your computer's optical drive
- Card readers
- Folders on your computer, network or external drive.

Video recorder

Records a live feed from a device capable of delivering a video stream; this is recorded by Dartfish to create new video files. The most common instance of this being the replay of recordings on the tape or the live stream from a DV or HDV camcorder (uses DV tape cassettes). This method also applies to any device providing a live video stream, for example:

- DV and HDV camcorders as described above
- Video converter devices (analog to digital, HDMI to DV etc). These devices are used to convert the video output from devices which don't provide a digital stream
- Webcams

! The video feed from webcams is often of low quality and frame rate making them unsuitable for effective analysis. Those using them should also be aware that the images are uncompressed and therefore require greater processing by your computer.

Other ways of adding files to your library

For the sake of completeness, there are 3 further ways in which files can be added to your library:

1. A new folder is added to the list of folders monitored by Dartfish (see Defining your library).
2. The results of a Dartfish project are saved.
3. Video files are copied or saved into the library by a process external to Dartfish, for example by using MS Windows file management tools or by using the import software supplied with many camcorders.


! When new files are added to a monitored folder by an external process they won't automatically appear in the Library - you must remember to refresh. From the menu bar

choose *View > Refresh*.

3.4.1 Using the Video File Importer

The *Video File Importer* copies files from any device on which Windows is able to recognize a file structure (for a fuller description see *Importing files to the library*). To import video files into the library:

1. Connect the external device or insert media into the appropriate drive. If the device doesn't simply plug and play you may need to refer to the device's documentation to learn how to do this. For example, many camcorders require that you select a connection mode.
2. Select *Video File Importer* from the drop down menu on the *Importer* button.



3. A step-by-step Wizard is launched to guide you through the process of selecting, copying and categorizing video files. The steps of the wizard are covered in the following topics.


3.4.1.1 Video File Importer - selecting files

In the first step of the importer you choose the source of your files and then can select or deselect which files you wish to import.

Select source drive

Select a device or select the *Browse...* option to select a specific folder.

Even if you made a specific choice of video source from the importer, all connected sources are listed. When selecting the source remember it may not always be obvious how your computer identifies your device; in the example below the camcorder is simply identified as "Removable Disk (G:)"



! Dartfish automatically recognizes the file structure on certain devices and displays the videos from that device. On other devices it will be necessary to browse and select the appropriate folder.

Select Files

Files are selected by placing a tick in the check box at the top right of the thumbnail.

Proceed to the next step by clicking the *Next* button at the bottom of the Importer

3.4.1.2 Video File Importer - naming and filing videos

In the final 2 steps of the wizard you will define file name, assign keywords and select a folder for the imported files.

File name

The title has two roles depending on the source device type:

- For sources which Dartfish will join concurrent files (AVCHD camcorders and DVD), the title represents the name of the new file that will be created.
- For other sources, the file name allows you to rename the often meaningless name assigned by the camcorder. The same filename will be used for all imported files but suffixed with an index number e.g. filename(1)


Add keywords to video clips

Dartfish keywords can be added to video clips as they are imported. As discussed in the Organizing your library topic, keywords are a highly effective way of cataloging video content.

To add a keyword:

1. Click the *Add Keyword Category* button
2. Select a keyword category, if the category doesn't yet exist in your library, type the new category name to create it.
3. Select or type the keyword to be assigned
4. Repeat as often as required to fully describe the video content

The keyword form is retained for future imports



Previous versions of Dartfish automatically added the keyword "Import session dd-mm-yy" to imported files. Now there is flexibility to add any keywords but it may still be useful to add a keyword representing the name of the session in order to be able to easily locate all the clips from a single session.

Select destination folder

The final step before import allows you to choose the destination for imported files. This is the Windows folder where your files will be stored.

! Even if you use keywords to organize your library, your files are still stored using the Windows folder system. It is perhaps best to import to one of your library's monitored folders but any folder you choose will automatically be monitored by Dartfish.

! It is recommended that you choose a folder on a local drive, rather than on a network; this will ensure rapid copying and smooth playback and analysis

The folder structure of the removable media will be maintained after import. For example if my memory stick contains a file K:\Videos\file.mpg it will be imported as ..\destination folder\Videos\file.mpg.

Finish

Your final choice is whether you wish the imported media to be included in the *Tray*. Regardless of the choice made, of course all media can be located in the *Library Items list*. Categories can be used to help locate clips from a specific import session.

3.4.1.3 Notes on the Video File Importer

Importing files from Camcorders

Many camcorders permit a maximum file size so when you make long recordings several video clips are created. For certain types of device (currently AVCHD camcorders and DVD) Dartfish automatically detects sequential files and creates a single video clip.

Indexing video

MPEG-2 (and some other video formats) do not have an index, preventing accurate identification of video time position. Tasks which rely on this, such as stepping through the video and synchronizing multiple clips, become unreliable. Dartfish creates an index when these videos are imported or opened. Access to the video is delayed during indexing, but the index is retained allowing immediate subsequent access.

Importing from DVD

In addition to importing files from data CDs/DVDs and importing from DVD camcorders via a USB connection, Video File Import copies video files from a video DVD in a form that can be used in Dartfish software : the DVD's VOB files will be renamed with an MPG file extension to allow them to be played by Dartfish.

- DVD import is not designed to *capture* video images from a DVD player. In order to import DVDs your computer must have a disc drive capable of reading DVDs or import is direct from the DVD camcorder connected by USB.
- If your computer's DVD player automatically plays the disc after insertion, stop it and close the player to allow Dartfish to access the disc.
- Many commercial DVDs are copy protected. Dartfish will be unable to import video files from copy protected DVDs. Video DVDs that have been created by a home DVD Video Recorder or a DVD camcorder are usually not copy protected.

3.4.2 Video Recorder: get video from DV tape camcorders

Video Recorder is the Dartfish module which is used to record video from DV tape camcorders and other devices providing a video stream. In this topic we focus on the process for DV tape camcorders: other devices will follow similar steps but the connection process will vary.

Its use is very simple - three steps to set it up and three steps to capture each clip. These steps are shown below but for further details, read the rest of this topic.

To activate DV import

1. Select *Video Recorder* from the drop down menu on the *Importer* button.



To setup DV Import

1. Connect camera to computer via Firewire
2. Switch camera ON to "Camera" or "VCR" mode.
3. Set capture settings if needed.

To capture video

1. Play video tape to find relevant footage
2. Start capture
3. Stop capture

3.4.2.1 Setting up capture

Connecting a camera

A DV camera is connected to a computer via a firewire cable (also known as IEEE 1394 or i-link).



In general, your camcorder will have a 4 pin connector. Your computer can either have a 4 or a 6 pin connector. The cables are called 4 to 4 or 4 to 6.



"4" pin connector



"6" pin connector

Switching the camera on


To capture images from tape, switch on your camera to "Play" or "VCR".

! If this is the first time that a DV camera has been connected, it may take some moments for Windows to install the new hardware. Watch for progress in the Windows system Tray.

Selecting a *Capture Device*

The lower part of the DV import module contains several settings. Clicking the headings expands each setting to view the details.

In the *Capture Device* section the video (and optionally audio) devices are selected: Select your camera from the *Select capture device* drop-down list. When a successful connection to a camcorder is established the Record button will be active (red) and when the tape is played an image should appear in the *DV import* video display.



If the device or camera that you are using does not appear in the capture device list, it is possibly because of one of the following reasons:

- Camera not switched on. (Remember cameras auto switch off after a short time if unused)
- Correct cable not present or disconnected (a firewire can easily work loose).
- Camera not properly installed and recognised by Windows.
- Hardware fault with firewire cable or camera or capture card.
- Camera not capable of exporting video to a computer.


3.4.2.2 Setting Clip Properties

Use the *Clip Properties* to set the *File Name*, *Categories* and *Keywords* for newly captured clips. This information defines a so-called *Capture Form* that will be used to categorize the video clips during capture.

Read the section Organizing your library to learn more about categories and keywords.

Defining the *Capture Form*

1. Click the [Add a category](#) link. The *Add Category* dialog will appear.



2. Select a category from the list or create a new one.
3. Click **OK**. A new category box will appear on your *Capture Form*.
4. Repeat steps 1-3 until boxes for all the categories you want to use are displayed on your form.

Using the *Capture Form*

1. Type a file name in the file name text box.



! Each file captured using this file name will be numbered sequentially. For example if you type "Training Apr10", each captured clip will be named *Training Apr10(1)*, *Training Apr10(2)* etc.

! The filename you use must follow MS Windows file naming rules: Max length 256 characters; use of ":", ";", "/" or "\" is not possible.

! If no file name is specified a generic name of *Untitled(1)* etc will be given.

2. Select the keywords you wish to give the clip by selecting them from the drop down list for each category box. For example, you might intend to capture all of the men's Giant Slalom competitors in Chamonix. Your form should look like this:



Clip Properties Enter information about the next captured clip

File Name:

Discipline:  

Sex:  

Venue:  

Skier:  

[Add a category](#)

If a keyword does not already exist, for example a new competitor, you can type that value into the appropriate box. This new keyword will only appear in the *Library* module's categories list after clips have been captured.

! If a category is to remain with no keyword, for example if the name of a competitor is unknown, the value may be deleted from that category box (select it and use the *Backspace* key on your keyboard). Do not use the *Clear button*  as it will remove the category box from the form.

3.4.2.3 Using Recording options


A difficulty when capturing from tape is to guess when the action that is to be recorded starts. It is common to start recording too early and create a file that is longer than necessary or needs to be trimmed. Worse still, recording is started too late and the only option is to delete the file and try again. Recording options are intended to prevent this. There are two recording options:

Pre-record - constantly stores a defined number of seconds of video in the computer's memory. When recording is started the stored video is included in the video file created. Setting one or two seconds of Pre-record compensates for user and computer reaction time.

Recording Duration - it is possible to define how long the captured clip will be. Recording will automatically finish at the end of the defined duration. This simplifies recording to the single button press that initiates it but it is especially valuable when longer videos are to be recorded; for example, start recording a game and return one hour later when it has finished.

To set Recording options

1. Expand the Recording options section
2. Select the setting (tick box)
3. Set the value by editing the time directly or by using the Up-Down buttons. Note that time is displayed in Hour:Minute:Second format.



Pre-Record Duration: ☒ 00:00:02   Recording Duration: ☐ 00:00:05  

In the example shown here a 2 second pre-record is being used but the 5 second

recording duration is not and recording will be stopped manually.

Recording after the action has completed

The tape may show many actions which are of no value to you. How can you efficiently select which of these you want to record for use in Dartfish? By setting a larger *Pre-record* it is possible to make an assessment of which actions are worthwhile. In the example below, recording is only started AFTER the jump has completed: A *pre-record* of 4 seconds allows for decision making time and by also setting the *recording duration* to 4 seconds we ensure that it is always the previous 4 seconds that are recorded.



3.4.2.4 Selecting a recording location

The *Recording folder* setting both displays the current Windows folder where video will be stored and allows you to select a different location. The recording location default is the "Videos" folder on your computer. To change recording location:

1. Click the [Change recording location](#) link. The following dialog box appears:



2. Select a folder from the list or click the *Make New Folder* button to create a new folder in the currently selected folder.

Choosing a recording folder

Apart from organizing your files where it is convenient to find them in the future you must choose a drive with sufficiently fast write-speed.

Video files are large and data-rich so attempting to save to a location where the file writing speed is too slow is akin to quickly pouring a lot of water down a narrow pipe! The result is dropped frames and jerky playback. Typically, data transfer to a network location is too slow to successfully create video files.



Record to a local drive and then use the *Share* function of the Library's *Tray* to copy the files to other locations.

3.4.2.5 Using an encoding profile

Dartfish can re-encode video during capture. When no encoding is used, video is recorded in an AVI file format which is relatively uncompressed. Selecting an encoding profiles for capture is used to:

- Reduce video file size.
- Prepare the video for its final destination e.g. sharing by internet and CD
- Make files compatible with media storage systems and document management systems that require video in a specific file type.

About the encoding types

See *Converting video* for further information on the different encoding profiles.

Convert in Background

To both record a video file and simultaneously convert it requires a lot of computing power. If the *Convert in Background* option is selected Dartfish will prioritize the recording of the file as AVI but convert it when resources are available. Creation of the encoded file may finish some time after recording has completed.

Keep the original recording file

Because the *Convert in the Background* option effectively creates 2 files, you can choose to retain the full quality AVI file in addition to the encoded copy.



Although encoding during capture offers the convenience of a video file already suitably encoded/compressed for its final purpose, it is possible to re-encode any video file in the library simply by right-clicking it and selecting *Convert* from the context menu.


3.4.2.6 The background task manager

When the *Convert in background* option is used to encode (convert) video as it is captured, the full quality video is stored by the computer until sufficient resources are available to complete the conversion. This may not happen until some time after the capture.


The *Background task manager* helps you keep track of the progress of creation of encoded clips and if necessary allows cancellation of the process.

To view the background task manager

1. From the *Tray* section of the *Library*, click on the *Tray* button.



2. Select *Background Task Manager* from the menu.



To cancel tasks

If the progress indicator for a task shows that it is not yet complete  then the task can be cancelled by clicking its close button . Clicking the same button on completed tasks does not undo the process, it simply removes the item from the list. All complete tasks can be removed by clicking the *Clear* button. This may help in identifying which tasks are still incomplete.

3.4.2.7 Capturing video to Library

Once setup, the process of capturing video is a simple one; you have to locate the position on the tape where the footage of interest is recorded and then click a single button to start and then stop capture at the beginning and end.

Finding footage on tape

The DV Import module has a set of controls that you can use to control the camera.



Alternatively, you can use the equivalent controls on the camera itself.

Capture video

Click the record button  at the start and end of the clip.

The pause recording button  allows you to pause capture while the tape continues to run. This allows you to create a single clip when the action is split. For example, coach intervention in the middle of a trampoline routine or a fall while skiing can be ignored.

Replaying captured clips

The clips you have captured will now be listed in both the *Tray* and *Items List* of the *Library* module. Load the video by double clicking on it. The video clip will open in the *Player* module.

3.5 Locating video files

Dartfish's *Library* module offers three methods for helping you to locate specific video files from the *Items List*.

- *Keywords* view - displays a list of categories and keywords. The *Items List* is filtered to reflect files matching categories and keywords selected.
- *Search* - the search box allows a text based search of filenames, categories and keywords of the contents of the library.
- *Folders* view - the typical way of locating files using MS Windows folders. The *Items List* displays the content of the selected folder.

3.5.1 Using Keywords

When using the Keywords system all video clips (and other Dartfish projects) in the *Library* will be listed in the *Items List*. That could amount to a lot of files! You can filter the *Items List* to show only relevant clips by selecting the categories or keywords for those clips.

Filtering the *Items List* by category

1. Display the Library module
2. In the *Categories List*, click the box next to the category of video you want to search


for. A binocular symbol appears in the box and all values within that category will also be selected



3. The *Items List* will display all clips which are labeled with keywords from that category.

Filtering the *Items List* by keyword

1. In the Categories list, click the [+] symbol next to the category containing the keyword you want to filter by. An expanded list of keyword is displayed.
2. Click the box next to the keyword of video you want to search for. A binocular symbol appears in the box. The *Items List* will display all clips which are labeled with keywords from that category.




! You can select multiple keywords to refine your search

Removing filters

1. EITHER: Click the box next to each category or keyword that you want to exclude from the filter such that the binocular symbol disappears.
2. OR: Click the *Show All* button  above the *Items List*.

3.5.2 Using Search

When using the *Categories* view, a search box can be found above the *Items List*. This can be used to search for all or part of the text in the file name, keywords and categories of a video clip. For example a search for "Golf" could yield the following results:



To use the *Search*:

1. Type search text.
2. Click the *Search* button or press the ENTER key.



Combining *Search* and keyword filters

When keywords are used to filter the *Items List*, search results are based around the selections made as follows:

- Search first - subsequent category/keyword selections filter the search results only.
- Filter first - subsequent searches are based on filtered results only.

3.5.3 Using Folders

The *Folder* view creates a way of searching drives and folders on your computer for items. Although we recommend the use of keywords as a more versatile method for cataloguing your video library there may be occasions where you prefer to identify video clips by the folder where they are located. For example if you want to examine the contents of a CD or networked drive (including these types of location in your video library is not recommended).

Filtering the *Items List* by folder content

1. Display the *Folders* view by clicking the button at the top of the library.
2. In the *Folders* view, click the folder you want to examine.
3. The *Items List* will display all clips in the selected folder.



3.6 Saving the tray's content


The contents of the *Tray* can be saved as a *Playlist* which can be reopened in the future. This is useful for any situation where you will want to work with a collection of clips; creating a Playlist will be more efficient than locating the same clips in the items list for example:

- A set of clips illustrating techniques to be practiced in a coaching session.
- Clips captured during training which you want to keep together for later feedback or editing.
- All video sources used while Tagging a game (Team Pro).

3.6.1 Creating a playlist

A Playlist is created by saving the tray, to do this:

1. Click the *Tray* button found to the left hand side of the Tray itself.



2. Select the *Save Playlist...* option.
3. Enter a file name and select a folder location for the Playlist.

 Playlists can be saved into any folder you like but if you select one of the library folders (see Defining your library) your Playlist will appear in the items list with the following icon:



This allows you to categorize, search for and open clips in the same way as you would with


video clips.

3.6.2 Reusing a playlist

A Playlist is used by opening it, to do this either double-click its icon in the *Items List* or proceed as follows:

1. Click the *Tray* button found to the left hand side of the Tray itself.
2. Select the *Open Playlist...* option.
3. Locate the file on your computer and click the Open button.

! When a Playlist is created it does not duplicate the video clips it contains but simply instructs Dartfish where the original clips can be found. If a clip contained in a Playlist is moved to another folder, deleted, or the folder containing it is unavailable (for example, a disconnected network folder or external hard-drive) then Dartfish will be unable to find it. When the Playlist is opened you will be offered the opportunity to find the clip.



If the *No* button is clicked the Playlist will continue to open the remaining clips (and continue to warn you if the files are not found). Remember to save the Playlist if you wish the changes to be permanent (see *Modifying a playlist*).

3.6.3 Modifying a playlist

Once the Tray's content has been saved as a Playlist, changes made by adding or removing clips from it are not automatically saved. These modifications must be saved using the same procedure as creating the original Playlist (see *Creating a playlist*) You have the choice of saving a new Playlist with a new name or overwriting the original.

3.7 Sharing video files


The Tray is used to share video to a variety of destinations including network drives, email, CD and internet. To learn more about all the outputs from Dartfish see the *Dartfish outputs - publishing & sharing* chapter

3.8 Converting video clips

The video which comes from your camera is in a DV (.avi) format. It is possible to use Dartfish to convert DV video files into other, more compressed formats to reduce the space they occupy on your hard drive.

Conversion is guided by the *Video Conversion Wizard*.

1. Step1 - select the files to convert from the *Items List* or the *Tray*. To select multiple files, hold down the [Ctrl] key while clicking on the file names.
2. Step2 - Display the *Tray* or *Items List* context menu by right-clicking on any of the selected items. Select *Convert* to launch the *Video Conversion Wizard*.



3. Step3 - *Video Settings*. Select an encoding profile. The profile chosen affects the video format and the degree of compression. For more on video encoding profiles see *Converting Video* in the *Getting Familiar* chapter.
4. Step4 - *Destination*. Choose a destination folder for the video. The default is to return converted video back to the same folder as the original files. Converted clips will not replace the originals and will have a different file name. For example, "Marathon.avi" will become "Marathon.wmv". However, you are able to choose what action to take if there are other files with the same name located in the destination folder. You can either overwrite the existing files or rename the converted files.

Clicking the *Next* button at this stage starts the conversion. When complete, the new files can be found in the *Items List* or *Tray*.

3.9 Video Formats and Dartfish

Dartfish can play a variety of common video formats. This allows the use of video content from a variety of sources and devices. The following formats are supported.

- AVI (DV - PAL, NTSC - Type I & II, uncompressed and DivX)
- High Definition (HD) in HDV or AVCHD
- Windows Media (WMV)
- MPEG (MPEG-1, MPEG-2)
- MPEG4 (H.264-AVC)

! The file types listed above are a broad guide - some devices and software encode video files using *codecs* that cannot be decoded by Dartfish. Others may create files with a proprietary file extension that is not recognized by Dartfish. Our advice is to try to play it and you'll soon find out if it works! Check out Dartfish Support for further advice.

HD (high definition) video and Dartfish

The increased resolution of HD video can be highly beneficial for video analysis however it also has downsides. Four times more pixels can require more storage space and processing power, although this varies considerably depending on the encoding bit rate used by your camcorder. The difficulty is not just with image resolution; the complexity of encoding profiles such as MPEG-4 require five times more processing than standard definition MPEG-2. The result may be that analysis tasks such as split-screen comparison or even frame-by-frame playback require above average computer resources.

For those using HD it is particularly important to be aware of the recommended computer specification.

3.10 Correcting video property errors

Some video devices produce video which fails to describe, or describe incorrectly, certain video features and this can lead to problems with appearance. Dartfish allows you to manually correct video properties.

To display the video properties:

1. Right-click the video item in the Library's *Items List* or *Tray*
2. Select Properties from the quick-menu
3. Select the *Source Info* tab

The following errors can be corrected:

Interlacing errors

Interlacing errors occur when the two fields which comprise each frame of interlaced video are incorrectly displayed. If interlaced video is incorrectly described as progressive then a characteristic jagged edge is seen on moving objects, such as shown below.



Where the two fields are displayed in the wrong order, the video will appear to jump back and forwards when played frame by frame or in slow motion.


Aspect ratio errors

When a video is displayed in the wrong aspect ratio the image will appear distorted; squashed or stretched.

To adjust properties

Only properties with a pencil icon next to them can be edited.

1. Click on the value to edit
2. Select the correct value from the drop down list
3. The corrected value is displayed next to the original value as show below:



3.11 The next steps

This chapter covered the use of the Library and explained how to create a library using *Categories* and *Keywords* to manage video clips. Specifically, you learned to:

- Define folders and drives to be contained in the library.
- Define appropriate *Keywords* for your needs.
- Describe the content of your video clips by using categorized keywords.
- Capture and export video clips from DV tape.
- Share video by disk, email or Internet.
- Archive and backup video on CD.

We recommend that you take some time now to define the folders and/or drives that you want in your library, create categories and values suitable for your use of video and then, if you have existing video clips, assign appropriate values to each.

If continuing your journey through Dartfish Help then you might want to learn how to capture video 'live' using the *InTheAction* Module (read chapter *Live capture & instant replay during training*).

Dartfish is also able to share video by producing Media Books from the *Analyzer* module.

Chapter

IV

*Live capture & instant
replay during training*

4 Live capture & instant replay during training

The InTheAction module is a combination of Dartfish capture, replay, comparison and analysis features brought together in a way that allows the delivery of video feedback during training sessions.



The aim here has been to make the technology easy to use without the presence of a computer being disruptive to training itself. Some of the key features which allow this to happen are:

- Remote controlled - for complete ease of use, a single button on the remote control can control both capture and replay.
- Simplified video capture - in automatic mode only trigger capture at the start of the action. A fixed number of seconds is captured from this point.
- Automatic instant replay - replay happens automatically as soon as capture is complete. Pause and set replay speed by remote control.
- Comparison - compare captured clips side by side with a reference clip.
- Synchronization - synchronization of clips is based around the moment when you trigger capture making comparison of 2 clips both easy and quick.
- Drawing/annotation tools - illustrate coaching points using a range of drawing tools

4.1 Preparing InTheAction for use

At the start of your coaching session using InTheAction you will spend a short time preparing InTheAction for use. Of course you'll need to connect the camera, perhaps more than one camera, also in this section you will learn to adapt the recording and play parameters according to your specific needs.

4.1.1 Selecting capture device

! IMPORTANT NOTE: About using video devices with InTheAction

InTheAction works by establishing a link that allows live images to pass directly from camcorder to computer. For this reason it only works with camcorders and devices capable of providing a video stream. DV and HDV tape camcorders can do this streaming but the latest HDD and SD card camcorders do not offer this functionality.

It is still possible to use InTheAction with these camcorders in conjunction with converter hardware: the camcorder's video output to TV is connected to the converter which creates a digital video stream which can be used by Dartfish. Converters can be used with analog

and HDMI video sources.

Webcams offer another solution. They provide streaming digital video but it is often of low quality and frame rate. Even high quality webcams often lack the basic functionality (zoom, auto exposure etc) of the cheapest camcorders, making them unsuitable for creating good images for analysis. Nevertheless, webcam use may be a convenient solution in situations where the image quality is adequate for the purposes of the analyst. Those using them should be aware that webcam images are unencoded and therefore require greater processing by your computer and a faster hard drive writing speed. This can make the use of webcams problematic on less powerful computers. The latest advice on the use of camcorders and other imaging devices can be found on the support section of our website. The information below applies equally to DV camcorders and other video streaming devices.

Setup capture devices

After connecting the camera, the next step is to launch the InTheAction module and select your camera as its video input. To launch the *InTheAction* module click on the *InTheAction* button on the toolbar:



InTheAction module has two tabs at the top of the module:



- *Setup Input Devices* - to select the capture device(s); choose the appropriate device from the drop-down list. Once selected, you should see the images transferred from capture device (camera).



! If your device is not listed, make sure that your equipment is correctly connected (see Video Recorder in the *Video Library* chapter), switched on and has not automatically switched off - many cameras do this after a fixed interval. Taking the tape out of the camera prevents automatic power off every few minutes.

! Usually input device selection is only required the first time you connect your camera to your computer. It is necessary if there is more than one input device or if several different cameras are used.

- *InTheAction* - is where the capture and replay features are found. Click on this tab once you have selected the capture device.


4.1.2 Using more than one camera

If your computer has two firewire inputs, a second camera can be connected, allowing InTheAction to capture two video clips simultaneously. For example, rear and side shots. InTheAction allows simultaneous replay of both clips.

Choosing multiple video inputs

Unless you choose to use multiple video inputs when you installed Dartfish you will first need to activate the option to use *two* cameras. To do this:

1. Open the Dartfish options, select *Tools>Options* from the *Menu bar* (F3).



2. Select the *InTheAction* topic
3. Click the *2 (need identical device type)* option
Identical devices are recommended because it requires much more computing power to process the video from different hardware.

Setting up multiple video inputs

1. Launch the *InTheAction* module.
2. Select the *Setup Input Devices* tab.
3. Select the second camera from the corresponding drop-down list

4.1.3 Defining recording folder

The lower part of the *InTheAction* module allows you to set the *Recording Folder*, i.e. the folder where the captured clips will be saved on your hard disk (see *Organizing your library* in the *Video Library* chapter for more info). To do this, use the *Change recording folder* as illustrated below :




4.1.4 Defining clip properties

If you intend to keep the video clips in your library you should define the clip properties which will be assigned to the video files that are saved.

Use the *Clip Properties* to define :

- the *File Name* - enter the file name in the text box
- the categorization of captured video clips - use the *Add a category* link to add a category and/or keyword (see *Organizing your library* in the *Video Library* chapter for more info)



Clip Properties Enter information about the next captured clip

File Name: Training 05 Mar

Athlete: Bob Beamon

Sport: Long Jump

[Add a category](#)

! Once defined, these properties will be assigned to all subsequently captured clips, until a new file name or category/values are specified.

4.1.5 Defining pre-record & clip durations

InTheAction module lets you capture video clips in a single click. To do this, you have to specify the *Clip Duration* and *pre-record Duration* values.

What is *Recording Duration*?

Based on the type and duration of the action that you want to record, you need to define the approximate *Clip Duration* of the video you are going to capture. For instance, the duration of a golf swing is approximately 3 to 4 seconds from the address to the finish of the swing.


What is *pre-record Duration*?

If you wait until you see the golfer start to swing before starting to record, you may miss the first moments of the swing. To avoid this you should set a *pre-record Duration* value which corresponds to the second(s) of video footage that took place before you started capture.

Pre-record forces the computer to continually remember the number of seconds you specify. When you trigger capture it includes these seconds at the beginning of the new clip. Usually just a few seconds of pre-record are required but the maximum amount is limited by the amount of available memory (RAM).


When should you start capture?

The moment when you trigger capture also creates a Default *Synchronization point* on the captured video. Synchpoints are used to easily synchronize video clips for comparison (see Synchronizing clips in InTheAction). For this reason it makes sense to trigger capture at an obvious point for comparison e.g. when the club strikes the ball as shown in the following diagram.



To define the pre-record and clip durations.

The current settings for pre-record and clip durations are displayed at the bottom of the InTheAction module as shown below.



To change these settings:

1. Tick the box next to the pre-record value if a pre-record is to be used.
2. Set a value for *pre-record duration* according to the advice above. The largest pre-record duration you can set is related to the amount of available RAM memory of your computer. It is possible to increase the amount of memory dedicated to storing pre-record (see About pre-record buffer).
3. Tick the box next to the *recording duration* value if you want recording to automatically stop after a fixed duration. If this is left unticked you must start and stop recording manually.
4. Set a value for recording duration. Remember that the pre-record duration is included in the total recording duration i.e. for the settings illustrated above a 10 second clip and NOT a 13 second clip is created.

 If the pre-record is set to the same or greater value than the recording duration it is possible to wait until after the completed action before triggering recording. This allows you to assess whether a performance is worth recording before deciding whether to record or not.

4.1.6 Defining a replay sequence

Once you have captured a video clip, the *InTheAction* module will replay it automatically based on the criteria defined in the *Replay Sequence*.


By default, no scenario is used for the replay sequence and replay speed is manually controlled by

the user. Defining a scenario automates this.

Creating a replay sequence example

In the following example, a 5 second pause allows the athlete to join the coach at the computer screen, together they then view the clip once at full speed and then in slow motion. To create such a scenario:

1. Display the InTheAction options (*F3 > InTheAction*).
2. Activate the replay sequence function by clicking the *Use a Replay Sequence* check box.
3. Click the *Configure Replay Sequence* button
4. Click the *Add Pause* button and set the *Duration*.
5. Click the *Add Replay* button and set the *Speed* to *x0.5*. The Replay Sequence is ready to use and appears as shown in the following image.



When using a replay sequence it is still possible to control playback (pause, play etc.) by the other video playback controls and remote control.

4.1.7 About pre-record buffer

By default, Dartfish uses half the available RAM memory to store pre-record. If you are unable to set enough pre-record it is possible increase the memory *buffer* reserved for pre-record.

To increase Pre-record buffer

1. Select the *Setup Capture Devices* screen of InTheAction .
2. Drag the slider to define the size of the buffer.



The blue section shows the memory being used by other processes, the green section shows the memory dedicated to pre-record. The green section turning red is an indicator that more pre-record buffer than is advisable has been set. This is liable to affect the performance of Dartfish and other functions of your computer.

4.2 Instant visual feedback during training

Once you have defined the InTheAction settings (see Preparing InTheAction for use), you can start using the *InTheAction* module. These are the steps:

1. If using the remote control (see Remote controlling InTheAction), use full-screen view (type *F11*). Recommended to give the largest possible video image.
2. Capture a video clip.
3. The clip automatically replays.
4. Repeat for the next action

4.2.1 Capturing and replaying

Trigger Capture

1. The camera should be in it's **camera mode** and the video image from the camera should be visible when using InTheAction's *Live* view. The choice of views is controlled by the buttons at the top left of the module; *Live*, *Simple Replay*, *Blank*, *Comparison* and *Reference replay*.



Live view - shows the image from the camera



Simple Replay view - shows replay of the last captured clip or any clip opened from the *Tray*.



Blank view - blanks the screen (prevents it being a distraction!).



Comparison view - compares the replay clip with the reference clip.



Reference replay view - shows replay of a reference clip.

! It is not necessary to be in *Live* view to capture but it gives guidance that the camera is pointing in the right direction.

2. Click on the red *Capture* button or use the equivalent remote control button (see Remote controlling InTheAction).



The duration of the clip will depend on the *Clip Duration* property (see Defining pre-record & Clip durations).

Viewing:

Once you have captured a clip, the replay sequence will start automatically.

During replay it is possible use the replay controls or the remote control to pause, change playback speed, skip to next track etc. At any point you can capture again. It is not necessary to switch from *Replay* view to *Live* view to initiate capture.

4.2.2 Controlling the replay

Replay of the clip can be controlled by using the playback buttons like on a normal VCR, or by using the equivalent remote control buttons (see Remote controlling InTheAction). Read the *Getting familiar* chapter to learn the functionality of each button.



You are not restricted to replaying the last captured clip. Any of the previously captured clips will be found in the *Items List* of the *Library* and *Tray* and may be reopened by dragging them into the InTheAction video display window.

4.2.3 Remote controlling InTheAction

Because InTheAction is a tool for use during a training session you shouldn't be a slave to the computer! Now is the time to install the remote control (see Remote controlling Dartfish in the *Getting familiar* chapter) and learn to use its features.

As has been emphasized several times in this chapter already, all commands covered in this section can be executed by remote control:



! To use the remote control, its driver must be installed and the infra red receiver connected. How to do for the different types of remote control as well as guidance on using their features is covered in the *Getting familiar with Dartfish* chapter.

💡 The actual distance at which the remote can be used (max. 20 meters) is dependant on environmental factors and how fresh the batteries are. Batteries are quick to run down if you put the remote in a bag where the buttons get pressed by other contents. Add spare batteries to your Dartfish equipment inventory.

4.2.4 Using a sound trigger

Previous topics have indicated that capture using InTheAction can be triggered by clicking the *Capture* button and by remote control. There is a third method for triggering capture; a sound trigger that can be configured to react to, for example, a club or bat striking a ball, a starting klaxon or even a voice command.

! When using voice as a trigger, the sound trigger reacts to the volume, not the quality, of


the sound. Therefore a voice command will only work if louder than other incidental noise.

To use the sound trigger it must be activated and then configured to respond to the correct volume of sound.

Activating the sound trigger

Before use, the sound trigger must be activated. To do this:


1. Select *Tools > Customize...* from the *Menu bar*.
2. Select the *Remote Control* tab.
3. Tick the box next to sound trigger to activate it.



4. Close the Customize window. It is not necessary to configure the trigger at this stage.

Configuring the SoundTrigger

1. From the menus select *Tools > Configure SoundTrigger...*



- **Hardware configuration.** The input device will generally be set to "Microphone". It is not possible to use the video camera as an input device for sound so your computer will need to be equipped with a built-in or external microphone.
 - **Detection configuration.** Select the profile that is a closest match to the type of sound used as a trigger then adjust the *Sensitivity* slider to an appropriate level; where incidental sounds do not trigger capture but the trigger sound does. Both the hit counter and the Sound Trigger Server Status will help you assess which sounds do and do not trigger.
2. Close the *Configure SoundTrigger Properties* window. The sound trigger is now active and can be used as a method of triggering InTheAction capture.

4.3 Comparing clips during training

It may be beneficial to compare the last captured clip to a reference clip when working during training. You have the choice to display both clips side by side, blended together or in a picture-in-picture mode.




The steps to compare in InTheAction are to:

1. Define (set) a reference clip.
2. Activate the *Comparison* view and capture a clip. The captured clip is automatically compared to the reference clip
3. If needed, synchronize the last captured clip with the reference

4.3.1 Setting reference

To Set a reference clip, proceed as follows:

1. Load a clip from the *Tray* or from the *Library* items into the InTheAction module
2. Click the *Set Reference* button found below InTheAction playback controls.



You can use any other clip already saved on your hard drive as a reference clip.

Viewing the reference clip

The reference clip can be viewed at any time by clicking on the *Reference replay* button.



4.3.2 Working with comparison view

To work with comparison view, click on the *Comparison* view button on the left edge of the InTheAction module. Comparison view is



The screen display will be split in two, the reference clip on the right and on the left the last captured clip. Both clips will be replayed in function of the scenario that you defined (see Defining a replay sequence).

To work with the **Compare mode**:

1. Capture a video clip.
2. At the end of the capture, the clip is automatically displayed next to the reference clip.
3. Use the playback buttons to control the replay

To select the comparison layout:

Use the following buttons:



Split Screen - where the clips will be displayed side-by-side.



Basic Blend - both clips will be superimposed on top of each other.



Picture-in-Picture - the reference is displayed in the corner of the replay clip.

4.3.3 Synchronizing clips in InTheAction

In order to effectively compare two clips, obviously they must be showing comparable activities, for example, you can't compare two divers if one is at a different point in the routine.

Synchronizing clips is often unnecessary with InTheAction because a synchronization point is set when capture is triggered. Provided that you always trigger at an obvious moment each time you capture, clips will always be synchronized.

To change or set synchronization points

1. Activate the *Replay* view (see Capturing and replaying).
2. Find the moment on the clip that is to be the synchronization point. Use the *Play/Pause* and *Frame-by-Frame* buttons to do this.
3. Click  *Set the synch point at the current position*.
4. Repeat for the reference clip if necessary (use the *Reference replay* button to display the reference clip).

4.4 Using drawings in InTheAction

The right-hand side of the InTheAction module has a range of drawing tools which can be used to annotate video images, assist with analysis or coaching. The use of these tools is identical to the Analyzer module's drawing tools and is explained in that chapter.

4.4.1 Drawing Library

One unique feature of *InTheAction* drawing tools is that it is possible to store up to nine sets of drawings in the *Drawing Library*. This allows you to reuse drawings from one InTheAction analysis to another.

Displaying the Drawing Library

1. To use the drawing library it must first be activated. To do this:
2. Display the Dartfish options (F3 or *Tools > Options* menu).

3. Select the *Advanced* topics.
4. From the *ITA Settings*, select the *Use overlay drawing repository* option.
5. After applying the change, the Drawing library control will be displayed on the InTheAction module as shown below.



Using the Drawing Library

1. Select an overlay from the list (up to nine overlays are possible)
2. Add drawings to the video image
3. As each new video is captured, the drawings from the currently selected overlay will appear on the video image.

 Remember, at any time drawings can be hidden by clicking the *Show/Hide drawing* button.

 The Drawing library is one of the many features that Dartfish have added in response to requests from our users but at the current time, this feature continues to be developed. If the idea of a *Drawing Library* is valuable for the way you use Dartfish then you can look forward to further enhancements to this feature in future releases of Dartfish.

4.5 Self coaching with live delay

Live delay provides a completely hands-free way of reviewing video during training which makes it especially useful for self-coaching. It simply delays the display on the computer screen of the images that the camera continuously observes. It's like a mirror but one that waits a predefined number of seconds before showing your reflection. Enough time for the athlete to finish a routine, drill or exercise then assess how he or she performed.

For example, a coach might explain adjustments required using the range of InTheAction features explained earlier in this chapter and then leave the athlete to practice, using *Live Delay* to confirm the adjustment is being executed correctly.

4.5.1 Live delay settings

Before using live delay the camera should be connected and switched to it's camera mode. The InTheAction module is activated and video input set up as described previously (see Preparing InTheAction for use).

To use *Live Delay*, you must determine the duration of the movement that you will review and then add 1-2 seconds as a margin. For instance a Golf swing takes 3-4 seconds, it might take a further 5 seconds to get to a position to view the computer display - you would then set an 11 second live delay (2+4+5).

Setting the amount of delay

1. From InTheAction's *Recording Options* change the live delay value. The largest amount of seconds you can set is related to the amount of available RAM memory of your

computer.

2. Click on the *Live Delay view* button.



3. Press F11 on your keyboard to have a full screen view (press F11 again to come back to normal view).

That's it! No button presses, no files recorded, no comparison, no pause or replay. Just a simple tool to help with self coaching.

 Using live delay doesn't stop the use of other InTheAction features. As soon as the capture button is pressed/clicked, capture begins according to the pre-record and duration settings and replay commences straight away. However, to trigger the capture, always refer to the live action and not to what you seen on the screen.

4.6 Next steps

InTheAction allows you to review and compare performance while training takes place but to review these performances at a later date you should learn how to load, synchronize and compare clips in the Analyzer module.

The Analyzer module will also allow you to publish your clips into a media book; a remote coaching tool complete with audio and text guidance (read the chapter on the *Analyzer*).

Chapter



Analyzing Performance

5 Analyzing Performance

Dartfish's Analyzer module is packed full of features to help observation and understanding of sport. This chapter guides you through these allowing you to:

Compare video.

Up to 4 clips can be compared side by side and 2 clips can be blended. It is quick to synchronize clips to make the action contained comparable. You are not limited to just four clips in your analysis as a project can contain multiple analyses in its *Storyboard*.

Annotate video

A collection of drawing and text tools help enhance observation, make measurements of distance, angles and time and add text to video clips. Tools exist to enhance the effectiveness of drawings such as automatic tracking and fading them in and out at relevant positions in the video clip.


Text or audio comments can be added to an analysis to create a lasting record of your analysis and to save time, previous comments can be imported from previous analyses.

Identify important moments

Key Positions can be identified and drawings and comments added to them. Each key position can also be a synchronization point, allowing more than one synchronization in each comparison.

5.1 Analyzer workspace

The *Analyzer* workspace is illustrated below :




Its main constituents are :

- *Video Screen* - to display the clip(s).
- *Timeline* - (underneath the screen), to control the playhead position and set the *cue in/ out* points to define the playable part of the video.
- *Play controls* - (underneath the timeline) to control the video playback.
- *Display mode* - (top-left) to change the screen display. You can select among *Single-screen*, *Split-screen*, *Blend* and *Mosaic* modes. The *A*, *B*, *C* and *D* buttons show /hide a clip. In split-screen modes, they are used to select between up to four clips to display simultaneously.
- *Image Enhancement tools* - (underneath the *C*, *D* buttons) to zoom in/out or flip the images.
- *Drawing tools* - (on the right) to draw on the video.
- *Storyboard* - (underneath the play controls) contains the different analysis of an *Analyzer* project.
- *Publishing* - (on the right of the storyboard) to publish your analysis on different media (CD, e-mail, printer, Internet) or to create a movie of the *Storyboard*.

- **Notes** - (at the bottom) to add written and audio comments. To see this area it may be necessary to resize the Analyzer views area. This is done by click and dragging its top border using the mouse shape shown in the following illustration.



! You can switch between different views using the following tabs



The *Data Graph* is used to display external data streams (such as the heartrate, speeds, etc.) captured by external devices such as radar, heartrate monitors, force platforms etc. Such streams are synchronized with the video. More information can be downloaded on <http://www.dartfish.com/downloads>.

Read the remainder of this chapter to learn about *Analyzer* functions and about the other views.

5.2 An analyzer project - the Storyboard

The *Storyboard* can contain multiple analyses that constitute an *Analyzer Project*. Each item in the Storyboard corresponds to one analysis. For example, you could analyse swings of a students captured during a training session, one from the front, one from the side and one from the front compared to a reference swing, as illustrated below.



Each analysis may include drawings and audio commentary. All this is saved in your *Analyzer Project* along with the videos.

Your project can be:

1. Re-opened later to modify/add analysis elements (e.g. add a fourth swing, modify a drawing, etc.)
2. Publish to different destinations (e-mail, CD, printer, internet) to be handled out to your student/athlete (see [Publishing Analysis](#)).

5.2.1 Loading clips

Clips can be loaded as multiple clips within a single analysis or as a new analysis.

To load a clips into an analysis

1. Activate a vacant video display screen A, B, C or D in *Single-screen mode* or display the required number video display screens in *Split-screen mode*.

2. Double click each clip in the *Items List* or the *Tray* of the *Library*.



You can also drag & drop a clip onto any video display screen. This offers greater flexibility over which video display is used. This method can also be used to replace a previously loaded clip.

To add a new analysis (i.e. a new *Storyboard* item)

Drag & drop a video from the *Items List* or *Tray* onto a vacant position on the storyboard.



To replace a *Storyboard* item

You can replace the video clip of a *Storyboard* item with another one. To do this, drag & drop the new clip on top of the old one.

To delete an analysis (i.e. delete a *Storyboard* item)


Right-click on the *Storyboard* item and select *Delete* from the context menu.



! Starting a new project (*File>New* from the menu bar) will empty all items from the *Storyboard*.

5.2.2 Playing clips

Once a clip is loaded you have the ability to control the playback (play/pause, stop, frame-by-frame, etc.). This can be done by using the playback controls buttons and the timeline underneath the video screen.



Read the Video Playback section in the *Getting familiar* chapter to learn more.

! The functions of the buttons are the same as for the *Player* module except for *Play next/previous clip* and the *Repeat mode* which applies to items of the *Storyboard* rather than items of the *Tray*.

5.2.3 Saving an analyzer project

Select *File>Save* (or *File>Save As...*) from the *Menu bar* to save a project. *Analyzer* projects can be identified by the following icon.



- Analyzer project

! If a project is saved in a *Monitored folder* of your *Library* (see section [Defining your library](#) in the *Library* chapter), it will be displayed in the *Items List*.

To open a saved project

- Double-click on the project in the *Items List*
- Select *File>Open* from the *Menu bar*.

To start a new project

Select *File>New* from the *Menu Bar*.

! Starting a new project empties the *Storyboard*.

5.3 Analyze a performance

In this section, you will learn to use the different tools to analyse a performance:

- Image transformation tools - such as zoom and flip horizontal or vertical (see [Enhancing images](#)).
- Drawing tools - qualitative tools to highlight details and quantitative tools to extract statistics out of the video (see [Drawing on the video](#)).
- Comments - audio and written comments (see [Adding comments](#)).
- Key positions - brake down a movement and analyse its key positions separately (see [Analyzing key positions](#)).

5.3.1 Enhancing images

Dartfish's *Analyzer* allows you to zoom in or out on an image to better see the details of a particular moment. There are many ways to zoom in/out:

1. Use the *Maximize video* button at the bottom of the *Analyzer* screen (3rd button in the illustration below). When selected, the video is enlarged to occupy the available height of the display area (to do this the left and right edges of the video may be hidden).



2. Use the *Display video fullscreen* button (right-most above). The video is displayed in full screen (press [ESC] on your keyboard to return to normal view).
3. Click on the *Zoom Tool* button, position the mouse cursor over the part of the picture that you want to zoom on and left click (right click to zoom out).



4. Click anywhere in the *Analyzer's* screen and use your mouse scroll-wheel. The image will zoom towards the location pointed by your mouse cursor.

Once the image has been zoomed in, you can move the zoom focus in two ways:

1. Click on the *Move Tool* button and drag the mouse cursor until the screen displays the part of the image you want the zoom to focus on.



2. Click and drag using the mouse wheel.

! You can play the clip(s) once it is zoomed. The zoom perspective is maintained.

Zoom options

Clicking on the *Zoom Tool* button displays options at the top of the *Analyzer's* screen:



From left to right, the buttons give access to the following function:

- *Reset Zoom* - resets the zoom factor to 100%
- *Zoom In* - each click increases the zoom factor by 20%
- *Zoom Out* - each click decreases the zoom factor by 20%
- *Zoom Factor* - set the zoom factor by selecting it from a predefined list
- *Quick Magnify* - changes the mouse cursor to a magnifier to quickly point to details.

! You can change the zoom factor inside the *Quick magnify* tool by using your wheel mouse. [shift] + wheel mouse will modify the radius of the magnifier.

Flip a Clip Horizontally or Vertically

To get a new perspective on a clip, you can flip it horizontally or vertically. To do this, click the *Flip Horizontal* or *Flip Vertical button*. The button appears as "pushed". You can flip the image horizontally and vertically at the same time.

5.3.2 Drawing on the video

Dartfish allows you to draw objects and add text on top of a clip's images. Use qualitative drawings (e.g. lines, circles, rectangles, etc.) to highlight details. Quantitative tools (angles, measurements, etc.) can be used to extract statistics from the video.

The Drawing Toolbar

Use the following toolbar to draw and write text on the video.

Drawing management tools - to select, show/hide, delete, and undo/redo drawings.



Video Drawing vs. Screen Drawing - two modes to draw on clips.

1. In the *Video Drawing* mode, your drawings are associated with the selected clip.
2. Use the *Screen Drawing* mode to draw across the *Analyzer's* screen (see Comparing performances).



Drawing tools - the various tools to draw on the video. Most of these tools are self-explained. Read the remaining of this section to learn about the more advanced tools.

! The tiny arrow on the lower-right of a drawing tool indicates that other tools of the same type can be accessed by a mouse right-click, as illustrated below:



5.3.2.1 Adding and modifying drawings

To add a drawing

1. Display the frame of video to which you wish to add drawn objects and/or text. To do this, you can drag the playhead and use the frame-by-frame buttons.
2. Select a drawing tool
3. Position the mouse cursor on the image at the point where you want to start drawing
4. Left click, hold and move the mouse to the end point
5. Release the mouse button

! Although you are drawing on a single frame of video, the drawings will be displayed for the entire clip. Use the key position analysis (see [Analyzing key positions](#)) if you want to apply different drawings to different frames. It is also possible to fade drawings in and out so that they only appear for part of the clip (see Fading drawings in and out).

! Holding down the [shift] key "constrains" drawing, e.g. to draw a horizontal line, a square, a circle, a 90 degrees angle, etc...



By default, selecting a drawing tool once let you draw a single object. If you would like to draw the same object many times in a row (e.g. multiple lines), select the currently selected tool a second time. A vertical gray mark appears in the tool and indicates that you

are in a "repeat drawing" mode.



To leave this mode, click the selected tool a third time or select another one.

To modify a drawing

1. Click the *Selection* button (top-left of the drawing toolbar).
2. Click on the object you wish to select. White handles appear on the object.



If you wish to select multiple objects, hold down the [Ctrl] key as you select additional objects.

3. Once the object(s) is selected, you can:
 - Drag a handle to change the size or shape of the object.
 - Click and drag the selected object to another location.

To delete drawings

- Use the *Delete All* button



- Select a drawing and press the [delete] key or use the *Delete* button



- Use the *Undo/Redo* buttons to go back to the previous state



5.3.2.2 Drawing properties

You can change the thickness, color, opacity, size and other properties of the drawings. The *drawing properties bar* is displayed at the top-right of the *Analyzer* screen



To modify a property:

1. Click on the drawing to select it.
2. Click the button that corresponds to the property you want to modify.
3. Select the different value/color/font.


! The 1, 2 and 3 buttons correspond to properties *presets*. Left-click on these buttons to apply a preset. To change a preset:

1. Draw an object

2. Modify its properties
3. Right-click one of the 1, 2 or 3 buttons.

5.3.2.3 Clone rectangle

The *Clone rectangle* tool allows you to "clone" and magnify an area of the image. Play the video to visualize both the magnified area and the performance in its whole (picture-in-picture effect).



To use this tool, proceed as follows:

1. Select the *Clone Rectangle* drawing tool



2. Click, hold and move the mouse cursor to draw a rectangle around the area you want to clone.
3. Click and drag the cloned area to the location you want
4. Use the white handles to magnify the cloned area
5. Click anywhere in the image (except the drawing itself) to deselect the cloned area.

! For best result, use a tripod and leave the camera fixed (no zoom, pan or tilt). If the camera moves, you can still use this effect but in conjunction with the *automatic tracking* function (see [Tracking objects automatically](#)).

5.3.2.4 Picture

You can import a picture and overlay it on top of the video. You can use for example this function to insert your logo or to compare a key position to a reference image.



To add a picture

1. Select the *Image* drawing tool. The *Open Image* dialog opens.



2. Browse for the image on your disk and click on the *Open* button. The image overlays on top of the video screen.


You can change the size of the picture by dragging the white handles. Hold down the [shift] key while doing this operation to constrain the proportion of the image. You can also click and drag the image to a different location.

! If the image width is larger than 360 pixels, it will automatically be resized to this value.

💡 If you load an image in *Screen Drawing* mode (see [Drawing on the video](#)), it will always be overlayed at the same location in the video. Use this, for example, if you want your logo to be displayed always at the same location.


5.3.2.5 Measuring angles

The image below illustrates the *Angle* tool.



To add an angle:

1. Right-click on the *Time* button and select *Angle* from the context menu.



2. Position the cursor on the image exactly where you want the corner of the angle to be.
3. Left-click, hold and move the mouse cursor (in the image above, click on the club head and move horizontally). A line draws as you move the mouse.
4. When the line extends to where you want the angle to open, release the mouse button.
5. Move the cursor up or down to create the desired angle. The number of degrees of the

angle is shown as you move the mouse.

- Click the mouse when the angle is the desired width.


! You can modify the line thickness, colors and font (see [Drawings properties](#)).



Hold down the [shift] key while drawing to constrain the angle to 0, 45, 90, ... degrees.

5.3.2.6 Measuring distances


The image below illustrates the *Distance* tool.




Distances are only precise in a plane perpendicular to the camera. You first have to calibrate this plane by defining a reference distance. To do this, put an object of known length at the position where the movement will be performed (the width of the mat in the above example).

To measure distances, proceed as follows:

- Right-click on the *Time* button and select *Distance* from the context menu.



- Click, hold and move the mouse cursor to draw the reference distance (the one with the dashed line in the image above)
- Right-click on the reference distance and select *Set as reference...* from the context menu. The following dialog opens



4. Enter the size of the reference object.
5. Select the *Distance* tool again and draw the distance (vertical line in the example above). It will be computed based on the line length and the reference value.



The measurement precision relies on many factors such as the distance between the camera and the performer, the camera zooming factor, the precision of the perpendicularity between the camera axes and the plane in which the movement is performed, etc... Try to be as precise as possible when setting the reference distance. For example, use a well defined and distinct marker on the floor and use zoom tools to enlarge the image when setting the reference distance.

5.3.2.7 Using stopwatches

Dartfish allows you to use multiple stopwatches

- to estimate the duration of a performance,
- to measure time in different sections of a performance/race,
- to estimate/compare different time/speeds.

The stopwatch displays the time in minutes:seconds.frames (mm:ss.fff). Its precision is function of the number of frames/sec, i.e 2" of a second in Europe (corresponding to 50 frames/sec in PAL video) or 1.66" of a second in North America (NTSC video, 60 frames/sec).



To add a stopwatch

1. Select the *Time* drawing tool



2. Click anywhere in the image to insert a stopwatch. Use the drawings properties (see [Drawings properties](#)) to modify the color and font.

The stopwatch displays the current position of the playhead at the moment it is inserted in the image.

To reset a stopwatch

1. Right-click on a stopwatch (that has already been placed in the image)
2. Select *Set timecode to 00:00* in the context menu

To start/stop counting

You can start and stop counting in a section of a performance/race. For example, you may

want to compute the time from gate 1 to gate 7 in a giant slalom to compare performances in this particular section. To do this:

1. Position the playhead at the position you want to start counting
2. Set *timecode* to 00:00 (optional)
3. Right-click on a stopwatch and select *Start counting*
4. Position the playhead to the end of the section
5. Right-click on the stopwatch and select *Stop counting*

! You can change the start and stop position by setting them to a new position. To disable this feature, simply uncheck the *Start* and *Stop counting* from the drawing context menu.


5.3.2.8 Tracking objects manually

You can draw trajectories by manually tracking object in the video clip. For example, you could draw the swing plane as illustrated below. The yellow curve represents the up-swing and the orange one, the down-swing. Dartfish creates the trajectory by joining selected points while smoothing the curve in between. The trajectory redraws as the video plays (see image on the right).



To draw a curve, use the *Spline* tool and proceed as follows:

1. Right-click on the *Line* button and select *Spline* from the context menu.



2. Position the playhead at the beginning of the performance
3. Click on the object you want to track. A white square indicates the first point of the curve.
4. Use the [ctrl] left/right arrow keys to move the playhead forward a few frames
5. Repeat steps 2 and 3 as many times as needed.
6. Right-click and select *Finish* from the context menu to terminate the curve.

To modify the trajectory, select it and move any point you have defined. The curve modifies accordingly.

! The trajectory draws as illustrated above only if it is deselected (white squares not visible). To do this, click anywhere in the image but on the curve itself.

! The curve can be drawn on a single frame. In this case, no tracking takes place.

💡 The number of points you have to define varies according to the speed of the object. The faster the object, the more points you have to add to get a smooth curve.

5.3.2.9 Tracking objects automatically

Dartfish offers you a powerful function: the *automatic tracking* (available in the *TeamPro* and *ProSuite* editions). The principle is the same as for the manual tracking (see previous section) except that the computer automatically tracks and optionally draws the trajectory of an object(s). The *automatic tracking* function can be used with most of the drawing tools:

- e.g. with the *rectangle*, *oval*, *clone rectangle* to highlight the evolution of an object/performer throughout the video.
- e.g. with the *marker* tool, to automatically draw the trajectory of a well defined feature.



- with the *spline* tool (see [Tracking objects manually](#)) to visualize the evolution of the shape of an object/body over time. In this case, each point of the curve is tracked separately.



- with the *angle* (see [Measuring angles](#)) and *distance* (see [Measuring distances](#)) tools to measure the evolution of such data.




- with the *Data table* (see [Using data tables](#)) to automatically extract statistics from the image and store them in a spreadsheet.



Tracking is a complex process; for Dartfish to successfully track objects they must remain clear and visible. You can help it by tracking clear features with a high contrast. Try to use markers as illustrated in the pictures above. Use your camera's focus and exposure features to avoid blurring of moving objects.

To activate the automatic tracking

1. Position the playhead at the beginning of the performance
2. Select a drawing tool and draw on the video
3. Right-click on the drawn object and select *Tracking* in the context menu
4. Select the object speed from the context submenu (this defines how far from the last position Dartfish will search the video image for similarly colored/shaped objects).



Slow object (search 5% of image)
Medium speed object (search 10% of image)
Fast object (search 20% of image)

5. Click the image to deselect the object

Using the automatic tracking

To start tracking, simply play the video. The drawing color changes to green indicating that Dartfish has started to track the object. At any moment, you can pause playing:

- If you observe that the tracking is "lost" (e.g. when the object gets occluded). In this case, manually reposition the drawing onto the tracked object and continue playing.
- If the object disappears from the field of view. In this case, right-click on the drawing and select *Suspend tracking* from the context menu. Dartfish stops tracking from this position (the drawing color changes to red).

To show the trajectory

Once you have activated automatic tracking (see above), right-click on the drawing and select *Show trajectory* from the context menu. The trajectory progressively draws as the video plays.

5.3.2.10 Fading drawings in and out

In most cases, drawings are valid only for a small portion of a movement. You can use the *Fade in/out* function to display a drawing only during such a portion. To do this, proceed as follows:

1. Position the playhead at the desired position.
2. Draw an object on the video
3. Step a few frames backward (using the [ctrl] + left and right arrows)
4. Right-click on the object and select *Fade in* from the context menu.
5. Select how quickly the drawing appears from the context submenu.



Immediate
Medium
Slow

6. Step a few frames forward.

7. Repeat the steps 4. and 5. to set the *Fade out*.
8. Deselect the drawing and play the video from the beginning. The drawing will only show in the defined portion.

! Use this function if you want to publish a new video that contains drawings that fade in/out. If you want to analyse key moments of a performance we recommend you use the *key positions* (see [Analyzing key positions](#)) which can be printed or published in an interactive Dartfish *Mediabook*.

5.3.2.11 Using data tables

The *Data Table* drawing tool enables you to collect time-dependent data related to the action in your video. For example, at different time instances you can manually enter the distance an athlete has run so far, just as you would in an Excel spreadsheet. Then, the data table tool can compute (and display) automatically the average overall speed or the interval speed of the athlete. It is also possible to link another drawing tool such as an angle or a measuring tool to a column of a data table, to display and store the evolution of the corresponding quantity (angle/length) over time. In the following image you can see a data table containing heights inferred by a measurement drawing.



An advanced feature is the option to track an object in the video automatically and to display the corresponding positional data in a data table. Finally, you can export the collected data in Excel format for further processing and analysis.

A comprehensive guide on how to use this drawing tool can be downloaded on the Dartfish website (visit <http://www.dartfish.com/downloads>).

5.3.3 Adding comments

The *Analyzer* allows you to "produce" enriched multimedia content. It gives you the ability to combine your coaching expertise with images to generate powerful presentations (see [Publish Analysis](#)) that you can share with your athletes/students for use with their daily practice. You already learned how to add drawings on the video to highlight details or to extract statistics from the images (see [Drawing on the video](#)). In this section you will learn how to add verbal and written comments which can be used to analyze:

1. a performance in its whole (*global comment*). In this case, use the lower part of the *Storyboard* tab.
2. key positions (or key moments) of a performance (*key position specific comment*). In this case, use the lower part of the *Key positions* tab (see [Analyzing key positions](#)).

5.3.3.1 Written comments

To add written comments, simply enter your text in the *Notes* box, as illustrated below :



This box is located on the lower-left of the *Analyzer* module (in the *Storyboard* or *Key positions* tabs).

5.3.3.2 Audio commentary

To add an audio commentary:

1. Select the audio recording device from the drop-down list of the *Recording Device* pane. This pane is located on the lower-right of the *Analyzer* module (in the *Storyboard* or *Key positions* tabs).



Use the microphone of your camera to record audio (the camera has to be connected to the computer through the Firewire cable). Alternatively, you can use a microphone and select your sound card as the audio device.

2. If needed select the input. If you have plugged a microphone in your sound card, select "Microphone".
3. Click on the *Record* button it will begin to record your audio input.



4. Click on *Stop* when you are finished.

To play back the recorded audio comment, use the *Play* button.



Recording a new audio comment overwrites the last recorded one.



To be more fluent and comfortable recording an audio comment, you can first write your comment in the *Notes* box and read it simultaneously as you record audio.

5.3.4 Analyzing key positions


Key position analysis allows you to break down a movement and to analyze its important moments by using drawings, audio and written comments. Key positions allow you to display specific moments quickly. You'll also have the ability to publish the key positions in two formats:

1. The *Mediabook* - an interactive multimedia analysis that you can save to a CD-ROM,

send via e-mail, or publish on the Internet (see Producing mediabooks).

2. A printed report - the collection of key position images printed in different layouts (see Creating still images).

To use key positions analysis, select the corresponding tab in the lower part of the *Analyzer*



5.3.4.1 Adding key positions

To add a key position, proceed as follows:

1. Move the *Playhead* to the position you wish to highlight. Use the *Frame* buttons (or the [ctrl] left and right arrows to refine the position).
2. Click on the *Add key position* button.



A new key position appears with its default label underneath.



To add other key positions, repeat the two steps above.


! Key positions can be added in any order. Say you analyze a long jump, you can first create the key position of the landing followed by the one when the jumper hits the board.

! The default labels are integers (1, 2, 3, etc.)

💡 Try to make a consistent use of the labels. You will see in section [Synchronizing video clips](#) that clips can be easily synchronized by matching key positions with the same label. Read next section to learn how to edit the label.

5.3.4.2 Editing key positions

To edit one key position, select it by clicking the corresponding thumbnail...



... and do one of the following operations:

- rename the label - type the new label in the *Label* box (e.g. *back swing* in the illustration above)
- change the video position - use the left and right arrows next to the *Position* box.



- change the order - key position do not need to be listed in a chronological order. You can change the order by using the *Move the keyposition backward/forward* buttons.




! The key positions will be published in the order you defined.

- delete - use the *Delete key position* button or right-click on a thumbnail and select *Delete* from the context menu



You can delete all key positions by clicking on the *Display Key Positions Options* button and selecting *Delete All Key Positions*.



5.3.4.3 Analyzing a key position

To analyze a key position:

1. Select the key position by clicking on the corresponding thumbnail (or create a new one, see [Adding key positions](#)). The selected key position is highlighted and the screen displays the corresponding video position (*top* in the illustration below).



2. Add your analysis by using:
 - drawings (see [Drawing on the video](#))
 - written comments (see [Written comments](#))
 - audio comments (see [Audio commentary](#))

! Your analysis is automatically attached to the selected key position and saved with the clip.


! If you add a *global* drawing (when the *Storyboard* view is selected), all new key positions will "inherit" this drawing. This can be used if you want a drawing to be positioned exactly at the same place in all key positions. You still can delete the drawing in a particular key position if not needed.

5.3.4.4 Importing key positions

You can import an analysis that was performed on a clip and use it as a basis for a new one. Your library can thus contain a set of "reference" clips that you already have analysed. Select the one that could best be used to automatically create the key positions and import the existing annotations. Once imported, you'll only have to slightly adapt the video position of the key positions and edit the drawings/text.


To import key positions:

1. Load the clip to analyze.
2. Position the playhead (e.g. at the impact of the golf club with the ball).
3. Find a "reference" clip in your library.
4. If needed, switch to the *Key Positions* view.
5. Drag and drop the reference clip from the *Items List* onto the key positions (see the paragraph below to learn about a different method of loading the reference clip).



The *Insert Key Positions* dialog opens.

6. The list of key positions of the reference clip is contained in a drop-down list. Select the one that best synchronizes to the current playhead position (e.g. impact).




Another way to select the reference clip:

1. Select *Add Key Positions Automatically...* from the key positions options



2. In the *Insert Key Positions* dialog, select *Import key positions from another clip*.



3. If the reference clip is already loaded in the *Analyzer*, it will be listed in the 2nd drop down list (see illustration above). If it is not listed, you can use the *Browse for clip* link and locate the reference clip on your hard disk.

To edit key positions:

Simply navigate through the imported key positions by clicking them. If needed, modify their position by using the *Move the key position backward/forward in time* buttons:



You may have to edit imported drawings and comments (see [Adding and modifying drawings](#)).


5.3.4.5 Adding key positions at a fixed interval

You can automatically create key positions at a fixed interval. To do this:

1. Position the playhead where the first key position will be added.
2. From the *Key Positions Options*, select *Add Key Positions Automatically...*



3. In the *Insert Key Positions* dialog, select *Add key positions at fixed intervals*, and set the interval (as a fraction of a second)



! The minimum interval is 0.1 sec.

5.4 Comparing performances

A performance can be analyzed by comparing it to another one, for example to see how an athlete evolves over time, or to a "reference" to highlight how a movement should be performed. You can also analyse a performance viewed from different angles at the same time.



Performances can be compared in *Split-screen* or in *Blend* mode (overlayed on top of each other). Most of the tools described in section [Analyze a performance](#) can be used when comparing performances.

5.4.1 Loading multiple clips

You can analyze clips individually or in groups of up to 4 clips at a time. The clip selection buttons - A, B, C and D - correspond to the multiple clips that you can load into the *Analyzer*. In other words, you can compare a performance (loaded in A) with up to 3 other performances in the following ways:

- separately - A vs. B, A vs. C or A vs. D (2-way split, or blend mode).




- simultaneously - A vs. B vs. C (3-way split) or A vs. B vs. C vs. D (4-way split).



To load a clip:

1. Click on one of the selection buttons (A, B, C or D). The button appears to be pushed in.
2. Drag & drop (or double-click) the clip from the *Items List* (or the *Tray*) onto the *Analyzer*'s screen. The clip's first frame is displayed, and its name appears in the timeline underneath the screen.



To load additional clips, repeat step 2 and 3 above but make sure to select a letter for which no clip has been already loaded.

To change a clip (A, B, C or D)

Drag & drop the new clip from the *Items List* to the desired A, B, C or D area.

! Double-clicking on a new clip will not replace an existing clip but will create a new *Storyboard* item. Use the drag & drop method to change a clip.

5.4.2 Display modes

The display mode of each *Storyboard* item can be changed to *Split-Screen* or *Blend* to compare performances side-by-side or overlaid on top of each other. To change the display mode:

1. Select the storyboard item you wish to analyse in split-screen or in blend mode.
2. Activate the desired mode:




Split-Screen mode, or



Blend mode

The storyboard item display changes accordingly. In the illustration below, the second *Storyboard* item has been selected and the split-screen mode activated.



3. Select the clips to analyze by clicking the corresponding buttons - A, B, C or D. The buttons appear as "pushed". To de-select a clip, click on the corresponding button.

To load or change a clip in split-screen or blend modes

- *Split-Screen mode*: drag & drop the new clip from the *Items List* onto the appropriate screen area (A, B, C, or D). If needed, click on the A, B, C or D buttons first.
- *Blend mode*:
 1. Click the corresponding clip button - A, B, C or D. The letter is highlighted in white.
 2. Drag & drop the new clip in the *Analyzer* screen.

5.4.3 Synchronizing video clips

To make the images in the different clips comparable, you need to synchronize their action so that you are comparing relatively similar action within the performances. You can synchronize video clips by using the key positions (see next section) or by using the timeline(s).

Method A

1. Load two clips in split-screen (see sections [Loading multiple clips](#) and [Display modes](#))
2. Click anywhere in the clip displayed on the left of the screen (most likely clip A). A blue timeline shows underneath the screen. Note that timelines are color-coded according to the display screen; blue corresponds to letter A.
3. Drag the *Playhead* to the position where the clip should be synchronized (e.g. at the impact)
4. Click the clip on the right of the screen (most likely clip B). A yellow timeline replaces the blue one.
5. Click and drag the yellow timeline forward or backward (NOT the playhead) until the two clips are synchronized (e.g. when both clips are at the impact).

 Use the [shift] + [left] (or [shift] + [right]) arrow to fine tune the synchronization. This moves the timeline one frame backward or forward.

To play the synchronized clips, click on the *Stop* button to move the *Playhead* to the beginning of the play range and click the *Play* button.

Method B

You can use the *Timeline* view to synchronize clips. Click on the corresponding tab to display this view.



The synchronization process is the same as described above except that you do not need to click a clip to select the blue or yellow timeline. You can directly click on a timeline to select it. This view also allows for quick re-synchronization. Simply move the playhead to a new position and adjust the timelines to re-synchronize at the new position.

5.4.4 Synchronizing at key postions

If you have added key positions to the clip(s) (see [Adding key positions](#)), you can synchronize performances at every key position for which the labels match. For example, if you consistently use the label "impact" when the club hits the ball and "top" for the position that corresponds to the end of the back swing, it will be very simple to re-synchronize two clips at "impact" or at "top".

You can synchronize clips by matching key positions with the same label. To do this:

1. Load two clips in split-screen.
2. Switch to the *Key Positions* view. Say that both clips contain a key position with the label "impact" at the position where the club hits the ball. Labels must exactly match (see [Editing key positions](#) to find out how to edit key position labels).
3. Double-click on the key postion "impact".

This method allows very fast re-synchronization at every matching key position.

 If you add key positions to a clip by importing them from a reference clip (see [Importing key positions](#)), it will be very easy to synchronize both clips because labels are imported from the reference clip and so exactly match.

 If the clips contain multiple key positions, you can synchronize them at a particular position by a double click and navigate through the other key positions by a single-click and observe the relative position of the performers. For example, if you have a key position at every gate of a giant slalom it will be easy to see the distance gained or lost by a skier between each gate.

5.4.5 Setting default synchronization

In the previous topics in this section you have learned that it is possible to synchronize clips at various positions. It is also possible to set a default synchronization position. This is a single *Key Position* at which clips will automatically be synchronized when the clips are loaded into Analyzer's *split-screen* mode.

This saves time resynchronizing clips that are repeatedly compared.

To set default synchronization

1. Add a key position at the chosen video position.
2. Right-click while pointing at the key position and select *set as default synchronization* from the quick menu.
3. The default synchronization key position which shows the is marked with a yellow dot as shown below.



5.4.6 Analyzing in split-screen mode

Analyzing in split-screen is very similar to analyzing in single-screen. However, there are minor differences that you should know about.

Drawings

Select the appropriate drawing mode (in the drawing toolbar)


- *Video Drawing* - drawings will be applied to either clip A, B, C or D. Simply select a drawing tool and apply it on A, B, C or D.



- *Screen Drawing* - drawings are applied onto the whole *Analyzer* screen.



This means that the drawings can go across the A, B, C or D boundaries. In the example below, the *Clone Rectangle* drawing tool and the *Screen Drawing* mode have been used.



Zoom in/out

You can apply the *Zoom Tool* in any of the A, B, C or D clips. Simply click on the corresponding area to zoom it.

Flip horizontal or vertical

To use this function (see [Enhancing images](#)) in split-screen, you first have to select the video (A, B, C, or D) by clicking on the corresponding area. The timeline changes to the A, B, C or D color. Then, use the *Flip Horizontal* or *Flip Vertical* buttons to apply the effect.

5.5 Key position mosaic

Analyzer's *Mosaic* view offers a method of displaying Key Position images on the video display screen. This offers the following benefits:

- Have an at-a-glance view of a performance key moments



- Analyse a performance in between key positions. Key Positions can be displayed beside the video image as it plays. In the example below the video is displayed in the middle of two key positions. Playing the video shows how the performer reached the key position on the right starting from the one on the left.



- Analyzer's drawing tools can be used to annotate and illustrate the *Mosaic*.

5.5.1 Activating the mosaic

Activate the Mosaic by clicking on the *Mosaic* button towards the top left of the Analyzer module.



Once activated, there are several Mosaic layouts to choose from. Click the *Next/previous Mosaic Layout* button to navigate between layouts.



The Mosaic mode is used in conjunction with the other Analyzer display modes; *Single/Split-screen* and *Blend* (see [display modes](#) in the Comparing performances topic). Different mosaic content will be displayed depending on which one of these is selected.

- ! Not all Mosaic layouts include the video clip.
- ! If there are more key positions than can be displayed with the selected Mosaic layout, the key positions will display dynamically, this means that as the *Playhead* moves along the *Timeline*, the closest set of key positions to the current video position will be displayed.

5.5.2 Drawing on the mosaic

The Drawing tools can be used to annotate the Mosaic, however it is important to note that although the *Video Drawing* tools may be used to draw on the video clip, only the *Screen Drawing* tools may be used to draw on the Key Position images. Drawings extending from the video to a key position or from one key position to another must also be made with the *Screen Drawing* tools.

To learn more about using drawing tools see [Drawing on the video](#) and [Analyzing in split-screen mode](#).

Saving Mosaic Images

The Mosaic layout and any drawings that it contains can be saved as a still image (BMP or JPEG) using the *Snapshot* button found immediately below the video display .

5.6 Next steps

The analysis contained in the *Storyboard* can be published in 3 formats:

1. The *Mediabook* - an interactive multimedia analysis that you can save to a CD-ROM, send via e-mail, or publish on the Internet
2. A printed report - the collection of key position images which can be printed in different layout
3. A new video clip

Read the chapter [Publishing analysis](#) to learn more about publishing.

StroMotion & Simulcam are Dartfish's special effects allowing you to view movement in unique ways:

- Read the topic [SimulCam](#) to learn how to place two performers together in the same place and time.
- Read the topic [StroMotion](#) to learn how to brake down motion of a performer in a panoramic still image or a video clip.

InTheAction is a tool that is designed to make analysis possible during training. InTheAction shares Analyzer features such as split-screen and blended comparison of video and the ability to add drawings. Read the Chapter [Live capture & instant replay during training](#) to learn more about InTheAction.

Chapter

VI

*Dartfish outputs -
publishing & sharing*


6 Dartfish outputs - publishing & sharing

Although this chapter is primarily concerned about how to publish video based resources, it is worth considering the full range of possible outputs:

- The *Player* (Save Movie function) can create video clips trimmed from longer clips. It can also create still images (snapshots) based on the current frame of video.
- The *Analyzer* can also create snapshots. *Key positions* too can be turned into still images and printed or saved. Here the *Save Movie* function is more advanced allowing you to render the contents of the storyboard as movie complete with any drawings added or comparisons made. All *Analyzer* features can be packaged up into a *Mediabook*. In this format, others can benefit from your complete analysis. The complete *Storyboard* can also be shared with other Dartfish users. Users of the Pro edition also have an *Analysis Recorder*; this creates a movie showing screen and voice recording of all the actions you go through to explain your analysis.
- The *Mediabook* is an output from the *Analyzer* but it is also able to print its *key positions* as still images complete with notes and drawing annotations.
- *Stromotion* (Pro and TeamPro only) outputs a movie or a panoramic still image made from each frame of the movie and cloned objects superimposed.
- *SimulCam* (Pro and TeamPro only) creates a movie by overlaying two videos and matching the backgrounds.
- *Tagging* (TeamPro) users can output match video comprised of separate video files. Video clips can also be created from events but events can also be exported to the *Analyzer Storyboard* where the full range of *Analyzer* producing, publishing and sharing options becomes available. The events list itself can be exported and published either independently or with the video. The tagging player has the same snapshot tool as the *Player*.
- *InTheAction* has no direct outputs but when video recorded by *InTheAction* is loaded into the *Analyzer*, drawings added and the key position created at the trigger point are retained.

6.1 Destinations

The range of destinations for shared and published outputs varies depending on the type of output and the software edition. Below there is a summary of the options that require further explanation.




Dartfish TV

Dartfish TV is an online content platform for the sharing of video clips and *Analyzer Storyboards*. Where video clips have key positions or tagged events (TeamPro edition) this information can also be uploaded and shared. It is even possible to attach other files such as spreadsheets, images or documents to be associated with video content.

Your profile defines what access you have to specific files so Dartfish TV is both a convenient and secure way to share video and analysis.

Dartfish TV is a subscription service for those who want to upload content but there is also publicly accessible content available to view or download. See www.dartfish.tv



My Computer

This allows you to copy files or publish outputs not only to folders on your own hard drive but also all locations accessible from it. These include network drives, external hard drives, memory sticks etc.

Email

Compresses video clips and attaches them to an email using your default email software. The *Dartclip* file containing category/value information for each file is included.



Dartfish is only able to attach to email software like Outlook and Outlook Express. If you use web based email like Hotmail, GoogleMail etc then you should convert the videos you want to send (see Converting video clips) and attach them using the email software or website.

Recordable CD / DVD

This choice of destination "burns" video files to recordable CD-R, CD-RW or data DVD disks including metadata. Burning to DVD does not create DVDs that will play on a DVD player but a data DVD holds a lot more data than a CD:

- CD - 700Mb approx
- DVD - 4.7Gb
- Double layer DVD - 8.5Gb

Enhanced CD / DVD

A second method of burning video clips to CD or DVD is to produce an Enhanced CD/DVD. This has the following advantages:

- The resulting CD autoruns - the user simply has to insert it into their computer's CD drive.
- Customizable interface which can be personalized with your own contact details (see image below).
- Comments can be included to describe explain the content of video clips.



FTP

This sharing option is used to send (ftp) files to an internet destination. To do so, you will need to create an *FTP Profile* using the connection information for your FTP server. This information can be provided by your network administrator or the Internet service provider which hosts your website.

💡 Publish a *Mediabook* by FTP from the Analyzer to create a fully functional multimedia webpage that can be viewed in any browser.

6.2 Sharing video files

Sharing video is a function of the *Tray*. All Dartfish features which create or import video clips add them to the *Tray* but video files can also be loaded by drag-and-drop from the *Items List* to the *Tray*.

Remember that multiple files can be selected for loading by holding down the [Ctrl] key while clicking on the files.

Once video clips are loaded, click the *Tray's Share* button.

Sharing Dartfish Assets with video

Dartfish creates a small 'Dartclip' file for each video clip.



This contains information about key positions, notes, cue in and out settings etc - all the value added features that Dartfish brings to the video clip. The Sharing process also ensures that the Dartclip file is shared with the video file. If the receiver of the video clip is a Dartfish user and chooses to retain the Dartclip file they will benefit from all the additional information added to the video clip.

6.2.1 Video sharing wizard

The *Video Sharing Wizard*

The process of sharing is guided by the *Video Sharing Wizard*. Three steps are common to all sharing destinations.

1. Selecting the sharing *Destination* - Click on a destination then on the *Next>* button (at the bottom of the window) to proceed.
2. Selecting which videos you wish to share. "Check" those to be shared as shown below or click the *Select All* button:



3. Choose the video settings (encoding profile) appropriate for the selected destination (see Video settings in the *Getting familiar* chapter).

Specific additional information may be entered according to the selected destination. Read the information displayed in the wizard to complete this information.

6.2.2 Sharing video by Dartfish TV

Sharing video using Dartfish TV has some key differences from the other sharing media:

1. No Dartclip data shared: Only video and no Dartclip is passed to Dartfish TV. Category\Value is used to create searchable keywords on the platform. Key positions can only be shared by publishing a Mediabook.
2. Playable online AND offline? Video clips can be played online by anyone with access to the channel. Optionally video can be made available for offline viewing - this is defined at the creation of the channel.
3. Inclusion of attachments: Any file can be attached to video clips during the sharing process.
4. 2 Videos uploaded: An encoded version suitable for online viewing and a version for offline viewing which can be higher quality

The video sharing wizard

1. Sharing *Destination* - Click Dartfish TV then the *Next>* button.
2. Login - after providing your login name and password select the channel and collection within that channel to which the video files will be added.
3. Selecting which videos you wish to share. "Check" those to be shared as shown below or click the *Select All* button:



4. Dartfish TV categorisation. Mandatory keywords and optional (uncategorised) key words can be added. These make it easier to find specific videos by filtering by keyword. It is also possible to add notes to describe the video content. If more than one file is uploaded this step is omitted and notes must be added at step 3.

Video Sharing Wizard

Dartfish.tv Content Categorization
Add information to categorize the content that will be uploaded to the Dartfish web platform

Name:

Date:

Comment:


Categories: (* required)

Score	
Field	Golf
Location *	Enibourg
Team	

Additional keywords: (separated with a ',')

< Précédent Suivant > Annuler

5. Select Publishing Options.



For online viewing select whether the full video is shown or a shorter trailer that will assist viewers to decide whether to download the full video for off-line viewing. For offline viewing decide what quality of video to make available for download: the original quality, a high quality compressed version or re-use the same video that is displayed on Dartfish TV. File attachments can be added at this step (not available when doing bulk upload).

6. The final step encodes the video and posts it online.

6.3 Producing MediaBooks

A *MediaBook* allows you to share your analysis by packaging video, key positions, text and audio comments, and drawings together. Share *MediaBooks* using the Internet, CD or sending them by email. A Mediabook offers an electronic output (as shown below) or a paper printout of key positions and keyposition annotations.



The image above shows a *MediaBook* displayed as a web page in an Internet browser. It contains the following features:

- **Analysis Selection:** More than one analysis can feature in a *MediaBook*. Each item in the *Storyboard* is included (read the Analyze Performance chapter to learn more about the *Storyboard*).
- **Video Player:** Video clips are saved in Macromedia Flash format which can be viewed on most Windows computers. One video is generated for each *Storyboard* item. The player controls allow clips to be played frame by frame and to play in a loop. For a larger image, it is also possible to play the clip full-screen using your Windows default Media Player.
- **Key Positions Selection:** Click on a Key positions thumbnail to display the corresponding key position.

The key positions of all the clips in the *Analyzer* at publish time are included in the *MediaBook*. Select "A", "B", "C" etc. to display the corresponding list for each clip.

☒ Analysis ☐ A ☐ B


The "Analysis" key positions choice, as in the illustration above, varies according to the display mode selected at publish time:

1. **Single-screen mode:** image transformation (such as zoom or mirroring) and global drawings are reflected in the key positions.
2. **Split-screen (or Blend) mode:** key positions are split-screen pictures of every key position for which the labels match. Video clips are automatically re-synchronized at every key position. If no labels match, no *Analysis* key positions are created.

- **Comments:** The Analyzer allows you to type or record comments for each item in the *Storyboard* and to do the same for each key position. These are included in the *MediaBook*.



this Analyzer comment...



...becomes this MediaBook comment

- **Slideshow View:** The *Slideshow View* displays the key positions as larger images and includes printing options for them.




- **Personalization:** The *MediaBook* can be personalized with your organization's logo or perhaps a photograph of yourself. This can also be a link to your website.

6.3.1 Step1 - Select destination

Start the creation of a *MediaBook* by clicking the button to the right of the *Analyzer storyboard*.



This displays the first step of the *MediaBook* wizard where the choice of publishing destinations is made. The choice of destinations varies according the edition of software used but the full list of choices is shown below.



After making your choice of destination, click the *Next* button.

6.3.2 Step2 - Mediabook settings

The *MediaBook* settings step is used to:

- Assign a *File name*: This will be used to name the *MediaBook* file(s).
- Personalize the *MediaBook*: The *MediaBook* can optionally be personalized with your logo and website address. You will also want to include a title that will appear at the top of the *MediaBook*.
- *Add high quality fullscreen video*: It is possible to include an external Windows Media video with the *MediaBook*; these will be played using Windows Media Player and not the *MediaBook*. This function may not be desirable if the size of the *MediaBook* is important, for example if being sent by email.

- Choose *File Options*: These choice of file option is only available if the *MediaBook* is being published to the "My Computer" option, otherwise the most appropriate option will be used according to the destination selected in the first step of the wizard.

If the *MediaBook* is saved for use with *Dartviewer*, all files are packaged together into a single file which can be read and displayed by the *Dartviewer* freeware software. *Dartviewer* is automatically installed on all computers with Dartfish but for non-Dartfish users, *Dartviewer* can be included with the *MediaBook* or downloaded from the Dartfish website. This option is automatically used for CD/DVD and emailed *MediaBooks*.



If the *MediaBook* is saved for use with an *Internet browser*, an HTML file is created with the additional files required to create the page also added into a separate folder. This option is automatically used with *MediaBooks* for the internet.



6.3.3 Step3 - Video settings

Settings for Mediabook video:

Select the encoding profile:

Flash high quality

Description: High Quality Flash format for Mediabook publication.

Settings for high quality fullscreen video:

Select the encoding profile:

Windows Media for CD

Description: High quality Windows Media format recommended for best playback from CD or DVD.

[Edit the profiles](#)

Preview

This step allows you to select a Flash encoding profile for the *MediaBook* and, if the "include high-quality, fullscreen video option" was selected in the previous step, you can also select a Windows Media encoding profile for those videos.

 Encoding profiles compress the original video files substantially from the original AVI video that is captured from your video camera. The amount of compression depends on the profile chosen. Click the *Edit the profiles* link to get information on the relative file sizes.

6.3.4 Step3 - Preview

Step 3 of the wizard also allows you to preview the choices you have made in the previous steps, including your personalization's and the quality of compressed video files.


To see a preview, click the *Preview* button. The preview will be displayed in your Browser or in Dartviewer depending on the choices made.

6.3.5 Step4 - Publishing

The publishing step will depend on the destination.

My Computer

Choose or browse for the file location where the *MediaBook* will be saved.




Email

There are no further choices. The files will be processed and a message displayed when this has completed.



You may choose to attach the Dartviewer freeware to the email if it is being sent to recipients who has not previously installed Dartviewer. They will receive instructions on how to install Dartviewer.



CD / DVD

Final information about the CD/DVD burner to be used and a disc label are provided. Clicking the *Next* button will "burn" the CD or DVD.

FTP


An FTP profile is selected in this step and, if necessary, a password is entered. Clicking the *Next* button will publish the *MediaBook* files to the selected FTP site so you should establish

a connection to the internet before doing so. Click the *New* button to create a new FTP profile. Your network administrator or website host must provide you with this information.

6.3.6 Mediabooks on Dartfish TV

Whereas other Mediabook formats almost have the same behaviours as the original Analyzer project on which they are based, Mediabooks published on Dartfish TV are very different:

1. Video assets can be downloaded. Key positions won't be included in the download though
2. Inclusion of attachments: Any file can be attached to video clips during the sharing process.
3. Different storyboard elements presented as segments on a single timeline. It is also possible to select and play individual segments.
4. Key positions from individual split-screen or blended video clips cannot be selected for individual clips. Instead only the Keypositions with matching labels are published as a single marker. When this marker is selected the videos are synchronised at this point.
6. 2 Videos uploaded: An encoded version suitable for online viewing and a version for offline viewing which can be higher quality



The Mediabook above has the following features: *markers* and *marker comments* (written & audio), *Keywords* allow filtering for other video sharing the same keywords, print options for *markers*, download of video, audio comment and attachment.

6.3.7 Publishing to Dartfish TV

The video sharing wizard has the following steps

1. Sharing *Destination* - Click Dartfish TV then the *Next>* button.
2. Login - after providing your login name and password select the channel and collection within that channel to which the Mediabook will be added.
3. Selecting which Storyboard items to be included in the Mediabook. "Check" those to be shared as shown below or click the *Select All* button:



4. Dartfish TV categorisation. Mandatory keywords and optional (uncategorised) key words can be added. These make it easier to find specific videos by filtering by keyword. It is also possible to add notes to describe the Mediabook content.

Mediabook Publishing Wizard

Dartfish.tv Content Categorization
Add information to categorize the content that will be uploaded to the Dartfish web platform

Name:

Date:

Comment:


Categories: (* required)

Score	
Field	Golf
Location *	
Team	

Additional keywords: (separated with a ',')

< Précédent Suivant > Annuler

5. Select Publishing Options.



For offline viewing decide what quality of video to make available for download: a high quality compressed version or re-use the same video that is displayed on Dartfish TV. File attachments can be added at this step.

6. The final step encodes the video and posts it online.

6.4 Saving movies from the Analyzer

New movies can be produced featuring all the contents of the *Analyzer Storyboard*. The movie saved will reflect the content of that analysis including:

- Drawings
- Split screen or blended comparisons
- Cue in/cue out positions

Click the *Movie* button to turn the storyboard into a movie.



With this functionality, Dartfish is in effect video editing software in that it is being used to join separate clips together, however while it does not include transition effects or allow inclusion of still images, it is capable of creating movies with features that are not possible with other software such as:

- Split screen or blended comparisons

- Specialist text captions such as timers
- Specialised drawings such as angles and data display and also including drawing effects such as fade in/fade out and tracking

6.4.1 Step1 - Video settings


The first step is to choose an encoding profile. If this is changed from DV, the resulting video will be compressed but will lose some image quality.

Find out more about encoding profiles in the topic [Converting video](#)



! The encoding profiles include half and quarter speed profiles which allow you to produce video which will play back in slow motion.

6.4.2 Step2 - File information



In this step, a *File name* and *Destination folder* is assigned to the new video clip. The *Conflicting file options* choice defines whether existing files with the same name should be replaced or whether the new file will be renamed. If a file does get renamed it will be suffixed with a number. In the example above the new video clip would be called "Bobs drive hole 5(2)"

Categorization of new video clips

Users of the Category/keyword file management system will be pleased to see that video files can be categorized as they are saved. The method of building and using a form is identical to that used for capturing video files with the Video recorder or InTheAction modules. Refer to those chapters for further information.

6.5 Creating still images

Key positions can be printed or saved as still images.

Click the *Pictures* button to the right hand side of the Analyzer *Storyboard* to publish *Key Positions* as still images.



You can publish pictures to the following destinations:

- **Printer.** Dartfish offers a choice of layout templates to print images. Some include the notes and title information.
- **My Computer.** Save images as image files to a location on your computer.
- **Email.** Images will be attached to a new email using your default email program.



Select a destination and click the *Next* button.

6.5.1 Saving pictures to 'My Computer'

Similar to other Dartfish processes where files are saved, you will assign a *File name* and *Destination folder* to the images and optionally the images can be categorized (see below).

Click the net button to save the image files. By default they will be 720x576 pixel JPEG images (or 720x480 for NTSC video).

Categorization of images

Your pictures can be categorized as they are saved. In the example below the file is named but can also be filed under values in the categories of Sport, Player and Club. The method of building and using a form is identical to that used for capturing video files with the DV Import or InTheAction modules. Refer to those chapters for further information.

File information

File name:

Sport:  

Player:  

Club:  

[Add a category](#)

Destination folder



6.5.2 Attaching pictures to email

There are no further steps to attaching pictures to email

To...

Cc...

Subject:

Attach...  Discus Bernhult.wmv (90 KB);  Discus Bernhult.wmv.dartclip (3 KB)

Dartfish video attached
<http://www.dartfish.com>

! Only email software like Outlook and Outlook Express can be used. If you use another type of email such as AOL or web based email like Hotmail, YahooMail etc then you should save the pictures using the 'My Computer' option and attach them through the software or website itself.

6.5.3 Printing Pictures

Two steps are required to print your pictures. In the first, the printer you wish to use will be selected. select


Which printer do you want to use?



Your prints will look best if you select the correct paper before printing.
 To select paper, click Printing Preferences.

The printing preferences button opens the print settings button for the type of printer you use. The choices available depend on your printer and you should refer to your printer's documentation if further explanation is required. You will be able to use these preferences to choose a print quality and a paper type; these are especially important choices if photo-quality paper is being used.

Click the *Next* button to continue...



Before printing, choose from one of a number of layouts. The preview gives an indication of the layout but not the quality of the printed page. Note that both the label and notes information for each picture can be included on the page.

Clicking the *Print* button will print the images according to the chosen layout.

6.5.4 Snapshot images

All Dartfish modules with video playing capability offer a *Snapshot* tool which can be found below the video display.



The Snapshot tool is used to create a still image from the current video display. Use it in the following ways:

- Click the button to save the current image as a BMP (or JPEG) file to your computer.
- Click while holding the control key (ctrl) on the keyboard to copy the image to the MS Windows clipboard. Now it can be pasted into any other application supporting copy/paste of images. For example, you could use this to insert an image onto a MS PowerPoint slide.

6.6 Recording analysis

The other publish tools covered in this chapter provide various methods of sharing analysis with others. Of course, the actual process of using the Analyzer can itself be an invaluable feedback tool when its tools are used to illustrate and compare performance. This is the reason behind the *Analysis Recorder*; it is a method of making a real time recording of your use of the Analyzer and including your voice as a sound track to the resulting WMV video.

To appreciate the value of analysis recording, imagine sitting with an athlete and using the Analyzer's features to explain the latest skill he/she is attempting to master. If you imagine that you could film your use of the Analyzer and include a commentary of your coaching then you would be very close to the functionality of the *Analysis Recorder*.

The analysis recorder is only available in the Prosuite and Team Pro editions of Dartfish

6.6.1 Enabling the Analysis Recorder

Start by selecting the *Analysis Recorder* tab and selecting the *Enable Recorder* option.



This results in new controls, *Record* and *Pause Recording* appearing in the Analyzer's video playback controls.



6.6.2 Setting clip properties

Because, the Analysis Recorder creates a new video clip, a file name should be provided for it. If left blank, the file will be given the name "Untitled(x)".

 A screenshot of the 'Clip Properties' dialog box. The title bar says 'Clip Properties Enter information about the next captured clip(s)'. Inside, there is a 'File name:' label followed by a text input field containing 'Discus technique'. Below the field is a blue link that says 'Add a category'.

Setting clip properties also allows you to create a form that will let you categorize the new video using Dartfish's Keyword video management system. The use and creation of the Analysis Recorder's Clip Properties form is identical to that used for all Dartfish's Capture tools (see Video recorder in the *Video Library* chapter). A form such as that shown below is used to "label" the clip appropriately making it easy to find in the *Items List* by selecting any combination of the values entered.

 A screenshot of the 'Clip Properties' dialog box, expanded to show more fields. The 'File name' field contains 'Discus technique'. Below it are three dropdown menus: 'Sport' with 'Discus' selected, 'Athlete' with 'Reidler' selected, and 'Camera angle' with 'Rear' selected. Each dropdown menu has a red 'X' icon to its right. At the bottom is a blue link that says 'Add a category'.

6.6.3 Other clip properties

In addition to file name and category/keyword for each clip you will also want to define the quality of the final video by choosing an appropriate encoding profile and the file location for the end result.

Encoding profile

The encoding profile selected defines how much the video will be compressed. Selecting an appropriate encoding profile is a trade off between the size of the resulting file and its image quality, for example, you are unlikely to want to send extremely large files by email.



There are three profiles, high, medium and low quality, specifically created for the Analysis Recorder. The principal difference between these is in the number of frames per second.

Capture Location

The capture location defines where the Analysis recorder video will be saved in the Windows folder system. Remember that this should be included Library if this file is to be visible when using the Category/Value video management system.

The links provided allow you to select a new capture location and to open that location.



6.6.4 Setting recording device


In this case, the recording device is being used to record an audio commentary and NOT to capture new video from a camera. Select a sound recording device from the list.



It may be possible to choose between more than one device, for example a built-in or external microphone on your computer or, if it is connected and switched on, your video camera.



If you select your computer's sound card from the list you will be offered a further choice of audio inputs that connect to the sound card. The link to "Configure the device" allows you to set recording levels for that device.



6.6.5 Using the Analysis Recorder

Start recording using the *Record* button.



Then, imagining that the athlete(s) you are analyzing are sitting next to you (perhaps they are), use the Analyzer's comparison and drawing tools to explain and illustrate your analysis while recording your comments and advice. Everything you do on the video screen and everything you say will be recorded as a new video clip.

If you need to pause recording to exclude anything that you don't want to include on the final recording, click the *Pause* button.

When your analysis is complete, remember to stop recording by clicking the *Stop Recording* button.



The resulting video clip be saved on your computer and will appear in the *Tray* ready to be played or shared.



You should remember that lengthy analyses will create large video files. Here are some preparation ideas to help you make your presentation efficient and succinct:

- Open the video clips to be used in the analysis into the *Story Board* or the *Tray*.
- Trim video clips to show the relevant part. You could also zoom and flip and synchronize them in advance as appropriate.
- Create key positions complete with drawings.

Chapter



*Unique ways to view sport
- SimulCam & StroMotion*

7 Unique ways to view sport - SimulCam & StroMotion

With SimulCam and StroMotion, Dartfish offers uniquely creative ways of observing, analyzing and understanding sport.

Each creates images that can never be seen in real life; StroMotion allowing the athlete to leave a clone of him/herself behind as he moves; SimulCam allowing two athletes to virtually "compete" against each other when in reality their performances took place at different times.


You may have already seen these techniques in use because Dartfish provides this technology to television broadcast companies around the world. They use it to illustrate and give their audiences a better understanding of sport and now you can benefit in the same way:

- Perhaps SimulCam or StroMotion will be the only way that you can compare the tiny differences between competitors; the tenths of seconds separating competitive skiers for example, or subtle differences in a tennis serve.
- Perhaps the images will help teach technique to your development squad in a way that they will have never seen before.
- Or perhaps you will use the technology to inspire athletes by having them compete alongside the great names of your sport!

7.1 Compare with SimulCam

The SimulCam technology provides you with a unique analysis capability for comparing two athletes' performances blended onto a single background. This enables you to view and analyze often imperceptible differences between these performances, and discover precisely what made one performance stronger than the other.

To compare performances, SimulCam matches the backgrounds of 2 video images so that even if the camcorder pans, zooms or tilts it continues to track the background features. Using this information, the two backgrounds can be blended into a single one.



In essence, SimulCam has a similar purpose to using the Analyzer module's *Basic blend* view, however the end result is vastly superior: Basic blend is unable to track the relative movements of the background features, making comparison near impossible if the camera zooms or pans during filming. Basic blend results in ghostly, semi-transparent figures whereas SimulCam creates a more realistic picture.

Required to use SimulCam:

- Camera on tripod
- Pan, tilt and zoom allowed during filming.
- Video clips can be recorded at different times but must be taken by a camera in exactly the same position.

The steps in using it are to:

1. Step 1 - clip selection and synchronization. Two video clips are loaded. To be comparable the two clips should then be synchronized.
2. Step 2 - camera movement calculation. Background features are matched and the amount of camera pan and zoom is calculated.
3. Step 3 - blending, preview and saving the clips. You can also save the SimulCam project if you wish to make changes to any of these steps later.

7.1.1 Getting good SimulCam results

Remember, the SimulCam technology matches backgrounds of two video clips; it will have difficulty doing this under the following conditions:

Insufficient number of background objects

For example; snow. Imagine trying to identify the same point on a white background from frame to frame. Your brain is still better than a computer's so "what the eyes cannot see, the computer cannot!".

- Avoid this by not zooming too closely on the subject. Even on snow, shadows, rocks, slalom gates etc can still be used but only if enough of these distinguishable objects appear in each frame of video.

Background is blurred

Its the same problem, if background objects become blurred or out of focus, SimulCam is unable to calculate where they have moved to.

- Use a tripod or another solid object to mount the camera.
- Zoom and pan smoothly and slowly.

Backgrounds are different

SimulCam can only compare if the content of the background is similar in each video clip.

- Always film from the same position. If it helps you remember, mark the spot!
- It does not matter if a different zoom has been used for each clip - the backgrounds only have to contain similar objects filmed from the same direction. SimulCam will calculate the difference in zoom.


7.1.2 Step 1 - clip selection and synchronization

Step 1 of the SimulCam clip creation process consists of:

- Loading two video clips containing the performances to analyze.
- Synchronizing the clips for optimum comparison.
- Trimming the video by selecting appropriate cue in & out points.

7.1.2.1 Loading video clips

SimulCam compares two clips. Drag & drop each clip you wish to compare from the items list on to SimulCam's left and right video display windows.



! At this point, you can exchange either clip for another clip by simply dragging and dropping a different clip from the *Items list* or *Tray*.

! The video format must be DV (.avi), for example it is not possible to create SimulCam images from Windows media (.wmv) video or MPEG (.mpg). Also, the two clips cannot be of different formats (for example, NTSC and PAL).

7.1.2.2 Synchronizing video clips

SimulCam has a set of easy-to-use tools to help you synchronize the two video clips. These tools are located at the bottom of the SimulCam window.

To synchronize the video clips:

1. Click and drag the timeline cursor ▼ until you see an easily identifiable moment in the first video clip. For example, find the instant where a long jumper's foot hits the board, when a skier passes a gate, when a golfer hits the ball etc.
2. Click and drag the yellow timeline (this represents the second clip) left or right until you see the same image in the second video clip.

💡 Fine-tune the video frame selected using the left and right cursor movement keys of your keyboard

! It is important that you choose a starting frame with clear static elements that appear in both backgrounds. This will help you align the backgrounds in the next step.

! A "perfect" synchronization does not always yield a perfect analysis. The overlap between both performers may be too high, hiding important details. In this case, try to add one or two frame shift between both video clips.

! If the video clips contain synchronization points, they are automatically synchronized when loaded.

7.1.2.3 Trimming the clips

This means selecting the portion of the video clips you want to analyze. This is done by setting cue in and cue out points.

To set cue in & out points

1. Position the red cursor at the beginning of the portion and click on the *Set In* button ().
2. Position the cursor at the end of the portion and click on the *Set Out* button ().

 It is worth taking time to trim the clip to the section of the video you wish to compare as this considerably reduces the time taken to produce the final result clip. Also, experienced SimulCam users will be able to avoid sections of video where SimulCam is not able to make comparisons.

7.1.3 Step 2 - camera movement calculation

In this step, calculation of the camera movements is initiated. This is required by SimulCam to blend the two performances onto a single background.

In this process, similar features in the backgrounds of the two video clips are manually aligned by one of two methods:

1. *Drag & zoom alignment* - Backgrounds are aligned by blending the first frame of each clip then zooming and dragging one frame above the other until backgrounds match.
2. *Matched alignment points* - Several matching static background features are marked with alignment points on the first frame of each clip.

Which method is best?

We recommend that you try both methods to decide which one is most comfortable for you. By default, your software uses the *Drag & zoom alignment* method. Use the following notes as a guide.

- In general, manual alignment by the *Drag & zoom alignment* method is quicker.
- *Drag & zoom alignment* requires you to zoom using scroll function of your mouse or the [+] and [-] keys of your numeric keypad (refer to your laptop documentation). If neither of these are convenient for you then *Matched alignment points* might be a better choice.
- The *Matched alignment points* method is sometimes a better choice when the video

images do not match well.

To select the calculation method

The calculation method can be changed at any time before or during SimulCam.

1. Select *Tools > Options* from the menu bar (or press F3).
2. Select the *SimulCam* topic from the list on the left.



3. Select the mode. Note that you can *Set as default* your choice of calculation method.

7.1.3.1 Drag & zoom alignment method

The *Drag & zoom alignment* method consists of dragging and resizing the image of the first video clip on top of the other clip until the two backgrounds match perfectly. Step 2 using Drag & zoom alignment looks like this:



Images from both videos are blended but the backgrounds still have to be aligned for each of the 3 pairs of images displayed on the left hand side of the module.

Adjusting Zoom

If the camera used different zoom while filming the two video images this can be compensated for by resizing the top video image.

1. Click the blended video images.
2. Adjust the size by using the mouse scroll function.



If your mouse has no scroll function or it does not operate zoom then use the [+] and [-] keys on the numeric key pad of your keyboard. Different laptops use different methods of activating and operating the numeric keypad; refer to your laptop's manual to find out.

Aligning backgrounds

When images are a similar size, they can be aligned - although you may have to align then zoom again to get a perfect match.

1. Click & drag anywhere on the blended video images, the top image will move over the image below it.
2. Focus on one or more objects in the background; the stands, objects on the field, posts, equipment, etc. and align those objects.

Repeat Alignment for the other pairs of images

The first pair of images show the background of the two different video clips. The alignment process needs to be repeated for the two remaining pairs of images. These pairs are used to calculate movement from one frame to the next in each clip so if movement is slight this will be much quicker than aligning the different video clips.

1. Click the second pair of images listed on the left hand side of the SimulCam module.
2. Align them.
3. Click the second pair of images listed on the left hand side of the SimulCam module.
4. Align them.

The end result of step two is illustrated below. Click the *Next* button to proceed.



7.1.3.2 Checking alignment

Check the alignment quality using the transparency cursor.



Drag the cursor to the left and to the right. If you feel that the background is moving, it means you need to keep aligning the two backgrounds.

! If you still cannot align the background, after repeated zooming and alignment, this could mean that the camcorder tripod moved during your recording session. In this case, it is not possible to create SimulCam video clips. You still can compare performances but you will need to use the split screen functionality of the *Analyzer* module.

7.1.3.3 Matched alignment points method

The *Matched alignment point* method is a process of placing markers on similar features in the background of both video clips. The alignment point window is illustrated below:



Selecting background alignment points.

In this method, at least two points are set on objects in the background of the first image and then set on the same objects on the second background. This is repeated for all three pairs of images listed on the left hand side of the SimulCam module. It is best to use obvious points of high contrast as illustrated in the following pictures:



Also it is essential that these background points are fixed objects: People or the top of the slalom gate in the above clip would not be good choices because they move!

To define alignment points.

1. Click on the first clip's title above the video display. A frame of the first clip is displayed in the main screen. (Ski 1 in the illustration below)



2. Click the left mouse button on a static background feature. The feature is marked as shown below.



3. Now click a second and perhaps a third object. They will be labeled similarly; you must set a minimum of two alignment points but defining more may improve the background

alignment.

4. Click on the second clip's title above the video display. A frame of the second clip is displayed.
5. On the second clip, click the same background objects that you selected on the first clip *in the same order so that the numbers match*; the thumbnail on the left displays the previous selections and can act as a guide.
6. Click on *Visual Check* on the process bar. A combined image of both frames is displayed. The backgrounds should appear aligned.

If you need to delete a numbered mark because the elements are not in the second image or are not positioned correctly, right-click on the mark you wish to delete. Then left-click in the correct position and a marker with the same number appears again.

If the backgrounds do not match in the *Visual Check*, make sure that the alignment points are placed correctly and that point 1 matches point 1 in each image etc. If backgrounds still do not match then adding further points will improve accuracy.

7. Select the second pair of images from the thumbnails on the left of the SimulCam module. These images compare camera movement from one frame to the next in the same video clip.
8. This time feature points are already set but you need to check they are positioned correctly. Use the techniques described in step 6 to remove and reposition feature points as required.
9. Repeat for the third pair of images.
10. When complete proceed to the next step by clicking on the *Next* button.

7.1.3.4 Adding new alignment frames

Both methods to complete step 2 require that you match the backgrounds in the starting frame of your clips. However, if the backgrounds in this frame are too different, they do not include clear common background elements or the objects are blurred you will need to set a different start frame.

To set a new start frame.

1. Go back to step 1 by clicking the *back* button.
2. Set a new cue in at a start frame that is more appropriate.
3. Repeat step 2.


Setting new alignment frames.

It is essential that the start frames match but additional frames can be set where backgrounds can be realigned. This might be necessary for clips that "jump" because of a change of camera angle, or because the images have become blurred during panning or the clip does not include part of the action in a particular frame.

New alignment frames are represented by flags in the timeline. Once you add a flag, you will be able to realign the backgrounds in that particular frame as described previously.

To add a flag.

1. Go back to step 1 by clicking the *back button*.
2. Drag the current position indicator  along the timeline to the new alignment frame.
3. Click on the *Add flag button* . A new flag is added to the timeline. A red flag indicates that the background alignment still needs to be performed for this particular moment



4. Other icons allow you to jump to the next or previous flag and to delete a flag.



5. Repeat step 2 for each flag added.

7.1.4 Step 3 - blending, preview and saving

Step 3 enables you to:


- Select the blending mode
- Start the calculation of the SimulCam clip and watch a preview
- Save the SimulCam video clip

7.1.4.1 Blending mode

The SimulCam image quality may vary depending on the blending mode. You can choose from three modes and use the preview to experiment with what works best for your sport.

1. *Motion-based*: In most cases, this is the best mode to use for generating a blend. It is based on the camera movement.
2. *Color-based*: Use this mode when your clip features a lighter colored background than the performer. For example, snow, sand, concrete. Light colors are "pushed" into the background.
3. *Constant*: This is the fastest blend calculation mode, however, the resulting quality is poorer than the other modes. Use this mode when you want to get a rapid result.

Use the drop-down list to select the blending mode



7.1.4.2 Previewing your clip

It is not necessary to use the preview function but it will help you decide the best blending mode and whether additional alignment is needed.

To preview, click on the *Start preview* button. The SimulCam clip will be displayed in the main screen as the calculation progresses. At any moment, you can decide to stop the calculation by pressing the *Stop preview* button. You can now experiment with different blend modes to compare which gives the best result.

If the SimulCam can be improved, go *Back* to the previous steps and redo cue in, alignment,

Blend mode etc.

This done, it may be that there is still a progressive misalignment of the backgrounds. If this happens, stop the preview and try one of the following.

1. Add an alignment flag to the frame where the background misalignment begins (see *Adding new alignment frames*).
2. Select a different first frame - as described in [Step 1](#).



It is much quicker to preview using *Constant Blending mode*. When satisfied that alignment is correct switch blending mode to *Motion-based* or *color-based* for a better quality result.

7.1.4.3 Saving SimulCam results

There are two potential end results of a SimulCam project:

- the creation of a new video clip using the *Publish* process
- the SimulCam project itself.

Saving the SimulCam project

To do this select the *Save...* option from the *File* menu. Saving the project is not always necessary but may be useful if you wish to return to the project to make changes in the future. SimulCam projects appear in the *Items List* represented by the following icon:



Starting a new SimulCam project

To initiate a new project select the *New* option from the *File* menu.

7.1.5 Publishing new video clips

The publish process uses a wizard to guide you through creating new video clips resulting from SimulCam, SimulCam Fixed, Stomotion and Stomotion fixed. It is used to:

- Save and name the video clip.
- Categorize the new clip using categories.

Initiate the *Publish* process by clicking the Publish button at the bottom right of each module.

7.1.5.1 Choosing video settings

The first step is to select which encoding profile you wish to use for the clip. A range of encoding profiles exist to allow you to select an appropriate format for the eventual use and location for the video. For example, if the video clip is lengthy or needs to be sent by email, you may decide to use an encoding profile which compresses the result into a file of smaller size (see [Converting video](#) in the Getting Familiar chapter to learn more about video settings).

After selecting a profile, click the *Next* button to continue.


7.1.5.2 Assigning file name, destination and categories

File name

Type a name for the video clip in the *File Name* text box. If this box is left blank the generic filename of "Untitled" will be applied.

Categorize clips while saving

If you use Dartfish's Keyword video management system (see [Organizing your library](#) in the Video Library chapter) then you can benefit from categorizing new video clips as they are saved. The method for doing this is to create a form listing a box each category that you wish to use then selecting existing keywords from these categories or entering new ones. An example is shown below. The same method is used for [categorizing captured video](#).



Destination folder

This is the physical location on the computer (drive and folder) where the new clip will be stored. Type the location or click the *Browse* button to search and select a folder.

Conflicting file options

If the file name matches that of another file in the destination folder the *conflicting file options* setting allows a choice of overwriting the original file or renaming the saved file. If the latter option is chosen, the new video file will be suffixed with a number. For example, if "World cup" already exists a new file would be called "World cup(1)".

7.1.5.3 Video creation

The final step automatically initiates the creation of the new video file according to the settings chosen in the wizard's previous steps. The time taken to render the new video will depend on the power of the computer and the size of the new file; progress of creation is indicated.

You will be notified when the publishing process is complete and, by default, the new video clip will be added to the *Tray*, allowing convenient access to replaying it in the *Player* or *Analyzer* modules.

7.1.6 Next steps

SimulCam & SimulCam Fixed are unique analysis capabilities for comparing two athletes' performances blended onto a single background. You may also be interested in the following topics:

- Read the topic [StroMotion](#) for another Dartfish special effect enabling you to dissect

motion of a performer in a panoramic still image or a video clip.

- The Analyzer module offers another way of highlighting key frames and uses them to bookmark these moments and turn them into still images (read the chapter about the Analyzer to learn more).
- Having created these unique images, you may want to share them by CD, email or internet (see [Sharing video files](#) in the Video Library chapter).


7.2 Dissect motion with StroMotion

Images produced by StroMotion give an athlete and coach unique insights to how an action develops. It produces a panoramic still image or a video clip that contains collections of frozen images, revealing how rapid technical changes are made.



To imagine how this might help you, think of times when it might be useful to show your athlete their position on one frame of video then show its consequences in another frame. How about educating your junior team about the correct sequence of actions to use? Sure you could print out some still pictures but StroMotion offers a juxtaposition of images which truly reveals how one action leads to the next.





The process of creating a StroMotion clip involves 4 steps:

- Step 1 - Load & trim the video clip
- Step 2 - Camera movement computation
- Step 3 - Panorama reconstruction
- Step 4 - Draw clones & save results

7.2.1 Step 1 - Load & trim the video clip



Loading the video clip

Open the clip of your choice from the items list or tray.

The chosen clip may be changed by simply loading a different clip.

Trimming the clip (set cue in & out points)

- The clip should be trimmed at the beginning and end of the movement that is to be turned into a StroMotion image.
- Choose a start position with clear background features. This will help you match background features in step 2.



- Click the *Next* button at the bottom right of the *StroMotion* module to proceed to the next step.

7.2.2 Step 2 - Camera movement computation


In step 2 camera movement is calculated. This is initiated by matching at least two background features in successive frames of the video clip by setting alignment points. StroMotion then computes the movement of the camera throughout the clip.



The points set as alignment points should be static, people are not a good choice of alignment point! They should also be obvious points in the background as StroMotion can't track the objects if they are blurred or similar in colour to the surrounding background.

To set alignment points

- Click the left mouse button while pointing at an object (a flag, center line, pole, goal, etc.) that is present on both frames
- The red alignment point which appears is labelled with a number. The same marker will appear on both images.




To exactly position alignment points on features, zoom in on that feature. To do this click the mouse on the feature while holding down the [ctrl] key on the keyboard (Left-click to zoom in and right-click to zoom out)

To adjust alignment points

In the image above the feature point labelled "2" is not marking the same place in both images. To correct this:

1. Right click on the incorrectly positioned alignment point to delete it.



2. Then left click the position where the alignment point should be.



Repeat this setting and adjusting operation until you have selected at least two alignment points

! You can check how well the alignment points match by clicking the *Visual Check* button. A window opens showing the athlete moving against a static background. If the background appears to move or shift, you should check your alignment points or add further points until the background is relatively stationary.

Calculate camera movement

- Click the *Start* button. Shading inside the timeline shows how much of the process is complete.
- When the calculation is complete, you are ready to click the *Next* button to go to the next step.

! The *Show warping* button allows you to check the result while the clip is being processed. If the background appears discontinuous as it is constructed, stop the computation and make further adjustments to the alignment points. This may also be caused by the tripod moving during filming.

7.2.3 Step 3 - Panorama reconstruction

Usually no action is required in step 3 as the panorama reconstruction begins immediately.

1. If it doesn't start then click the *Start* button. As before, timeline shading will show progress.
2. Click the *Next* button to proceed to the next step.

7.2.4 Step 4 - Draw clones & save results

This step is where you select the parts of the image which will stay fixed on the subsequent frames of video and will appear as "clones" on the panorama image. To do this you will:

1. Identify key frames in the video clip where the performer or object is in a position of interest.
2. Draw around the "clone" object using a range of clone drawing tools.
3. Repeat the above for all key frames.
4. Save the project, result clip or panorama image

7.2.4.1 Identifying key frames

Your task here is to find frames of video showing the athlete (or another object) in a key position of interest. This is the moment of action that you wish to freeze.

You should already be familiar with how to use the timeline to move through a video clip. It is worth remembering to use keyboard shortcuts [ctrl] + [left/right] cursor keys that will play one frame at a time and fine-tune your selection (read the *Getting Familiar* chapter to learn more).

! to insert clones at a fixed interval use the *Jumpsize* control illustrated below to define the size of the "jump" and move backward and forward through the clip by this interval.



7.2.4.2 Drawing clone objects

Having found a key frame of video - one in which an athlete or object is in a position of interest, that athlete or object now must be cloned. You are not restricted to cloning a single object, so select all objects of interest in each key frame.

The objects or athletes that you want to clone are drawn, selected and manipulated using the tools on the right of the StroMotion module.



Select tool - select clones or move selection.



Rectangular clone tool - clone creation tool.



Freehand clone tool - freehand clone creation.



Delete selection - deletes the performer/object selected by the select tool.



Delete all - deletes all performers/objects on this frame.



Zoom in/out - zooms in on the point on the image that is clicked (right click to zoom out).

To create clones

Use the *Rectangular clone tool* or the *Freehand clone tool* tools to "draw" around the performer/object to be cloned.

To use the *Rectangular clone tool*

1. Click the *Rectangular clone tool* button.
2. Then point the mouse above and to the left of the object to be cloned.
3. Click & drag downwards and to the right until the selection box encompass the object while including as little background as possible.

To use the *Freehand clone tool*

1. Click the *Freehand clone tool* button
2. Click & drag around the object staying as close to the edge as possible.



If you miss part of an object during selection, don't delete the clone and start again, simply include the missed part as a new selection. More than one tool can be used and more than one selection can be made to create a clone as shown in the image below.

Which selection tool is best?

To answer that, remember that whichever tool you use, the selected area will stay fixed on the video image. If there is overlap between clones, the later clones will obscure the earlier ones.

- Use the freehand tool when there will be a lot of overlap between the clones. For example in a gymnastic rings routine or high jump.
- Use the rectangle tool when the clones will be spread out - the performer moves some distance between the key frames. For example in long jump.

To edit clones

1. Select the clone to edit by using the *Select tool* . Click the tool then click the outline of the cloned area.
2. Selected clones can be deleted , moved by click & drag, or reshaped by dragging the "handles" at each edge or corner, see these illustrated below. All clones in a frame can be deleted using the  tool, it is not necessary to select clones first to use this.



By zooming in on the image  more careful selection is possible. Click the left mouse button to zoom in and the right mouse button to zoom out.

7.2.4.3 Publishing StroMotion

Creating StroMotion results is done using a Publishing wizard almost identical to that used by SimulCam. It is initiated by clicking the *Publish* button in the final step of StroMotion and StroMotion Fixed projects.

Publishing can produce a choice of two results described below. After selecting an output type and clicking the *Next* button, the remaining steps are described fully in the SimulCam chapter (see [Publishing new video clips](#) in the Simulcam chapter).

StroMotion still image

A bitmap (.bmp) picture of all clones superimposed on the background. If a panning camera was used, clones are superimposed on a panoramic background image. An example of this is shown below.



Although bitmap and jpeg images will appear in the *Items List*, no Dartfish modules are used to display them; if opened from the *Items List* they will actually be opened using default Windows image display/editing software on your computer.

StroMotion video

The original video has each clone appear and remain on the video image as the movement develops.

7.2.4.4 Saving StroMotion

It is possible to save a StroMotion project if you wish to return to it to make adjustments or publish it's results later. StroMotion projects are represented by the following icon in the *Items List*.



Save the settings used to create the project by selecting *Save as...* from the *File* menu.

7.2.5 Next steps

StroMotion & StroMotion Fixed are one of Dartfish's special effects allowing you to view movement in unique ways. You may also be interested in the following topics:

- Read the topic [SimulCam](#) for another Dartfish special effect enabling you to place two performers together in the same place and time.
- The spline drawing tool (see chapter on *Analyzer*) is another way of tracking and illustrating movement.

- The Analyzer module offers another way of identifying key positions and uses them to bookmark these moments and turn them into still images.
- Having created these unique images, you may want to share them by CD, email or internet (see Sharing video files in the *Video Library* chapter).

Chapter



Tagging Video

8 Tagging Video

Traditionally, reviewing sporting performance on video is a linear process – you rewind the tape, press play and observe the action as it takes place. Of course your camcorder's fast forward button saves time but finding and replaying important moments in the game or competition essentially remains linear – and slow.

Imagine how useful it would be to be able to mark and label these events on the tape as you are filming because you could later jump between these marks in any order you choose. You could review only the events of interest and choose to see related events: "Let me look at all the times our opposition scored" ceases to be a lengthy process of fast forward and play.

Dartfish's Tagging module doesn't physically mark a tape but instead brings digital video onto the computer and allows you to create a searchable index of the video content. Each event is tagged with not just one label but a set of keywords that really identify what is happening. This process not only lets you search and review these events but compiles match statistics: "Which shot does my opponent most often score with?" is not only a question that can be easily answered, but the relevant shots can be replayed and analyzed.



A short history of tagging

If all this sounds familiar, that is because Dartfish Tagging is a combination of long-used tactical analysis methods:

Notational analysis - the coach or analyst sits on the sideline with pen & paper ticking off or coding events as they take place in a game. Tagging does this using buttons which are clicked to code events.

Video indexing - even before digital video, coaches attempted to make it easier to find useful moments in the video of the game by noting the time that they took place. This made it easier to fast forward to that point on the tape but it's easier still with Tagging; the events you code are listed in an index which can be searched and displayed non-sequentially.

Is Tagging just for Team sports?

No. While other Dartfish modules are used for technical analysis of isolated events. Tagging is more about a tactical analysis of the game as a whole while being able to focus on


specific moments of choice. It is therefore useful for any sport where these qualities are of interest: Team sports, racket sports, combat sports, skating/gymnastic routines etc.

8.1 What is Tagging?

Tagging is the action of creating a video index, a list of *Events* that occur in the video. Consider for example a video that contains a soccer game; the video index could look like this:

Index	Position	Duration	Event Type	Player	Team
Event #1	23 s	7 s	Pass	Defender	Team A
Event #2	1 min 13s	7 s	Free kick	Striker	Team B
...	...	...	...	...	...

- The *Position* corresponds to the time in the video when the event occurred.
- The *Duration* is a portion of the video when the events take place.
- Event type, Pass and Team are *Categories*. Pass, Defender and Team A are the *keywords in each category*.
- An event is fully defined by the *Position*, *Duration* and the categories' *Keywords*. It can be illustrated as follows:



Once you have created your index, you will be able to retrieve particular events. For example, you may want to retrieve events that match the following criteria:


- *Team* = Team A, i.e. all events of Team A
- *Event Type* = Pass and *Team* = Team A, i.e. all the passes of Team A

It is important to be aware that the Tagging module doesn't just tag instantaneous events such as these examples, lengthy sections of video such as a team's ball possession can be tagged at the same time as the passes and free-kicks taking place during that possession.

8.2 The Tagging Workspace

To launch the *Tagging* module, click on the *Tagging* icon in the icon bar, or select *Tools > Tagging* from the menu bar.

The module workspace is illustrated below:



It is composed of four different elements (clockwise from top left):


1. The *Library* (more precisely the *Tray* of the library), which opens a collection of video clips to be tagged or reviewed.
2. The *Video Panel*, which contains the video display and the different video controls which let you capture and replay video. This also has controls to display and hide the other panels and select the video source.
3. The *Tagging Panel*, which contains a set of buttons and other tools; some of which create a timestamp for each event and others which describe the event with values.
4. The *Events List*, which contains the list of events, i.e. your video index. It also has features related to the management of events; editing, searching and import/export functions.

These elements are described in more detail in the remainder of this section.

! When you launch the *Tagging* module for the first time, the workspace may not look like the one illustrated above. If any of the four elements are not visible they may be displayed by using the *Views Bar* buttons at the top right corner of the video panel (see The Video Panel).

8.2.1 The Library

It is likely that your tagging analysis will be based on more than one file. Perhaps different periods of the game were recorded as separate video files or perhaps you are reviewing the video of an entire season. Dartfish offers you a simple way of working with as many video clips as you require.




Loading all the clips you wish to analyze into the *Tray* section of the library allows you to:

- See events from all clips contained in the Tray; allowing the events of many videos to be analyzed together.
- Search for events from all video clips within the Tray.
- View or tag multiple video files as if they were a single clip.


When working with multiple clips, it is useful to know that the video clip highlighted with a green triangle is the one currently being played or tagged and that the *Player's* repeat options can be used to play each clip continuously as a single movie (See Video playback in the *Getting Familiar with Dartfish* chapter)

8.2.2 The Video Panel

The *Video panel* is illustrated below.



Mode bar



The Mode Bar at the top left of the video display enables you to choose between two tagging modes and a video player mode.

- *Tag Live* mode records a video stream, at the same time as allowing you to tag during capture. The screen and the different settings are identical to the *Video Recorder* module (see Video Recorder: get video from DV tape camcorders in the *Video Library* chapter)
- In the *Tag Video Clip* mode allows you to play entire video files that exist on your hard disk. The clips can be tagged during playback
- The *Play Events* mode allows you to play back the selected events from the Events list

These last two modes use the video playback controls illustrated above. Read the section Video Playback of the *Getting familiar with Dartfish* chapter to learn about the different controls.

Views bar



The *Views bar* is found at the top right of the video display. Its buttons show and hide the different parts of the *Tagging* module. The buttons' functionalities are:

-  show/hide the *Tagging Panel*
-  show/hide the *Events* list
-  show/hide the *Library*

 Use the maximized workspace view (keyboard shortcut = F9 to simplify the screen layout then show or hide these features as you need them.

8.2.3 The Tagging Panel

The *Tagging Panel* contains the tools to tag (or create the events index) of a video. It is also used to

- Access the tagging panels provided with Dartfish
- Open panels created by you, sent to you or downloaded from www.dartfish.com;
- Create or edit new panels.



The Select button

The *select button* is used to open tagging panels which you have created or those which you have been given. Select also gives access to the built-in panels and to create new panels to meet your specific needs (see Creating Tagging Panels).

! Tagging panels are saved as files just like Word documents or Excel spreadsheets. In other words, they exist independently of Dartfish software, they can be saved and organized using Windows file management, and can be attached to emails to be shared with others.

The Edit button

Opens the tagging panel editor. A tagging panel must already be open before the edit button can be used.

The tagging panel

Although Dartfish tagging panels allow great flexibility and creativity in how they can be used, the tools on them principally have one of three functions:

1. Event tools - used to create events by time stamping the event and assigning it a descriptive value
2. Keyword tools - used to add additional keywords to events
3. Grouping tools - used to organize other tools into groups; either to improve the layout visually or ergonomically or to confer shared features on the group

Tagging panels can consist of one or more pages, accessed by tabs. Buttons and tools for use at different times in the tagging process are placed on different pages to improve the ergonomics of the panel.

8.2.4 The Events List


The *Events List* contains the list of all events for all video clips in the current *Tray*:

#	Name (39)	Position	Duration	Set Actions (34)	Outcome (34)	Player (38)	Misc Actions (5)
1	3pts Shot	24 sec	6 sec	3pts Shot	Made		
2	3pts Shot (1)	48 sec	6 sec	3pts Shot	Missed	Blue	
3	2pts Shot	58 sec	6 sec	2pts Shot	Missed	White	
4	3pts Shot (2)	1 min 18 sec	6 sec	3pts Shot	Missed	Blue	
5	3pts Shot (3)	2 min 5 sec	6 sec	3pts Shot	Made	White	
6	2pts Shot (1)	2 min 23 sec	6 sec	2pts Shot	Missed	Blue	
7	Steal	2 min 30 sec	6 sec			Blue	Steal
8	2pts Shot (2)	2 min 34 sec	6 sec	2pts Shot	Made	Blue	
9	3pts Shot (4)	2 min 59 sec	6 sec	3pts Shot	Missed	White	
10	3pts Shot (5)	3 min 6 sec	6 sec	3pts Shot	Made	White	
11	3pts Shot (6)	3 min 23 sec	6 sec	3pts Shot	Made	White	

Events are selected by clicking on the row containing them. The video *playhead* moves to the start of the event. Double-clicking an event both plays it and places Dartfish tagging in its *Play Events* mode.

Selected events may also be:

- Deleted using the *Delete* button
- Analyzed in Dartfish's *Analyzer* module (*Storyboard* button)
- Exported as .csv files using the *Import/Export* button
- Published as new video clips that can be stored on your hard drive (e.g. to make a highlights movie using video editing software) or directly burned onto a CD or data DVD (e.g. to give to team players or coaches), or uploaded to your dartfish.tv channel using the *Publish Events* button.




- Sorted by clicking on the column heading you wish to sort.

- Searched and filtered. See Search to retrieve specific events for more details.

8.3 Creating Tagging panels

To create a new tagging panel, proceed as follows:

1. Click on the *Select* button and choose *New* from the context menu.



2. Click on the *New Panel* icon




3. Select from the list of new project types. Create a new *Blank Panel* if you wish to start with an empty panel OR base a new panel on one of the built-in tagging panels.

This displays the *Tagging Editor* window as shown below

 We recommend starting by using one of the Dartfish built-in tagging panels. Change labels and add/delete buttons as necessary for your sport.

The Tagging Panel Editor



The tagging panel editor has 3 sections, (left to right as displayed above):

1. The *ToolBox* contains buttons and other tools used to create and describe events. They are added to your tagging panel by drag and drop.

2. The *Tagging panel editor*. This is where the content and layout of a tagging panel is defined. A new blank tagging panel already contains a tab group box allowing you to create a multi-page panel if required.
3. The *Properties pane*. Properties are used to define the appearance and actions of tagging panel tools

8.3.1 Adding/deleting/moving/copying tools


To add a tool to a tagging panel

Items are placed onto the tagging panel editor by dragging and dropping them from from the *Toolbox*.

! New panels always have a *tabbed group box* with a single page, as show below. In order to place the tool on that page, it should be placed in the area denoted by the red line shown here:



Adding subsequent items also requires care, in the image below, new tools should be placed on the gray shaded area if they are to appear on the same page as the other buttons.



! If placed below the page then that tool will be visible from all pages.

To move an item

- Drag and drop the item you want to move to the new position.

To move a panel layout tool (group boxes etc)

1. Click within the panel layout tool (but not on any button or other tool)
2. A red outline surrounds your selection - use this to identify that you have the correct tool selected
3. Click and drag the panel layout tool to a new location

! It is not possible to move a group box to between other group boxes. Instead it should be moved above or below the other group boxes which can then be shuffled further to achieve the desired position.

To delete an item

Right-click on the item and select *Delete* from the context menu.

To copy an item

Drag and drop the item while holding down the [ctrl] key on the keyboard. Release the item before releasing the [ctrl] key.

💡 Many tools will have similar properties so creating one button, defining its properties and then copying it can be a very efficient way of creating a tagging panel.

8.3.2 Modifying properties

Items which have been added to the *Tagging Editor* have their appearance and function modified by changing properties in the *Properties panel*. There are two types of properties; properties which can take any value and properties which must take one or more fixed values. The methods for modifying these two types of property are described below:

💡 A complete description of properties can be found in the topic [Properties list](#)

Modifying 'any' value properties.

1. Click on the tool. This will display the properties for that item.
2. Click and type in the second column of the properties list to add or modify values.

Modifying 'fixed' value properties.

1. Click on the tool. This will display the properties for that item.
2. Clicking in the second column of the properties list will allow you to select a value using the buttons that appear. It is not possible to type values. One of two types of button are used:

⋮ - selects or creates property values from a dialog box e.g. shortcut key property

▼ - selects property values from a drop down list e.g. style property

In the example shown below these buttons are shown as they would appear in the properties panel. Properties such as *Shortcut Key*, *Preroll* and *Trigger* are selected using ⋮. Properties such as *Style* are selected using ▼, and properties such as *Category*, *Value* and *Label* are typed.


Event Properties	
Appearance	
Item Id	EventButton5
Label	Event
Tooltip	Create an event when the button is clicked.
Shortcut Key	...
Image	
Style	Red
Event	
Category	
Value	
Preroll	5 sec
Duration	10 sec
Interaction	
Reset Category	
Trigger	

The shortcut key is the key that should be pressed on the keyboard to trigger the action attached to the item.

 Double clicking the property heading in the column on the left is a shortcut to editing properties.

8.3.3 Planning a tagging panel

Example of a basic *Tagging Panel*:



Which events do you want to tag in your sport?

Creating tagging panels requires a clear idea of what you want to tag and how you want to define the events' durations and the keywords which describe them.

One definition of an event could be "a segment of video". You need to decide what are the different types of video segments that you want to denote. Those events are likely to be key moments or highlights within the video.

Many events in your sport or activity are easy to define but perhaps others are less easy, consider this example:

In soccer, ball possession in the opponent's half is a key moment that might be tagged as an "attacking possession". That possession might end in an attempt to score. So do you want to tag two events (attacking possession and attempt) or one (attacking possession; outcome = attempt)?

There is no right or wrong answer to this; your decision will be based on what you want to review; tagging this as two events gives you the capacity to choose whether to review attempts separately from attacking possessions.

From this example it should also be clear that Dartfish allows you to tag events which coincide or overlap.

Which of these events have a fixed duration (e.g. actions) and which are of variable duration (e.g. game phases)?

Dartfish can create 2 types of event.

1. Those where the duration can be predicted so only require a single button click to create an event with fixed duration.
2. Those where the duration of is not predictable and is defined by clicking a button on and then off.

! Regardless of how the event duration is defined, it is editable after creation.

How will your events be categorized?

The events list is a table made up of rows and columns. Each row contains the keywords which describe the event and at the top of each column there is a heading which describes the category of information displayed in that column.

When categorizing events you may choose to simply list all events under a single heading such as 'Action' in the example below:

Position	Duration	Action
12 sec	29 sec	Non-attacking possession
32 sec	5 sec	Tackle Lost
34 sec	5 sec	Tackle Lost
35 sec	5 sec	Tackle Lost
37 sec	5 sec	Tackle Lost
43 sec	5 sec	Tackle Lost
44 sec	5 sec	Foul
1 min 7 sec	3 sec	Aerial Challenge Lost
1 min 7 sec	3 sec	Aerial challenge won
1 min 11 sec	5 sec	Tackle Won

Or you may decide that your events fall into different categories such as 'Set piece plays', 'Open play', 'Phases', 'Possessions' etc.

Placing all events into a single category keeps things simple, but using different categories offers flexibility when it comes to filtering the events list and creating statistics.

! It is not possible to simultaneously create multiple variable duration events (i.e. those created using the continuous event tool) with the same category. If this is required, it is essential that different categories are used. For example, Team A might have possession but if there are to be different phases of play within that possession then these events should be categorized differently e.g. 'Phase' and 'Possession'.

How will you describe these events? Events are described by assigning keywords to them.

Creating an event automatically adds 3 keywords; the video position, the duration of the event plus one user-defined keyword. Further keywords can be added to more completely describe the event so you need to consider what additional categories of information are needed. For example: 'Player' and 'Outcome' might be categories of keywords need to fully describe an 'Attempt' event.

What Keywords are required for all events?

It is very common that you will be tagging or reviewing the tags from more than one video file as described in the topic The Library. In this case the same keyword should be added to all the events of each file to allow you to easily distinguish which events belong to which file.

For example, if you create 2 video files for the first and second half of the soccer game, it would be a good idea to have a category in your events list headed 'Game period', containing the keywords '1st Half' and '2nd Half' to allow you to distinguish between events which took place in the first video file and the second.

Ready to start creating a tagging panel?

Having thought carefully about the questions above, you will have a list of events and a list of keyword categories. No doubt you have also have some ideas about the keywords which should go into each category. Now you are ready to turn those ideas into a tagging panel.

8.3.4 Panel layout tools

Group boxes

These tools organize the layout of a panel by grouping buttons together. So unless you have a very simple tagging panel, group boxes are likely to be the first tools that you will add to a new tagging panel. They have two functions:


1. To organize the layout of buttons on a tagging panel.
2. To set the category property of many buttons simultaneously i.e. tools placed into a group box inherit their category from it.

 This is an efficient way of ensuring the category property of buttons is not omitted or inconsistently applied. However it is possible to over-rule the inherited category simply by setting the property of the individual tools.

 If you have already read the topic Planning a tagging panel, you should have a good idea of what categories your events list requires. Start your new tagging panel by adding a group box for each category and set the category property of each to each one of your categories.

Nesting group boxes

It is possible to place group boxes inside another group box. In the example below, group boxes have been used to organize the layout of players on a soccer pitch.



In this image, 'Players' is the selected group box and the red line indicates that it contains the other group boxes. Its category property is set to 'Players' therefore the other group boxes and any buttons placed in them inherit this.

Tab group boxes

The pages of a tab group box each behave like a group box, the contents of which are only seen when the tab of that page is selected.



The advantages of a tabbed group box are:

- They are a very space efficient way of including many buttons on a tagging panel.
- Panels can be created to only show buttons which are relevant to the current event; simplifying the panel and guiding the user to appropriate tools.

 Use the trigger property of a button to automatically select a tabbed group box page. Examples of this method to display relevant buttons as they are required can be seen in most of the built-in tagging panels.

Adding tabs to a tabbed group box

In the tagging panel editor, new pages are added to a tab group box by clicking the last tab showing the new page icon. The new page displays the label [...] until an alternative label property has been set.

Panel layout tool properties

Property	Description
Label	The text which is displayed on the tab.
Visibility	The visibility property is a way of concealing tagging tools when the user is not required to use them directly. Other tools can be used to trigger the contents of a hidden group box even when not visible.
Orientation	Defines whether the contents of a group box are stacked vertically or placed horizontally within a group box.
Image	An image can be placed as a visual label for the group box. It will be

	resized to fit next to any text label
Category	The category of a layout tool sets the category of any other tool it contains. Inheritance can be over-ruled by setting the category of individual tools


8.3.5 Event creation buttons

Event creation buttons are used to add events to the *Events List*. The action of these tools is to create an event described by:

- Position - the timestamp of the start of the event in the video clip
- Duration - how long the event last for
- Keyword - the event is described by a single user-defined keyword. The event can be more fully described using Keyword addition tools after the event is created
- Name - the filename that will be used if the event is exported as a video clip. This will be based on the event keyword but can be modified.


Event buttons

The difference between *Event buttons* and *continuous event buttons* is how they define the duration. Event buttons are used to create events with a fixed duration e.g. a tennis serve might take around 5 seconds to prepare, deliver then witness the outcome. A single click on this type of event button records the event.



Continuous event buttons

Continuous Event buttons are used to create events where the duration cannot be predicted, e.g. a whole point in a tennis game or an attacking phase in soccer. This button is clicked "on" and "off" as the event starts and ends.



! Continuous events are also switched off by activating other continuous events with the same category property. For example, this allows you to define the change in possession from one team to another with a single click. This improves the ergonomics of tagging but it makes the categorization of continuous event buttons important: if two continuous events are to run concurrently then they must have different categories.

Important event creation tool properties

Property	Description
Label / keyword properties	These properties define the keyword to be recorded in the events list. Where the keyword property is not set, the label on the button will be used as the keyword. By setting these properties to different values, it is possible to tag a different keyword to the text displayed on the button.
Category property	Defines the column of the events list where the keyword will be added. Without a category property the button won't record its keyword.
Duration	For event buttons only; this is the fixed duration of the event
Preroll	Defines the number of seconds before the button click that will be included in the event. For example when a shot is made, the button is clicked but you want to define the start of the event 10 seconds prior to this in order to see the action leading up to the shot. An event button with a 10 second preroll and a 15 second duration would define an event starting 10 seconds before the button click and ending 5 seconds after.
Offset start	For continuous event buttons only; the equivalent of preroll. A negative value defines the event start prior to the button click and a positive value defines the event start after the button click.
Offset end	For continuous event buttons only; defines the end of the event before or after the button click.

These are the essential event button properties. Other properties are described in the Properties list topic.

Other event creation tools

The *team group box* tool and the *Zone* tool can be used to create events by setting their *Action* property = event. However, their default action is as keyword addition tools.


8.3.6 Keyword addition tools

Keyword addition tools are used to add keywords to an event. They do not create events. Keyword addition tools can be one of two types:

- *Keyword tools* - are used after an event has been created to add a keyword to that event only
- *Persistent keyword tools* - are activated before an event and add their keyword as the event is created. They remain active until deactivated and so can be used to add their keyword to many events.


Keyword button

A *Keyword button* assigns an addition keyword value to the last tagged event (or to the selected event in the Events List).



Persistent keyword button

The *ppersistent keyword button* applies its value to all events which are tagged while it is active ("pressed").




For example, in tennis the name of the server could be assigned to a persistent value button. All events created while that button is active will be tagged with the server's name.

 Persistent values can be very useful when the analysis consists of more than one video file. For example to allow you to differentiate between an event which takes place one minute into the "first half" and another which takes place one minute into the "second half". First and second half are the persistent value buttons in this example.

Text box

The text box tool is a persistent keyword tool that assigns a variable keyword based on text typed into the box. For example you might use this to include the name and date of the competition or information about the conditions, as illustrated below :



Score panel

The score panel is a persistent keyword tool that lets you record the current score of the game.



Zone tool

The zone tool is used to record where an event takes place based on where an image is clicked. The recorded keyword is the coordinates of the clicked position. The zone tool is further described in the Zone tool topic

Important keyword addition tool properties

Property	Description
Label / keyword properties	These properties define the keyword to be recorded in the events list. Where the keyword property is not set, the label on the button will be used as the keyword. By setting these properties to different values, it is possible to tag a different keyword to the text displayed on the button. In the case of the textbox tool, the keyword property can be used to define a default text box entry.
Category property	Defines the column of the events list where the keyword will be added. Without a category property the tool won't record its keyword.


These are the essential properties. Other properties are described in the Properties list topic.

Other keyword addition tools

The Team Manager, Team Group Box and Player List Selector can also be used to add keywords to events. Their use is described in the topics Team Manager tool and Team Group Box and Player List Selector

8.3.7 The Zone Tool

The zone tool is used to record where an event takes place based on where an image is clicked. The keyword it adds is the coordinates of the clicked position on a grid.



Using the zone tool

1. Set the image property: Any image can be used but it is not resized by Dartfish, so it should be created and edited at appropriate dimensions with image editing software before addition to the panel.
2. Define the grid: *Field height* and *field width* properties are used to define a grid e.g. a field width value of 3 would split a soccer pitch into three vertical sections or a field width = 100 would split an American football field into 1 yard sections.
3. Define the center of the grid: *Field center X* and *field center Y* properties are used to define the center square of the grid. When the zone tool is clicked, zones to the left or above the central zone record a negative coordinate, zones below and to the right record a positive coordinate.
4. Set the category: as with all tagging tools, the zone tool requires a category in order to be able to record its keyword in the events list.

The image below shows the coordinates which are recorded when a zone tool with field height and width=3 and Field center X and Y=2:



! Each zone has equal dimensions. For sports with playing areas where the zones are not equal it will be necessary to create a zone tool image which distorts the zones to equal sizes.

! The grid is invisible. If it is required, it should be defined on the image itself using image editing software.

Event creation tool or keyword addition tool?

By default, the zone tool is a keyword addition tool. It can alternatively be used to create events. To do this set the *action* property to *event* and define *preroll* and *duration* properties as for an event button.

8.3.8 Team Manager tool

If you have many players or several different teams to tag, you can use the *Team Manager* to store all teams and player names but then select only those players taking part in the game. The selected players can be represented on the panel by:

- A *Team Group Box tool* - can be linked to the Team Manager and displays buttons representing each selected player.
- A *Player List Selector* - can be used to select a single team and player from those stored in the Team Manager's database

See the topic Team Group Box and Player List Selector to learn how to link these tools to a team manager.

The Team Manager tool

Very little needs to be done with the team manager during tagging panel creation. Simply add it to your panel; teams and players will be added after closing the editor.

Setting the *category* property for the team manager is optional. If it is set then a keyword representing the selected team will be recorded when a player button is clicked.

Team Manager databases

The teams and players that you add to a *Team Manager* tool are stored in a database file which is created automatically in the same folder as the tagging panel. However, you may want to use a database previously created by you or another Dartfish user.

Use the *Database Editor* tab of the tagging panel editor to select the database file that you wish to use.

Each tagging panel can have only one database but have many team managers enabling

selection from different teams and players.

Adding teams and players

Teams and players are added outside the editor as described in the topic Using the Team Manager

Important Team manager properties


Property	Description
Label	Using a label helps to identify a team manger. This is useful when linking it to a <i>team group box</i> or when more than one team manger is being used.
Category property	The category property is not an essential property for a team manager. If used then a keyword representing the selected team will be added to the events list.

These are the main properties to consider. Other properties are described in the Properties list topic.

8.3.9 Team Group Box and Player List Selector

Team Group box

A *team group box* is a group box to which buttons are added by selecting players from a linked *Team Manager* as illustrated below.



To simplify the layout of a tagging panel it is usually best to put a team manager on a separate page of your tagging panel from the team group box and other tagging buttons. During tagging most activities will not require frequent access to the team manager; perhaps only before the start of the game.

Team group box buttons can add keywords or create events

Team group box buttons are *Keyword buttons* by default. Set the *Action* property to define whether the buttons function as keyword buttons, *persistent keyword buttons*, *event buttons* or *continuous event buttons*.

For example, a *persistent keyword button* might be used to tag the 'Server' to all the events created in a tennis game. Or player possession might require the creation of an *event* or *continuous event*.

Player List Selector

Red contestant	GB Taekwondo	Ruebyn Richards
Blue contestant	Switzerland	Paco Cerletti

This tool allows you to select a single player from a linked Team Manager's database of teams and players. The selections you make are *persistent keywords*: the keyword is added to all events created after a selection is made.


A player list selector can add up to two keywords to the events list:

- A keyword representing the player added to the category set for the player list selector.
- A keyword representing the team added to the category set for the team manager.
- If the team manager has no category property set then only one keyword is added by this tool.

Linking to a Team Manager

A *Team Manager* tool must be linked to a *Team Group Box* or a *Player List selector* tool which will display the buttons. To do this, proceed as follows:

1. Select the team group box or Player List Selector.
2. Double click the *Team Manager Link* property to display the property editor window (as shown below).
3. Select the Team Manager to be linked; it is identified by its label and Id.
4. Click the *Add* button. The Team manager on the right is that linked to the team group box.



Important team group box properties

Property	Description
Team manager link	Establishes a link to a team manager and its database of teams and players.
Category property	Defines the column of the events list where the keyword will be added. Without a category property the tool won't record its keyword.
Action	Defines the button type used in a team group box. The default setting is keyword button but buttons can also be event buttons, continuous event buttons or persistent keyword buttons.
Duration/Preroll	If buttons are event buttons, duration and preroll properties should be set to define these features of the event. See the topic Event creation buttons to learn more about these button types.

These are the essential properties. Other properties are described in the Properties list topic.

8.3.10 The Filename Template tool

The *Filename template tool* enables tagging panel creators to control the file name used to save recordings made when using live tagging. When the user clicks the button it sets the file name for the next video recording.

To use a filename template:

1. Add a filename template tool to the tagging panel
2. Set the *label* property to indicate the function of the button
3. Set the *File Name Template* property to the desired file name



The file name template property can be set to a variable value based on the selection from a *Player List Selector* tool. See the topic Using variable keywords to learn more.

8.3.11 Properties list

By clicking on any item on the tagging panel workspace, its properties are displayed in the *Properties pane*. The properties of each tagging panel element are used to alter their appearance and behavior.

Most tools have 3 crucial properties which you should set:

1. *Label* – the text that identifies what this tool does.
2. *Keyword* – the keyword that will be assigned to the event.
3. *Category* – the category to which the keyword will be assigned. Think of the category as being the column heading of the *Events List* in which keywords will appear. (see Planning a tagging panel for help to plan the categories that you need).

Properties which alter appearance:

Property	What it does...	Applies to...
Label	Sets the text that is displayed on the item	All
Tooltip	The tooltip is the explanatory text that appears	All event creation and

	when the mouse cursor is pointed at a button. Use this to explain the function of each button.	keyword addition tools
<i>Image</i>	An image can be displayed on a tool to help identify the event or value that it represents. As the Zone tool is based on clicking an image, this property is essential.	Buttons, group boxes, zone tool
<i>Orientation</i>	For a button this defines whether the image is displayed above or to the side of the label. For a group box this controls whether buttons are laid out vertically or horizontally.	Buttons, group boxes
<i>Style</i>	Sets the color of a button	All Buttons

Properties which affect behavior:

<i>Category</i>	The category property defines the events list column into which a tagging tool's keyword will be placed. Each tool inherits its category property from the group box in which it is placed. It is therefore an efficient way to categorize buttons of the same category by placing them in the same group box. Override the inherited category by setting the category property for individual tools.	All
<i>Keyword</i>	Defines the keyword which will be used to describe the event in the events list. For buttons, the keyword will automatically set to the same value as the label property, however it is possible to record a different keyword if desired. For example, the label might be an abbreviation of the keyword.	All event creation and keyword addition tools
<i>Preroll</i>	Defines the time before an event creation tool is clicked that will be included in the event. Preroll ensures that you don't miss the start of the action.	All event creation tools
<i>Duration</i>	Duration is the duration of the event that will be tagged when this button is clicked. This time includes any preroll that has been set. If the event is not of fixed duration then a <i>continuous event</i> button should be used to manually mark the beginning and end of an event.	All fixed duration event creation tools
<i>Offset Start</i>	Offset Start - the amount of video before or after a <i>continuous event</i> button being clicked on that will be included in the event. This ensures that you don't miss the start of the action. If a negative number is used, the start of the event is set before the tool is triggered, if positive it will be afterwards	Continuous Event Buttons
<i>Offset End</i>	Offset End – the amount of video before or after a <i>continuous event</i> button being clicked off that will be excluded at the end of an event. If a negative number is used, the end of the event is set before the tool is triggered, if positive it will be afterwards	Continuous Event Buttons
<i>Target</i>	Defines where the keyword typed into a text box will be applied: Event category - the keyword is added to the events list Video clip category - the keyword is added to video clips captured with live tagging and appears in the Dartfish library	Text box

<i>Action</i>	Defines the button type of a team group box. The default is for a team group box to contain keyword buttons but this property can be used to select any button type.	Team group box
<i>Team Manager Link</i>	Used to link a Team Group Box to a Team Manager tool.	Team group box, Player list selector
<i>Field width, field height, field center X, field center Y</i>	Used by the zone tool to define the layout and coordinate map of the zone grid. See The Zone Tool	Zone tool

Properties used to automate tagging (see Automating tagging)

<i>Shortcut Key</i>	Rather than clicking buttons on a tagging panel, using the keyboard Shortcut Key property for event or value buttons can be much more efficient. Note that these shortcuts are displayed in parentheses in each button	All event and value tools
<i>Reset Category</i>	Tools with a reset category property can be used to deactivate other continuous event or persistent value tools. When this tool is clicked, all other buttons using the category specified are reset.	All buttons
<i>Trigger</i>	The trigger property is a list of one or more tools that can be activated when this button is clicked.	All buttons
<i>Visibility</i>	This property is used to hide a group box and all its contents. Used when the action of the hidden tools will be defined by the tagging panel creator and shouldn't be modified by the user or when it will be triggered by other buttons.	Group boxes

 Clicking on a property title in the properties panel displays a description of that property. Double clicking on the property title allows you to change that property.

8.3.12 Automating tagging

Large tagging panels with many buttons present two problems to the user:

1. Many mouse clicks might be required to record an event, making it hard to keep up with a fast moving game
2. It becomes more difficult to locate the buttons you want to use.

This topic explains properties and features which assist with these problems

Reset Category property

Tools with a reset category property can be used to deactivate other continuous event or persistent keyword buttons. When the tool is clicked, all other buttons with the specified category are reset.

This behavior is equivalent to that of continuous event buttons (see the topic Event creation buttons) which automatically deactivate all other continuous event buttons sharing the same category, except that the reset category property will deactivate buttons from any other category that you specify.

! Be careful with spelling and use of spaces - the reset category you specify must match the category of the tools that you wish to reset. However the case used is unimportant.

Trigger property


The trigger property is used to activate or deactivate other tools. This property specifically identifies which tools will be triggered by selecting them from a list selected from a list.

Examples of the use of the trigger property can be seen in some of Dartfish's built-in tagging panels where clicking an event button triggers a page of a tab group box revealing keyword buttons associated with that event.

For example, when a scoring event is tagged the trigger property could be used to activate the tab group box which contains a score tool.

To set a trigger property:

1. Select the tool which will trigger other tools.
2. In the properties panel, double-click the property heading *Trigger*
3. In the trigger dialog (see below) select the tool which will be triggered. Tools are identified by both their label and Id; be careful to select the correct tool in the case where more than one tool has the same label
4. Click the *Add* button
5. Repeat as often as required to create a list of tools which will be triggered
6. Use the *Up* and *Down* buttons to specify the order in which tools will be triggered




Shortcut key property

Shortcut keys are used to trigger buttons without having to use a mouse. This can be useful because once you know which keys to press tagging can be much quicker.

To set a shortcut key:

1. In the properties panel, double-click the property heading *Shortcut key*
2. Type a shortcut key
3. Click the *Assign* button. This must be done before clicking OK



! As you can see here; more than one shortcut key can be assigned; and any combination of keys can be used e.g. 'S' might be used for a home team shot and 'ctrl+S' might be used for an opposition shot.

8.3.13 Using variable keywords

A simple macro can be used to generate a variable keyword or category for a tagging tool.

Syntax

`$(Item_ID.property)`

Limitations

- Only *keyword* and *category* properties can be set with a macro. The exception to this is the *Filename Template Button* which can also have its *Filename template* property set.
- Only a *Player List Selector* can be the source and only its category or keyword can be referenced.

Example 1 - Personalized event buttons

In the following example, a macro is used to personalize the keyword recorded by the event buttons:

Tagging buttons

Player actions

Team Dartfish player Pro players Pascal Binggeli

Opposition player Pro players Serge Ayer

Winners and Errors

Team Dartfish Winner Team Dartfish Error Opposition winner Opposition error

#	Position	Duration	Player actions
1	5 min 39 sec	10 sec	Winner Pascal Binggeli
2	10 min 55 sec	10 sec	Error Pascal Binggeli

The macro used to record these keywords in the above events list is, for example: Winner \$(TeamListSelector1.Keyword)

Example 2 - Filename Template tool

Continuing the example above, if a *filename template tool* (see the topic The Filename Template tool) has the following macro for its *Filename template* property:

Semi-final \$(TeamListSelector1.Keyword) versus \$(TeamListSelector0.Keyword)

New files created by live tagging would be named 'Semi-final Pascal Binggeli versus Serge Ayer'

8.3.14 Saving Tagging Panels


To save your tagging panel:

Select *File>Save* (or *File>Save As...*) from the menu bar of the *Tagging Editor* panel.

! It can be seen from this process that tagging panels are saved as files, stored independently of Dartfish software and the video file(s) being tagged. Therefore the important factor in choosing a file name and location for a tagging panel is simply that the user knows where to locate it.

Because a panel is saved as a file it can be easily distributed to other tagging users, however the following items should also be distributed if they have been used in a panel:

1. The tagging database - if a team manager tool has been used a database file will have been created with the same name and in the same location as your tagging panel. It will have the following icon:



2. Image files - any images included on your tagging panel are referenced as external files

8.4 Tagging video

In essence, the basic tagging process is simple; you see an event, you click an *event* button then you click *keyword* buttons to add further details. The features that you might find on a tagging panel are described in this section (see Using tagging panels)

Tagging can be applied in the following ways:

1. *Tag Live* - use this mode if you want to tag the action directly from a video stream, either as it happens or from a tape recording (play back mode). In either case you will be tagging and capturing video to your hard drive simultaneously.
2. *Tag Video Clip* - use this method if the video clip is already on your computer. In this case, your task is to playback the video clip, locate an event and tag.
3. *Mixed tagging* - you do not always have time to fully and accurately define events as they happen, or you may miss events. In this case, you are able to combine *Tag live* and *Tag Video Clip* by playing back the video clip and editing/adding events after the game.

The result is a list of *Events* (displayed in the *Events List*, see The Events List) which can be played individually or in sequence.

Events can also be "automatically" created by importing them from "character separated value" (csv) files created by other applications, e.g. sport specific statistical tools or the Dartfish Easytag App for iPhone and iPad (see Importing events).

8.4.1 Using tagging panels


Opening panels

Access to tagging panels is described in the topic The Tagging Panel.

Tagging tool and feature summary

Below is a summary of tagging tools that may be found on a tagging panel. However, Dartfish tagging panels are highly variable and versatile, if the use of the tagging panel you use is not obvious it may be necessary to ask for instruction from its creator.


Event button - clicked once to create an event with a fixed duration. Default color red.




Continuous event button - appearance identical to event buttons but when clicked, it remains activated until clicked a second time. Used to tag events of unknown duration such as possession or phases of play.



Keyword button - keyword buttons add addition keyword to events. They are not used to create events. Default color blue.



Persistent keyword button - appearance identical to keyword buttons but when clicked, it remains activated until clicked a second time. Used to add a keyword to many events. Must be activated before events are created and remains active until clicked a second time.



Text box - a persistent keyword tool which adds of a variable keyword to events as they are created.

Match description	French open 2012 fin
Player	Andy Murray
Opponent	Roger Federer

Score panels - a persistent keyword tool which adds the current score to events as they are created.



Team manager - Displays a variable set of tagging buttons in a Team Group Box according to which team and players are selected. Has buttons to enable addition of teams and players.

Team Manager

HC Fribourg-Gotteron

- ☐ Cristobal Huet
- ☒ Damiano Ciaccio
- ☒ Marc Abplanalp
- ☐ SergeSerge Aubin
- ☒ AlainAlain Birbaum
- ☐ Cedric Botter
- ☒ Andrej Bykov
- ☒ Franco Collenberg
- ☐ Lukas Gerber

Icons at the bottom: Add team, Add player, Remove player, Edit, Up arrow, Down arrow.

Player List Selector - adds a persistent keyword based on the player selected.


Red contestant	GB Taekwondo	Ruebyn Richards
Blue contestant	Switzerland	Paco Cerletti

Tab group box - used to simplify the layout of a panel by grouping related buttons together. Click the tab to see the buttons; often selection of a tab is automated by the action of another button.

Zone tool - records the coordinates of where the image is clicked. Can be either used for

event creation or keyword addition.

File name template tool - used to set the filename of recordings made during live tagging.



8.4.2 Tag Video Clip mode

Use this mode to tag video file already existing in the library - it has been imported from the camcorder or other storage media. Tag video clip mode is selected by clicking the button at the top left of the video display.

Tagging a video clip principally consists of these steps:

1. Loading all the video clips to be tagged into the *Tray* (see the topic The Library in the Tagging workspace section)
2. Selecting Tag Video Clip mode
3. Finding the relevant position on the video clip (see below).
4. Tagging an event in the video clip by clicking on an event button on the tagging panel.
5. Adding further keywords to that event by clicking on keyword buttons.

Finding the relevant position

Compared with *Live tagging* where events must be created in real time and in order, tagging a video clip allows the user greater flexibility. There are many ways to quickly navigate the video clip find the positions where events take place:

- Drag the *playhead* to quickly position the video clip. Watch the time information next to the playhead as you drag it. It can help you position the video if you approximately know when an event took place.



- Use the *speed control* to fast-forward and/or fast-rewind the video. To do this, set the speed to values greater than 1 (or -1 for fast-rewind) and play the video. Whenever you see an event, either click on an event button or pause the video first, and then select the appropriate buttons to tag the event.



- Position the playhead to a previously tagged event and continue tagging from there.

The way to do this depends on the tagging mode being used:

In Tag Video Clip mode, click the event once to move the playhead to the start of that event

In Play Events mode, double click the event then switch back to Tag Video Clip mode to continue tagging. The playhead remains at the position of the selected tagged event.



When the action is too fast to tag as the video plays, the video can be quickly paused by tapping the space bar on the keyboard. Now add tags before tapping the space bar a second time to resume playback.

8.4.3 Tag Live mode

Tag live mode allows you to tag while recording video from a live video stream. This allows tagging to take place during the game and be ready for analysis immediately afterward. Tag live mode is selected by clicking the button at the top left of the video display (see The Video Panel).

The Tag live interface

The interface is identical to the *Video Recorder* interface: Read the section *Video Recorder: get video from DV tape camcorders* in the *Video Library* chapter to learn how to use it.

Tag live process:

1.  Click the Record button. The video clip starts being captured to your hard disk. The live feed is displayed in the Video Panel. Use the tagging panel buttons to tag events as they happen. In tag live mode it is not possible to tag without first starting to record.
2. Tag an event by clicking an event button on the tagging panel.
3. Add further keywords to that event by clicking on keyword buttons.
4.  Click Pause Recording (optional). You may wish to use this during parts of the competition of no interest to you; half time, injury stoppage, gaps between competitors etc.
5.  Click Resume Recording (optional), to continue recording. Note that the pause/resume recording does not create a new video clip.
6.  Click Stop Recording at the end of the game. A new clip is saved on your hard drive and a thumbnail appears in the Tray.



It takes practice before you are able to accurately tag all events as they happen. Start simply by tagging "important" events without adding too many additional values. Read the section *Review & edit events* to see how you can edit and/or add events after they have taken place.



If tagging from the replay of a tape, a set of controls allowing control of the video camera appear on the video display.

8.4.4 Using the Team Manager

Adding teams and players

Adding players and teams to the *Team Manager* is not completed in the tagging panel *Editor* but after the tagging panel has been created and saved. Buttons at the bottom of the *Team Manager* allow you to (left to right) add/remove teams and players from the team manager.




You may want to create more than one team if you tag several teams or squads but at least one team must be created before adding players. After adding teams and players, their properties (such as team/player name) may be altered by clicking the  button next to the item to be edited.

Selecting players

Players are selected/deselected by 'ticking' the box next to their name. If the box is ticked, a button representing the player will appear in the team group box linked to this player manager control.



Philippe has been ticked, so...



... a button representing him appears in the team group box

8.4.5 Using keyboard shortcuts

Using the keyboard to activate tagging tools can be much more efficient than using the mouse. Buttons which have a keyboard shortcut display it below the label; it is used simply by pressing the keys indicated.

! Keyboard shortcuts only work when the tagging panel is active. Look for a green line at the top of the panel and if the line is red, click anywhere on the panel to activate it.

! Score panels can also have keyboard shortcuts but they are not displayed - the tagging panel's creator can advise you.

8.4.6 Manual tagging

Manual tagging is used to divide a video clip into a series of sequential *segments*; the start of each new *segment* defines the end of the previous one.

Events can be added to segments to identify moments within them. Markers belong to the event in which they are situated and inherit keywords and duration from it. In effect, there is a hierarchy where videos are tagged with segments and segments are tagged with

events.

Typical use

Manual Tagging can be useful to anyone who needs to divide a video into sequential segments. It is particularly intended for those who require a hierarchy of video content on dartfish.tv.

To understand its intended use it may help to know its origins: Basic Tagging was created for The City of Lausanne Council to distribute video of council meetings on dartfish.tv. The segments are of each session and events are used to identify minuted details. However, Basic Tagging has obvious applications as a simple tagging tool for many other situations.

Creating Events

1. Click the tagging panel's *Select* button and choose *Manual Tagging* from the menu
2. Click the *New Segment* tab of the tagging panel
3. Enter a label and a description. This information is used to describe the event when published to dartfish.tv
4. Events are defined by adding categories and keywords to the table. One event can be defined by many keywords.
5. When the event is fully described, click the *Add* button to create the event in the *Events list*.
6. Repeat steps 3-5 to add further events. Each event added alters the previous event's duration so that each event ends as the next begins.

Creating Markers

1. Click the *New Marker* tab of the scene tagging panel
2. Enter a label and a description. This information is used to describe the marker when published to dartfish.tv
3. Markers are defined by adding categories and keywords.
4. When the marker is fully described, click the *Add* button to create the marker in the *Events list*.

8.5 Importing events

You can create events by importing them from a .csv (character separated value) file provided that, when imported, the data contains a column of time-stamps representing the position of each event.


This will be useful to the following groups:

- Those using the Dartfish EasyTag App for the iPhone, iPad and iPod. EasyTag allows you to create events using a similar tagging panel to those in Dartfish software, then export the results as a .csv file.
- Those sports that already use data logging software which creates statistics but does not relate the event to video or allow visual analysis. If this software can create a CSV file then the results can be imported into Dartfish.


To import events

1. Pause the video or set the cue in to an easily distinguishable moment in the video. Doing so will simplify the synchronization of data and video. This can be one of the following possibilities:


- The moment representing zero time on your imported data. For example, if you started your EasyTag timer at the start of the game, pause the video or set the cue in at that point.
 - An easily identifiable tagged event
2. Select *Import Events...* from the *Import/Export* button located in the *Events list* toolbar.



3. Locate and open the .csv file. The Import Events wizard then opens.
4. Choose the delimiters which separate each column of data in the imported file. If unsure, experiment with the various choices remembering that more than one delimiter might be used. The data preview will reveal when your data is successfully separated into columns.

A dialog box titled 'Select delimiters used to separate data:'. It contains four checkboxes: 'Tab' (checked), 'Semicolon' (checked), 'Comma' (checked), and 'Space' (unchecked).

5. Select which column in your data corresponds to *Position*. Optionally, columns representing the *duration* and *name* category can also be selected if the data contains them.

A dialog box titled 'Select columns with default data:'. It contains four dropdown menus: 'Position:' (selected 'Position'), 'Duration:' (selected 'Duration'), 'Name:' (selected 'Name'), and 'Time Format:' (selected 'Milliseconds').

6. Select the time format used in the imported data. The preview shows the original data in brackets next to the time interpreted by Dartfish according to the selected time format. For example, EasyTag creates timestamps in the format hh:mm:ss; if this format is not selected the times shown in the position and duration columns will be "0" or appear very obviously wrong.
7. Decide which categories and events to import by ticking or unticking the headings at the top of each column and side of each event.

Select the columns to be imported as category for the events.

☒	#	Name	Position	Duration	☒	Direction	>>	^
☒	1	NET	0 sec (440)	5 sec (5000)				
☒	2	NET (1)	7 sec (6600)	5 sec (5000)			Double fault	
☒	3	LONG	32 sec (32000)	5 sec (5000)				
☒	4	BACKHAND	39 sec (38800)	7 sec (7000)				
☒	5	Brychta	43 sec (43160)	6 sec (6000)	Team 1	CROSS COURT	UNFORCED E	
☒	6	BODY	1 min 12 sec (...)	7 sec (7000)				
☒	7	Jayant Mistry	1 min 20 sec (...)	6 sec (6000)	Team 1	DOWN THE LI...	WINNER	

8. Select how the imported data is to be synchronized with video. The method depends on the choices made in step 1 and are described below.

Offset imported events: 00:00:00.000

8.5.1 Synchronizing imported events

Imported data is synchronized with video by specifying a time in the timeline of the imported data and then offsetting that to a matching position in the video denoted by one of the following: the start of the video clip, the *Playhead* position, the *Cue-in* marker position. Consider the following examples:

Synchronizing the zero time of data with video

The simplest case to synchronize is when the timer of Easytag or your data logging software is started at an easily identifiable moment that is shown in the video. For example, the kick-off in a soccer game as illustrated below:




To synchronize data in this case:

1. Before import set the *Playhead* or *Cue-in* marker to the video position where the timer started (unless video recording started synchronously with the timer).
2. During import leave the data position at 00:00:00 and select which video position that corresponds to.

Offset imported events: 00:00:00.000 Relative to playhead

Synchronizing an imported event with video


In the case that time zero for the imported data is unknown or otherwise not possible to identify on the video, you can synchronize the position of an event with video. To import synchronized events:



data position **00:42:16** is offset to video position **playhead**

To synchronize data in this case:

1. Before import set the *Playhead* to the position of the event that you will use for synchronization.
2. During import select the event in the data
3. Select data offset of the selected event from the drop down list (see below)
4. Select the *Playhead* option for video position.



Synchronizing events after import

Synchronizing events, or adjusting synchronization, after import can offer more versatility than synchronizing during import. For example, it is possible to give a different offset to different types of event.

How to adjust position and duration of events is described in the topic Editing event timings

! Synchronizing modifies the time stamp for all events. It is therefore important that the time coding on your data remains comparable with that of the video. This means that if you


pause the Easytag or data logger timer during time-outs you also have to simultaneously pause video recording or vice versa. If you record the game as multiple video files you will have to import the events of each file as separate imports. For convenience it is best to record both video and the timing of events continuously and for as long as reasonably possible during the game.

8.5.2 Quick Import

Quick Import is a tool allowing you to quickly repeat an import using exactly the same settings as previous imports.

To use Quick Import, proceed as follows:

1. Set the Playhead or Cue-in marker to an offset position. Remember that the same offset settings will be used as previous imports.
2. Select Quick Import... from the Import/Export menu located in the Events list toolbar.



3. Locate and open the .csv file.
4. The data is imported.

! If Quick Import is used when no previous imports have been made then the full *Import Events* options will be displayed (see the topic Importing events).

8.6 Review & edit events

Play Events mode is used to review and edit tagged events. To use play events mode you click the *Play Events* button on the *mode bar* above the video display.



If it is not already displayed you also need to open the *Events List* by clicking the *Events List* button  on the *views bar* above the video display.

8.6.1 Selecting events from the Events List


Selecting and playing events

- *Single click* selects the clip - use the playback controls to play it.
- *Double click* selects and plays the clip.

Sorting events

Events may be sorted by clicking any of the category headings.

List Overlapping



Remember that events can overlap. For example, in soccer a shot at goal event will overlap

with a goalkeeping event. This button displays events that overlap with the currently selected event.

Selecting multiple events

By selecting more than one event you can indicate which events in your events list you want to play, edit or delete. Selecting several events is possible by the following methods:

1. Select several isolated events – hold down the control [ctrl] key on the keyboard and click each event in turn.
2. Select a group of sequential events – click the first event in the group then hold down the shift key and select the last event in the group.
3. Select all events – click any event and then use the keyboard shortcut ctrl + A

8.6.2 Editing the event

Editing keywords

An event's keyword information can be added to or changed in 2 ways:

Method 1: Use the tagging panel – when an event is selected in the events list, its keywords may be changed using the tagging panel's keyword addition tools.

Method 2: Click the right mouse button while pointing at the keyword to be changed and choosing *Edit* from the quick menu. A new keyword may be typed or selected from a list.



Selections of multiple events can be edited simultaneously using either of these methods

8.6.3 Editing event timings


To edit position and duration using the time line

The following method allows you to make modifications by selecting a start and finish point for the event in reference to the video.

1. Activate the *Maximize play range* function in the Timeline to zoom in on the event.



2. Click on an event in the *Events list*. The event corresponds to the *play range*; the pale blue area between the *Cue In* and *Cue Out* point.



Drag the *Cue In* and *Cue Out* points to modify the event's position and duration.

! *Maximize Play Range* view immediately readjusts making it appear that nothing has changed but note the new position or duration displayed in the *Events list*.

To edit position and duration using the events list

1. Select the events to be modified.
2. Click the right mouse button while pointing at the duration of one of the selected events and choosing *Edit* from the quick menu.
3. Edit the existing time or type a new one.
4. Press the enter key to confirm the change

💡 It is not necessary to enter a new duration in the full time format displayed. Simply entering the value '10' would set the duration to 10 seconds.

To adjust timings using the events list

The video position of a single event can be modified as described above but when timing of position or duration require adjustment it is possible to add or subtract time in the following way:

1. Select and edit events as described previously
2. Key a + or - in front of the new value depending on whether time is to be added or subtracted


For example, entering +5 would add 5 seconds to the selected times; entering -1:30 would remove 1 minute 30 seconds; and entering +1:25:00 would add one hour and twenty-five minutes.

💡 If unsure about how to apply the correct time format, simply edit the existing value and place a + or - in front.

8.6.4 Hiding unused categories

The *Events List* continues to display categories used by previous tagging projects even if they are not used by the current tagging session. The categories may be removed from the events list by:

1. Right clicking any column heading, and
2. Choosing *Reset columns* from the quick menu that appears.



8.6.5 Reviewing events and video during live tagging

When using Tag Live mode it is possible to replay video while continuing to record. This will allow you to:

- Tag events that were missed and edit incorrectly tagged events
- Review the action to make informed coaching decisions during the game

To review video

1. Click and drag the *Playhead* to the position on the time line you wish to review.
2. The recorded video plays from this point but the video display controls can be used to control playback frame-by-frame etc

To review an event

1. Click the event in the Events List to select it
2. The Playhead jumps to the start position of the event on the Timeline

! It is not possible to enter *Play Events mode* while continuing to record

Returning to viewing live

The Live tagging video display controls has a Live button which returns the playhead to the end of the timeline i.e. the live view



8.7 Filtering and viewing statistics

Tagging will typically result in a long list of events. Locating particular events or analyzing their frequency using the events list alone would be a difficult task. There are three methods for searching for events:

Table filter

The table filter cross-references two keyword categories resulting in a matrix of frequencies. This can be used both to filter and to generate statistics. The table search is described in the following topic.

Simple filter

The events list toolbar has a simple filtering tool which displays events based on an inputted value.


The results of the simple filter can be further refined using the *Keyword filter*.

Keyword filter

The search pane is located on the left side of the *Events list* and gives access to both the keyword search and the table search. To execute a keyword filter

1. Select the Keyword tab of the search pane
2. Click a keyword to select it. The events list immediately displays events matching the selection.
3. Select additional keywords by holding down the ctrl key as keywords are clicked.

When keywords within the same category are selected they behave as an AND search but when selected from different categories an OR search is the result. The following example would show shots off goal and on goal by player Lemma.



Combined filter

The results of the simple filter and the keyword filter combine.

For example, the keyword search above could also be carried out in the following way:

#	Position	Duration	Action
1	22 min 24 sec	8 sec	Shots on goal
2	27 min 22 sec	8 sec	Shots off goal

8.7.1 The table search

The search pane is located on the left side of the *Events list* and gives access to both the keyword search and the table search. To create a table search:

1. Select the *Table* tab of the search pane
2. From the drop down lists at the top of the pane, choose the two categories to cross reference.
3. A frequency matrix is created as shown below.


Action	Team4 (145)	Team5 (145)
Aerial Challenge Lost (36)	17	19
Aerial challenge won (35)	19	16
Attacking possession with shot (18)	10	8
Attacking possession		

Filtering using a table search

Clicking each figure and heading of the resulting table filters the events list to match your selection

8.7.2 Undo searches

Searches reduce the event list to displaying only search results. To see all events, click the *show all* button above the events list.



8.8 Producing & sharing tagging resources

Having tagged a video you may want to share that work with others. It is easily possible to share:

- Game video complete with tags
- Individual events - as separate video clips or as a compiled highlights video.
- The *events list* - can be exported as a .CSV file
- The *tagging panel* - tagging panels are saved as files. To give others access to your tagging panel, simply give them the file. They use the *Create Events* pane to open the tagging panel.

Dartfish offers the possibility to publish to a range of outputs including CD/data DVD and online to your own FTP site or to Dartfish TV; our own media sharing platform (see www.dartfish.tv). To get a more comprehensive view of publishing from Dartfish see the Dartfish outputs - publishing & sharing chapter.


8.8.1 Sharing game video

There are two possibilities depending on whether you want to share tagged or untagged video

1. Share Video Clips from the *Tray* the .dartclip file for each clip. The dartclip contains events list data so this is the best method to share video with other Dartfish users. Of course you can also *Share* match video with non-Dartfish users but if you want them to see tagged events it would be better to use the method below. Learn more about sharing video clips from the *Tray* and all the possible output destinations in the Publishing and Sharing chapter.


! When dartfish.tv is chosen as a sharing destination, video but not events are shared.

2. Publish from the *Events List* - send video and events to Dartfish TV where it can be viewed by all who have access to your channel.



To publish game video to Dartfish TV

1. Load game video(s) into the *Tray*.
2. Filter for and/or select the events to be published with the game video (optional).
3. Click the *Publish* button on the *Events List* toolbar.



4. Select *Publish game...* The Publishing Wizard opens.
5. Publishing Wizard step 1 - select dartfish.tv as the publishing destination.
6. Publishing Wizard step 2 - login to dartfish.tv and select the channel and collection. Collections are defined by your channel administrator and cannot be created or modified from Dartfish software.
7. Publishing Wizard step 3 - video selection
Choose which of the *Tray*'s contents are to be shared.
8. Publishing Wizard step 4 - select which events are to be displayed with the published video. Filtering or selecting in step 2 may make this easier.
9. Publishing Wizard step 5 - content categorization

Some categorization will be done based on the keywords assigned to video (see *Organizing your Library* in the *Library* chapter). In this step you can add further keywords to help others find videos that you publish. Some information is mandatory as defined by the channel administrator.

Game Publishing Wizard

Dartfish.TV Content Categorization
Add information to categorize the content that will be uploaded on Dartfish.TV.

Name:

Comment:

Categories: (* required)

Author *	
Discipline *	
Source	Dartfish Training
Video type	WMV

Additional keywords: (separated with a ',')

< Back Next > Cancel

10. Publishing Wizard step 5 - define publishing options:

Publish Game

Dartfish.tv Publishing Options
Set the publishing options for online viewing and downloadable contents

Select video clip(s) duration

☒ Same as original video clip

☐ Use trailer for online viewing:

☐ Trim video clip using cue in and out points

☐ Also provide higher quality video clip(s) for download

☒ Dartfish.tv download quality

☐ Original video clip (no conversion)

Attachments

Attach File [@ document\(s\)](#)

☐ Keep copy of converted video clips in this folder:

< Back Next > Cancel

Here you can define :

- What is viewed on the Dartfish TV platform - rather than the full video a shorter trailer can be played to help viewers decide what to download.
- What quality of video is available for download - it is possible to define a higher quality for offline viewing.
- Attachments - the tagging panel, a statistics analysis spreadsheet or any file can be attached and downloaded with the video.

To use tagged video downloads from dartfish.tv (dartfish users)

Dartfish users can use tagged video from Dartfish.tv. To do this:

1. Download the video clip from dartfish.tv from the downloads section of the video document
2. Download the .dartclip data file from the attachments section to the same folder as the video.
3. When the video is opened in Dartfish tagging, the events will appear in the events list

To use tagged video downloads from dartfish.tv (non-dartfish users)

Non-dartfish users can download tagged video but should use the download to Dartfish Player option to be able to view events off-line.

8.8.2 Publishing events

Events can be shared independently of the entire game video in 3 ways:

1. Publish them as individual video clips - a selection of events can be directly burned to CD or published as new video clips. Then you might insert the newly created video clips into video editing software to create motivation video with transition effects and music. Or they can be loaded in the *Tray*, saved as a *Playlist* and are ready to be presented to your team. The presenter only needs to know the basic playback functions of the *Player*.
2. Publish a highlights movie to Dartfish TV - a compilation movie of selected events which can be viewed by all who have access to your channel.
3. Export them to the Analyzer Storyboard - here they can be annotated and published using the powerful tools of the Analyzer. This is explained in detail in the topic Storyboard.

To Publish events as new files

1. Select events in the *Events* list and click the *Publish Events* button. Multiple selections can be made by holding down the CTRL key while clicking each event.
2. Select *Publish Events...*

Video clips can be published to three different destinations, as illustrated below :



1. *My Computer* - a new video clip of each selected event is created. Video quality can be left unchanged (applies to .wmv, .avi and .mpeg video settings).

! In the last step of the wizard, you have the option of generating a Playlist of the newly created video clips. Select a destination directory, enter the name of the Playlist and click on the *Save* button. A Playlist with the file extension *.playerproject is created. It contains links to the new video clips. You can open this Playlist in the *Tray* and present it to your team using the *Player*.


2. *Recordable CD or DVD* or *Enhanced Recordable CD or DVD* - selected clips are burned on a CD. Read Sharing video files in the *Video Library* chapter to learn about these two destinations.

To publish a highlights movie on Dartfish TV

1. Perform a search to Select events in the *Events* list and click the *Publish Events* button. Multiple selections can be made by holding down the CTRL key while clicking each event.
2. Select *Publish Highlights...* to launch the *Highlights Publishing Wizard*.
3. Wizard step 2 - Select which videos you wish to share. "Check" those to be shared as shown below or click the *Select All* button:



4. Wizard Step 3 - provide additional information to aid those browsing your channel or performing keyword searches for similar movies:



Highlights Publishing Wizard

Dartfish.TV Content Categorization
Add information to categorize the content that will be uploaded on Dartfish.TV.

Name:


Comment:

Additional keywords:
(separated with a ',')

< Back Next > Cancel

Keywords are searchable terms that link movies of similar types on your channel. The tagged keywords for each event are used as keywords so it is only required to provide additional keywords.

5. Wizard step 4 - Attach related documents and define offline viewing preferences.



Highlights Publishing Wizard

Dartfish.TV Publishing Options
Set the publishing options for web and offline viewing.

Upload higher quality videos for offline viewing?

☒ **No**
Re-use the videos for web viewing

☐ **Yes, higher quality**
Encode higher quality videos (encoding profile set on the platform)
☐ Keep all converted videos in the following folder:

Attached documents? (optional)
Attach documents such as images, PDFs, or MS office files

< Back Next > Cancel

Some channels allow download of video for viewing offline. Set what quality of video is to be used remembering that higher quality will take additional storage space and encoding time.

Attached documents can be any file you wish to be associated with the video. They are downloaded with video files.

This is the final step before processing and upload of files to Dartfish TV.

8.8.3 Adding notes to events

Text notes can be added to events. To do this, proceed as follows:

1. Click the event with the right mouse button
2. Select Properties from the quick menu
3. Edit the notes section of the general tab

! Using event notes will be principally of interest to contributors to dartfish.tv where notes will be easily viewable as event marker notes.


8.8.4 Storyboard

Storyboard - selected events can be "transferred" to the *Analyzer* module and analyzed as any other *Storyboard* item. In many ways the Analyzer's Storyboard is the best presentation and publishing tool for the following reasons:

- Analyzer zoom and drawing tools can be used to help illustrate and explain.
- The Storyboard can be presented using the remote control in the same way as the events list. But with the advantage that a selection of many events from different searches can be compiled in the storyboard.
- The Analyzer offers additional outputs such as the Mediabook and Analysis Recorder.

To add events to the Storyboard:

1. Select events in the *Events* list and click the *Storyboard* button.



2. Select the range of events to be exported.



Each selected event creates a new storyboard item. The process of selection and adding events can be repeated until the Storyboard contains all the events to be presented. See An analyzer project - the Storyboard in the *Analyze performance* chapter to learn more.

 Remember that a storyboard's contents can be saved to allow recall at a later date.

8.8.5 Exporting events

To export events:

1. Select events in the *Events* list
2. Click the *Export Events...* option of the *Import/Export* button



3. Select the range of events to be exported.



Your selection is exported in a CSV file which can be opened in spreadsheets and databases to analyze statistics and create graphs. You can also use such files as backup copy of your tagging work. Such a file can be imported later and re-synchronized to the video (see Importing events).

Chapter

IX

Displaying metadata from external devices

9 Displaying metadata from external devices

Dartfish's Analyzer and InTheAction modules support the display of data from other software applications. For example, timing devices, heartrate monitors or power measurement devices that use sensors linked to software can use Dartfish's Metadata toolkit to send the processed data to Dartfish Software. Such metadata adds to the interpretation of video images by relating them to the effort of the performer.

Throughout this tutorial, the term "metadata" will refer to data (in a broad sense) generated by entities external to Dartfish Software and captured by Dartfish Software while capturing a video clip. Examples of such metadata are heart rate, speed, etc.

It is assumed here that you are already familiar with the use of InTheAction (see xxx) and the Analyzer (see xxx).

To display metadata on Dartfish video images need to:

- Activate advanced options supporting metadata capture and display.
- Use the InTheAction module to capture metadata streams while capturing related video images.
- Link drawings superimposed on video displays to metadata values.
- Use the Analyzer module to replay previously captured video with related metadata.

This tutorial covers how to do this and additionally how the Drawing Libraries can be used to make the display of metadata. You will also learn how to display metadata values graphically next to video images.

9.1 Support for metadata in Dartfish Software

For data from external software and devices to be displayed in Dartfish it is obviously not as straightforward as connecting the device

Metadata can be captured and displayed. These tasks are performed using 2 modules:

- InTheAction module, for capturing video clips and metadata synchronously.
- Analyzer module, for displaying metadata and performing some analysis.

Apart from these 2 modules, there is no support for metadata. For example, it is not possible to display metadata with the Player.

In these 2 modules, the metadata features are enabled by advanced settings that are available in the "Options" dialog (Advanced Options).


9.2 Setting Advanced Options

To use (capture and display) metadata in Dartfish Software, 5 advanced options can be enabled. These 5 options are divided into 3 groups:

- Metadata group - Capturing, saving and displaying metadata (not in the video).
- Metadata overlay group - Using overlays on the video to display metadata on the video.
- Overlay drawing repository - Enabling Drawing Library for defining several video overlays that can be selected during video capture.

In Dartfish Software, these different options are accessed in the "Advanced" tab under "Options" menu item in "Tools" menu ("Options" dialog can also be directly accessed by depressing the "F3" key). These options are shared amongst the "Analyzer" and the "InTheAction" modules.

The figure below depicts the different options as they are displayed in the "Options" dialog (they have been highlighted in the picture):



9.2.1 Analyzer Advanced Options

Load embedded drawings - this option allows the analyzer to load the drawings (if any) that have been saved with a video clip during its capture. If this option is disabled, the Analyzer will only load the video (and possibly the metadata if the "Display metadata viewer..." option is enabled). In order to save drawings with a video clip, the advanced option "Save currently selected overlay drawing with the video clip" must have been enabled in the InTheAction (ITA Advanced Options) prior to saving the clip.

Display metadata viewer for allowing metadata analysis – this option belongs to "Metadata group" and must be enabled for the Analyzer module to display the metadata graph under the videos.

9.2.2 InTheAction Advanced Options

Receive, record, and save metadata - this option enables the InTheAction module to receive, record, and save metadata with the video clip.

Save currently selected overlay drawing with the video clip – when enabled, the drawing that is currently displayed in Live or Replay mode is saved with the video clip at the end of the capture when the user saves the video clip. The drawing can later be automatically loaded and displayed in the Analyzer (if the "Load embedded drawings" option is enabled).

Use Drawing Library – the Drawing Library stores up to nine different collections of clip drawings (see specific section later in this document). When this option is enabled, the library is used for managing the drawings in the InTheAction module. *This option also displays additional tools on the InTheAction left toolbar.*

9.2.3 Section summary

In this section you have learned which options you need to activate to be able to display metadata. You are now ready to capture metadata and video images simultaneously using DartFish's InTheAction module.

9.3 Capturing & displaying Metadata with the InTheAction

The InTheAction module is used for recording Metadata (it is currently not possible to use the DVImport module to record Metadata). The "Receive, record and save metadata" advanced option must be enabled (Advanced Options).

When receiving external data, the InTheAction module automatically creates a data source stream for each received data stream. These data source streams are created automatically as the data is received. This has the following important consequence: *no data source streams are available until Dartfish Software has received some data.*


The current values of the metadata streams can be displayed in InTheAction's Live

mode (see Displaying Metadata in Live Mode). Even if the metadata is not displayed on the video in Live mode, the metadata streams are nevertheless recorded with the captured video clip *but only if the advanced options for recording the metadata have been enabled* for the InTheAction module (ITA Advanced Options).

9.3.1 Checking that Metadata is received


The list of data source streams and their properties can be displayed in InTheAction.

- Select the "Manage metadata repository" menu item in the left ITA toolbar as follows:



Note: if this menu is not displayed in the left toolbar, you have to enable it in the advanced options (see InTheAction Advanced Options).

- The following data source list dialog is displayed showing the different data sources and their metadata streams.



The content of this dialog content is not automatically refreshed. When this dialog is left opened and new metadata streams are detected by Dartfish Software, you must depress "Refresh" button to update the dialog list view (or close the dialog and reopen it).

In this example, 2 data source streams have been received: "Heart Rate" and "Spin Amount". The "Heart Rate" data stream has integer values (e.g. 123, 150). The "Spin Amount" data stream has float values (e.g. 12.34, 0.34E-2).

All data source streams that are displayed in the DataSource List dialog are recorded with the video clip. Currently, it is not possible to select which data source stream will be recorded with the video.


If no data source streams are displayed this indicates that the Dartfish Software has not received any data yet.

The list of received metadata streams is not saved when quitting Dartfish Software.

9.3.2 Displaying Metadata in Live Mode

Metadata stream values in the InTheAction module are displayed with overlay drawings that are drawn on the video image.

- First check that data source streams have been detected (as explained in Checking that Metadata are received in InTheAction).
- Switch the InTheAction module to Live mode.
- Select the Source drawing (usually this is the default setting):



- Depending on the type of data contained by the data source stream, you must select the appropriate drawing tool. For integer values, select the "Text" drawing tool. For float values, select the "Text" or "Graph" drawing tools. For vectors with origin (Vector6) data type, select the "Force Meter" drawing tool:




Note: if this menu is not displayed in the left toolbar, you have to enable it in the advanced options (see Advanced Options).

Note: drawings can be resized on the screen using different handles that depend on


the type of drawing. "Force Meter" drawings also offer a yellow handle for resizing the length of the displayed moving arrows.

- Draw on the video using one of the drawing shapes selected in the previous step.
- Select the shape and right click on it to display a popup menu.
- Select the menu item "Metadata Properties..." as below:




If this menu item is grayed, no data source streams are available or no compatible data source streams are available.

- The following dialog is then displayed:



- To assign a data source stream to the current drawing, click on "Linked to the following Metadata source" option button and select the targeted data source stream using the 3 list boxes. If the "Linked to the following metadata source" option button is disabled (grayed) then it is not possible to assign a data source stream to the drawing (there are no compatible data source streams currently available).



- The drawing shape displays the value of the linked metadata stream. For example, a "Text" drawing displays a value and a graph drawing displays a graph.


9.3.3 Section summary

In this section you learned how to capture metadata with a video clip. This metadata can be displayed in the Live mode by linking drawings to the metadata stream.

The next section will cover how to use the Analyser module to display metadata on previously captured video and display metadata graphically.

9.4 Using Metadata in the Analyzer

The Analyzer module is used for observing and comparing stored video clips and their recorded metadata. When a clip is opened in the Analyzer, any recorded metadata can be displayed in a graphic view as below:




The tree view on the left side of the graphic view and its associated small tool bar are described in the following chapters.

When multiple clips containing metadata are opened, the metadata corresponding to each clip is displayed in the graphic view. Each graph is color-coded with the corresponding color of each clip's timeline. For example, the yellow graph corresponds to the yellow clip in the timeline.

The graph part of a video clip is synchronized with its timeline. For example, in the graphic view above, shifting the yellow timeline to the left will also move the yellow graph.

9.4.1 Displaying Metadata diagrams

Metadata stream values can be displayed in the Analyzer module as a graph synchronized with the timeline:



Proceed as follows to display metadata graphs in the Analyzer:

- Enable the "Display metadata viewer for allowing metadata analysis" advanced option (Analyzer Advanced Options).
- Display the graph part by clicking on the graph button on the Analyzer left toolbar (by default the graph part is hidden):




Note: if this button is not displayed in the Analyzer left toolbar, you must enable some advanced options (Analyzer Advanced Options).

- Open a video clip in the analyzer. Any metadata previously captured with the InTheAction module is displayed in the graph part of the analyzer under the timeline.


The different buttons in the graph toolbar alter the way the graph is displayed.

- The  button displays simple statistics such as min, max and average values. The In and Out points act as delimiters for these calculations.
- The  button displays the data value corresponding to the value at the cursor position in the timeline on the top right corner of the graph. (e.g. -9.72 and -2.00 in the picture above).

- The  button displays the name of the currently displayed metadata stream in the top left corner of the graph (e.g. "Channel 1" in the picture above).
- The  button toggles between single or multiple clip display. When multiple clips are simultaneously opened in the Analyzer, the graph can display the metadata from a single clip or from multiple clips. In this latter case, the each clip's metadata curve is the color of the corresponding clip's timeline. For example, the data curve corresponding to the clip that has the yellow timeline is displayed in yellow. In single clip mode, the user can switch between the different graphs for each clip by selecting the clip in the Analyzer (usually done by clicking directly on the targeted clip video).
- The  button switches between "superimposed" or "separate" mode when multiple clip curves are displayed. This feature is only useful when graphs from several clips are simultaneously displayed. In the "superimposed" mode, the graphs of the different clips are superimposed on each other.



In the "separate" mode, the graphs are displayed as separate graphs, each in its own display area.



- The  button toggles between the "all clip" and "single clip" data stream browse mode. These 2 modes alter the way data source streams are selected in the tree view to the left of the graph.
- The graph is fully synchronized with the timeline. So, if one of the clip is moved on the left by dragging its timeline on the left (by click and dragging the yellow

timeline), the corresponding graph is also moved accordingly. The graph is also zoomed in and out as the timeline is zoomed in and out.

9.4.2 Displaying Metadata on the Video

Proceed as previously explained for the InTheAction - Displaying Metadata in Live Mode.

9.5 Using the Drawing Library

The Drawing library is a source for different collections of drawings that can be displayed on video clips. To use it, it must be enabled in the InTheAction advanced Options. It is used to store and recall different sets of drawings which can be used to assist with analysis and removes the need to redraw. Strictly speaking, the library is not linked to any metadata features but it can be used to memorize the position of drawings that can be later linked to metadata streams.


The Drawing Library allows the following features:

- Define sets of drawings that are saved (persisted) between each session in Dartfish Software - All the drawings in the Drawing Library are saved when the user quits Dartfish Software. The next time the user launches Dartfish all the drawings in the library are immediately available as soon as the InTheAction module is enabled.
- Switch between the different collections of drawings --- a collection of drawings can be directly selected using the list box in the InTheAction left toolbar. It is also possible to map a remote control key for switching between the different groups of drawings.
- Manage the different groups of drawings by creating or deleting them. In future versions of Dartfish Software it will also be possible to export or import the groups of drawings between different Dartfish computers.


The Drawing Library can contain up to 9 different templates.

9.5.1 Managing Overlay Templates

The Drawing Library content is displayed by selecting the submenu item "Manage Drawing Library" as follows:



The following dialog is then displayed:



All the currently available overlay templates are displayed in a list. The currently displayed overlay template is marked with the red/yellow icon on its left side ("Overlay #1" in the example above). The name of each overlay template is displayed in the "Name" column. With the current version of Dartfish Software, it is not possible to rename an overlay template.

Clicking the "New" button creates new empty overlay templates. At most 9 of these overlay templates can be created. The name of the newly created overlay is generated automatically.

Clicking the "Delete" button deletes the currently selected overlay template(s). Multiple selection of overlay templates is possible using the usual methods (clicking template names while combining shift and control keys). The currently displayed overlay template cannot be deleted.

9.5.2 Selecting the current Template

When the overlay template library is enabled (InTheAction Advanced Options), the drawings that are displayed in InTheAction's Live mode are saved to the currently selected overlay template. This will be the template indicated in a list box on the left toolbar as shown below:



The currently selected overlay template can be changed by selecting an alternative from the list box as follows:



Chapter



Dartfish Readers

10 Dartfish Readers

A *Reader* translates external device data into a format that can be "understood" by Dartfish software. Each different device requires a custom reader which is used to link/unlink video files to data files generated by external devices. Once linked, you'll be able to synchronize the *data streams* and video in the Analyzer and to view both simultaneously using the *Data Graph*. Drawing tools can be used to display data on the video image itself.

The following sections give you more information based on the Reader product you have installed on your computer.

Useful links:

Dartfish info : www.dartfish.com

Support : support@dartfish.com

10.1 Dartfish CSV Reader

Dartfish CSV Reader is an add-on product to the TeamPro and ProSuite Dartfish editions. It is used to link/unlink video files to data in *character separated value* (CSV) text files. More information about the file types supported can be found [here](#).

Once linked, you'll be able to synchronize the *data streams* and video in the Analyzer and to view both simultaneously using the *Data Graph*. Drawing tools can be used to overlay data on the video image itself.

The CSV Reader reads a *data source* file. You can link several data sources to one video. For example, data files from a heart rate monitor and a force transducer could be linked to the same video clip.

Useful links:

➤ support@dartfish.com - for questions related to the Dartfish *CSV Reader*.

10.1.1 Requirements and installation

To use the CSV Reader, you will need:

- Dartfish TeamPro or ProSuite version 4.5 or higher.
- Microsoft .NET framework 2.0 (automatically installed during the installation).

Installation from CD

To install the *Dartfish CSV Reader*, proceed as follows:

1. Insert the *Dartfish Data Reader* installation CD into your CD or DVD drive.
2. Wait for the installation window to launch. If the installation window does not launch automatically, open Windows Explorer and locate the drive. Once you have selected the CD, double-click on the setup.exe file. For example, if your CD/DVD drive is classified under the letter E: you will double-click on E:\setup.exe.

3. Follow the instructions on the screen. When prompted, you must accept the licence agreement before the installation can proceed.

Activating a Data Reader

After installation each Data Reader must be activated. It is possible to use a Data Reader for a trial period then activate it at a later date.

To activate a Data Reader, proceed as follows:

1. Right click a video file in the *Tray* or in the *Items List* and select Link External Data from the context menu. All readers awaiting activation are listed.
3. Select the reader to be activated.
4. Click the Activate button.
5. Follow the instructions on screen. The reader can be activated immediately and automatically using an internet connection. When this is not practical you can manually apply for an activation code: The process will generate a page of information that you can email or fax to Dartfish. You will be sent an activation code that you must manually enter.

! The activate process requires that you provide your licence code. This will have been provided with your software purchase and is different from the code for your Dartfish Software or any other readers you have purchased.

Updating Data Readers

Data Readers are not automatically updated by the same process as Dartfish software. If and when updates become available, those who have purchased a Reader will be notified by email. Alternatively, updates can be downloaded from the Dartfish website.

 Video tutorials will give you useful guidance on how to use your CSV Reader. They can be accessed from the *Start > Programs > Dartfish > CSV Reader* menu.

10.1.2 About CSV data

The Dartfish CSV Reader can read a wide range of text file formats provided the following conditions are met:

1. The data can be separated (parsed) into columns which are delimited by a text character (tab, comma, semi colon, space etc)
2. The resulting table has no more than one row of column headers.

Where condition 2 is not met, it is usually possible to open, parse and edit a text file in a spreadsheet program such as Microsoft Excel. By this method data can be rearranged and extra headings removed. The edited data should be saved as a .csv file rather than a spreadsheet file.

The source

This *Reader* names the source by the file name of the CSV file. Optionally you can input a source name of your choice.


The streams

The CSV Reader parses character separated data into columns, each of which represents a different *data stream*. You are able to select which of these columns

you wish to link to Dartfish.

10.1.3 Linking Data


A *Reader* "translates" data from a file. Such a file is called a *Data Source* and is created by or exported from a device external to Dartfish (refer to the manufacturer's documentation to learn how to do this). A *Data Source* may contain multiple *Data Streams* as illustrated in the following figure. The data streams are listed under the headings of their data sources:




Cadence, Heart rate, Power, Speed and Time are Data Streams

10.1.3.1 Linking Data


You can create links between one video clip and more than one *data source*. To establish a link, right-click a video file in the *Tray* or in the *Items List* and select *Link Data Streams* from the context menu.



A Wizard first prompts you select a Reader from a list of installed readers.



In the second step you will browse for the data file.



A standard Open File... window pops up. Search for the *Data Source* file in your hard drive and click Open.

In the next step you parse the *Data Source* and define how the *Data Streams* are linked. This is described in the rest of this chapter.

External Data Link Wizard

Configuration
Define the layout of data source and set stream properties.

CSV Document Properties

Data Source name: Separator:

☒ Use First row as headers ☐ Hide comments starting with #

☐ Set manually the file encoding

Time Stamp

Select the time stamp source:

Select the time column: Time format:

Select the column(s) you want to link as stream to Dartfish.
Right click on the column header to set the stream properties.

xtime []	☐	xdist [m]	☒	speed [km/h]	☒
0.000		0.0		0.0	
0.020		0.0		0.0	
0.040		0.0		0.0	
0.060		0.0		0.0	
0.080		0.0		0.0	
0.100		0.0		0.0	
0.120		0.0		0.0	
0.140		0.0		0.0	

< Back Next > Cancel

10.1.3.2 CSV document properties

In the Configuration step of the wizard you will define the parameters of the *Data Source* and set which columns are to be linked as *Data streams*. The first part of the Configuration step defines the properties of the *Data Source*.

CSV Document Properties

Data Source name: Separator:

☒ Use First row as headers ☐ Hide comments starting with #

☐ Set manually the file encoding

Data Source name - This is the name used to identify the *Data Source* when using linked

data in Dartfish or managing Data Sources etc. By default the file name of the *Data Source* File is used but you can enter your own name or select a name which combines the file name with the current date.

Separator - It is essential that your data is successfully parsed before continuing. To do this, select the character used to delimit the columns of your *Data Source*. A range of commonly used separator characters is offered but it is also possible to type any character or combinations of multiple characters. If you are not sure which character has been used, experiment by selecting different characters; when successful you will see your data divided into separate columns as shown below :

xtime [☐	xdist [m] ☐	speed [km/h] ☐
0.000	0.0	0.0
0.020	0.0	0.0
0.040	0.0	0.0
0.060	0.0	0.0
0.080	0.0	0.0
0.100	0.0	0.0

Use first row as headers - where data has a header row you must tick this option to prevent the headers being treated as data. If your *Data Source* has more than one row of headers you must delete or merge the extra rows. You can do this by editing the file with text editor software or a spreadsheet such as Microsoft Excel.

Hide comments starting with - the Data Source may contain text comments. Often these are marked by a specific delimiter. Exclude such comments by typing the delimiter character used.

Manually set the file encoding - Dartfish automatically selects the file encoding used but if necessary you can manually choose from a selection of text encoding types.

10.1.3.3 Time Stamp

The CSV reader must be able to relate each piece of data in a *Data Stream* to a position in the video. There may be a column of time stamp data in the Data Source but where this is not the case, a time stamp can be added at a fixed interval.

Using data from the Data Source as the time stamp

1. Select the option "Data Source" from the *Select the time stamp source* list box.
2. From the *Select the time column* list box, select the column from the *Data Source* that contains time values.
3. Select the *Time Format* or units used. It is essential that the reader understands how to interpret time stamp data. For example, if the time stamp is "100" does this

represent 100 seconds or 100 milliseconds?

Using Interval or Frequency as the time stamp

Time Stamp
Select the time stamp source: Interval
Enter the interval in seconds: 5

The reader can create a time stamp at a fixed interval (seconds or fractions of a second) or at a fixed frequency (Hertz). This is useful if time stamps do not exist in the data source or are not in a time format recognisable by the reader. The use Interval or Frequency time stamp sources, *Data Stream* samples must be at regular, fixed intervals.

10.1.3.4 Selecting columns as Data Streams

The *Data Source* may contain many columns of data that you will not wish to link to video. You must indicate those that you want to link by selecting them as shown below:

xtime [	☐	Distance ☒	speed [km/h] ☒
0.000		0.0	0.0
0.020		0.0	0.0
0.040		0.0	0.0

Distance and speed are the selected streams

When you select a column, you will be prompted to set attributes for the data stream.

xtime [	☐	xdist [m] ☒	speed [km/h] ☒
0.000		0.0	
0.020		0.0	
0.040		0.0	
0.060		0.0	
0.080		0.0	
0.100		0.0	
0.120		0.0	0.0
0.140		0.0	0.0

Stream Attributes

Name* Distance

Type* Number

Unit name Meters e.g. Meters

Cancel OK

Name - This is the name used to identify the *Data Stream* when using linked data in Dartfish. By default the column heading from the data source is used but it can be changed to a value of your choice. In the example above "xdist [m]" will be replaced by "Distance". It is particularly important to set a name property for the *Data Stream* when no meaningful header is present in the *Data Source*

Type - Select either Number or Text. By selecting "Text", numbers will be treated as text and Dartfish will not attempt to plot them on the Data Graph.

Unit name - This is a descriptor of the values of data in this data stream. It is displayed in the video clip *Properties* or in the *External Data Manager*.

! After setting these attributes they can be changed by right-clicking the column heading.

10.1.3.5 Managing links

To manage links between video files and *Data Sources*, right click the video file in the *Library*. Select *Manage the data streams...* from the context menu.

Removing the link


You can remove the link between the data source(s) and the video file. To do this, select the *data source* and click on the *Unlink* button.

! It is not possible to remove a single stream of a data source.

Broken links

A link can be broken when the external data source file has changed location on the disk or has been renamed. It also happens when the video clip is shared and opened on a different machine. As a result, the data cannot be displayed in the Analyzer any longer.

To check for broken links right click the video file. Select *Manage the data streams* from the context menu. Select the data source and its properties are visible on the right hand panel. If the link is broken the *Availability* property will read *Source Missing*.




To correct a broken link, click the *Relink* button then browse for the new location of the data source. Synchronisation of data and video is retained provided that the Dartclip metadata file has also been moved to the new location of the video file (see Sharing Data for further information about Dartclip files).

10.1.4 Viewing data


Dartfish's *Analyzer Module* is capable of displaying *Data Stream* data in 2 ways:

1. Text drawings, graph drawings and other specialist data drawings can be linked to data streams such that values can be displayed on the video image. Numerical data can be displayed with the *Text* and the *Graph* drawing tools, while text can only be displayed with the *Text* drawing tool. Below is an example of what it might look like.



Notice the symbols left to the data: These symbols are letters of the *Dartfish Symbol* font (see Drawings for more information).


2. Using the *Data Graph* panel each *number data stream* is represented as a different curve. The curves can be synchronized with the video.



 The Data Graph and Graph drawings can only display integer and floating point numbers. For example, times in the format hh:mm:ss etc will be treated as text and cannot be displayed. If you wish to graph times (e.g. split times) then you must first edit the Data Source to represent times as numbers.

10.1.4.1 Synchronization

You can quickly synchronize the data streams and the video in the *Data Graph* pane of the *Analyzer*, as illustrated below:



To synchronize, proceed as follows:

1. Move to an appropriate position in the video clip.
2. Activate the synchronization mode by clicking on the *Resynch* button
3. Align the streams to the playhead (green arrow in the illustration) by *click & drag* of the streams to the left or to right.
4. Click a second time on the *Resynch* button once done.



To synchronize precisely, you should position the video to a distinct instant where you might expect to see an obvious change in the data graph e.g. when the athlete starts pedaling. This can be easily matched, for example, to the cadence stream (see illustration above).

10.1.4.2 Drawings


The data can be directly overlayed on the video image in the *Analyzer*. This is done by linking drawings to data from a *Data Stream*. The following is a representative but not comprehensive list of drawing tools that can be linked to data. Different devices will produce data which can be best represented by different types of drawing:

- Text tool: Use to display any value from a Data Stream. Using the Dartfish symbol font, the text tool can also be used to display data specific icons to label values (see below).
- Graph tool: Use to represent numerical data as a graph.
- Force Meter: Use to represent the magnitude and direction of a force (typically for devices producing this type of data).


To link a drawing to a data stream (example using *Text* drawing):

1. Use the Text drawing tool to create a small text drawing. The text you type to create the drawing is not important e.g. "xxx". Be sure to finish editing the text before proceeding to the next step; to do this click on the video display outside the drawing.

2. Right click on the drawing to display the context menu.



3. Select the *External Data Display...* option.
4. Select the *Data Source* and *Data Stream* then click the OK button.



5. The text box now displays the value of the selected data stream.

! Don't forget to synchronise to make sure the displayed values have proper meaning.

Displaying Dartfish explanatory symbols

The *Dartfish CSV Reader* provides the *Dartfish Symbol* font which you can use with the *Text* tool of the *Analyzer* or *In the Action* modules. Using this you can substitute long names with self-descriptive symbols. See the Table 1 for the key mapping.

Key	Symbol (character)	Description
-----	--------------------	-------------

S or s		Speed
P or p		Power
C or c		Cadence (pedals)
H or h		Heart rate

! The *Dartfish Symbol* font is automatically installed with the *Dartfish CSV Reader*.


10.1.5 Sharing linked data

In order for others to see linked data you have two options:

1. You can publish a movie from the Analyzer. This will include drawings that have been added to the video clip - including those displaying Data Streams.
2. You can share the video file and the *Data Source* with other Dartfish users. Although the recipient will need to re-establish the link using their own CSV reader, synchronization is retained.

10.1.5.1 Publishing

You can publish the video with overlayed data from the *Analyzer* (see Saving movies from the Analyzer to learn how to do this) as illustrated below:



In this case, the result is a video that can be shared in your team. It does not require Dartfish to play it.


! You cannot embed the data in the video file (i.e. in the .dartclip metadata file associated with the video clip). The *Dartfish CSV Reader* only creates a "live" link between both the data and video files.

10.1.5.2 Sharing data

The *Dartfish CSV Reader* does not embed data in the video file (i.e. in the .dartclip file associated with the video clip). It only creates a "live" link between the data and video files. Therefore if you wish to share video and linked data with other Dartfish users the following are required:

- The recipient must have Dartfish Software

- The recipient must have the *Dartfish CSV Reader* add-on.
- You must provide the video clip, the Data Source file and (optionally) the Dartclip file as shown below.



The recipient establishes a link using the *Relink* function described in Managing links.

! Dartclip files store all additions made to video by Dartfish. These include details of external data links and synchronisation. If the Dartclip file has not been shared then the recipient must create a new link between the video clip and *Data Source*.

10.2 Dartfish SRM Reader

Dartfish SRM Reader is an add-on product to the TeamPro and ProSuite Dartfish editions. It is used to link/unlink video files to data files generated by the SRM training system. Once linked, you'll be able to synchronize the *data streams* and video in the Analyzer and to view both simultaneously using the *Data Graph*. Drawing tools can be used to display data on the video image itself.

The SRM Reader reads a *data source* from the *.srm files generated by the SRM training system. You can link and synchronize several data sources to one video. For example, you could film two cyclists in the same video and synchronize the data recorded with two SRM systems (mounted on both bicycles).

Useful links:

- www.srm.de - for more information on SRM.
- support@dartfish.com - for questions related to the Dartfish *SRM Reader*.

10.2.1 Requirements and installation

To use the SRM Reader, you will need:

- Dartfish TeamPro or ProSuite version 4.5 or higher.
- Microsoft .NET framework 2.0 (automatically installed during the installation).

Installation from CD

To install *Dartfish SRM Reader*, proceed as follows:

1. Insert the *Dartfish Data Reader* installation CD into your CD or DVD drive.
2. Wait for the installation window to launch. If the installation window does not launch automatically, open Windows Explorer and locate the drive. Once you have selected the CD, double-click on the setup.exe file. For example, if your CD/DVD drive is classified under the letter E: you will double-click on E:\setup.exe.
3. Follow the instructions on the screen. When prompted, you must accept the licence agreement before the installation can proceed.

Activating a Data Reader

After installation each Data Reader must be activated. It is possible to use a Data Reader for a trial period then activate it at a later date.

To activate a Data Reader, proceed as follows:

1. Right click a video file in the *Tray* or in the *Items List* and select Link External Data from the context menu. All readers awaiting activation are listed.
3. Select the reader to be activated.
4. Click the Activate button.
5. Follow the instructions on screen. The reader can be activated immediately and automatically using an internet connection. When this is not practical you can manually apply for an activation code: The process will generate a page of information that you can email or fax to Dartfish. You will be sent an activation code that you must manually enter.

! The activate process requires that you provide your licence code. This will have been provided with your software purchase and is different from the code for your Dartfish Software or any other readers you have purchased.

Updating Data Readers

Data Readers are not automatically updated by the same process as Dartfish software. If and when updates become available, those who have purchased a Reader will be notified by email. Alternatively, updates can be downloaded from the Dartfish website.



Video tutorials will give you useful guidance on how to use your SRM Reader. They can be accessed from the *Start>Programs>Dartfish>SRM Reader* menu.

10.2.2 SRM data

Dartfish SRM Reader retrieves the data from SRM files. The SRM training system includes a Powermeter and a Powercontrol to record biodata held in SRM files (*.srm). Thanks to this system, cyclists can record the power, the heart rate, the cadence, the speed and other data deriving from them.

The source

This *Reader* names the source by the initials of the person set in the Powermeter and the date of the training.


The streams

Five streams are fed:

- the *Power* developed on the crank in [watts] 
- the *Cadence* of the crank [rpm] 
- the *Speed* of the cycle [km/h] 
- the *Heart rate* of the athlete [bpm] 
- the *Time* of the day at which the training session happened [hh:mm:ss.xxxx]

10.2.3 Linking Data

The SRM reader establishes a link between a video file in your Dartfish *Library* and an SRM file. This *Data Source* file is created by SRM software. A *Data Source* typically contains multiple *Data Streams* as illustrated in the following figure. The data streams are listed under the headings of their data sources:




Cadence, *Heart rate*, *Power*, *Speed* and *Time* are *Data Streams* delivered by an SRM training system.

The link cannot be established if one of these components is missing, i.e.


- *Dartfish SRM Reader* has to be installed.
- You already have imported your video clips into your Dartfish Library
- You have exported a data file from your SRM device to your hard drive (refer to the manufacturer's documentation to learn how to do this).

10.2.3.1 Linking Data


You can create links between one video clip and more than one *data source*. To establish a link, right-click a video file in the *Tray* or in the *Items List* and select *Link External Data* from the context menu.



A Wizard first prompts you select the SRM Reader from a list of installed readers.



In the second step you will browse for the data file.



A standard Open File... window pops up. Search for the data file in your hard drive and click Open.

Before completing the Wizard you have the option to link other files to act as Data Sources for this video.

10.2.3.2 Managing links

To manage links between video files and data sources, right click the video file in the *Library*. Select *Manage External Data...* from the context menu.

Removing the link


You can remove the link between the data source(s) and the video file. To do this, data source and click on the *Unlink* button.

! It is not possible to remove a single stream of a data source.

Broken links

A link can be broken when the external data source file has changed location on the disk or has been renamed. It also happens when the video clip is shared and opened on a different machine. As a result, the data cannot be displayed in the Analyzer any longer.

To check for broken links right click the video file. Select *Manage External Data* from the context menu. Select the data source and its properties are visible on the right hand panel. If the link is broken the *Availability property* will read *Source Missing* as shown below.




To correct a broken link, click the *Relink* button then browse for the new location of the data source. Synchronisation of data and video is retained provided that the Dartclip metadata file has also been moved to the new location of the video file (see Sharing data for further information about Dartclip files).

10.2.4 Viewing data


Dartfish's *Analyzer Module* is capable of displaying *Data Stream* data in 2 ways:

1. Text drawings, graph drawings and other specialist data drawings can be linked to data streams such that values can be displayed on the video image. The power, the cadence, the speed and the heart rate can be displayed with the *Text* and the *Graph* drawing tools, while the time can only be displayed with the *Text* drawing tool. Below is an example of what it might look like.




Notice the symbols left to the data: These symbols are letters of the *Dartfish Symbol* font (see Drawings for more information).

- Using the *Data Graph* panel each stream is represented as a different curve. The curves can be synchronized with the video. Since the data graph can display integers and floating points but not text, only the power, the cadence, the speed and the heart rate are displayed.



10.2.4.1 Synchronization

You can quickly synchronize the data streams and the video in the *Data Graph* pane of the *Analyzer*, as illustrated below:



To synchronize, proceed as follows:

- Move to an appropriate position in the video clip.
- Activate the synchronization mode by clicking on the *Resynch* button .
- Align the streams to the playhead (green arrow in the illustration) by *click & drag* of the streams to the left or to right.
- Click a second time on the *Resynch* button once done.

 To synchronize precisely, you should position the video to a distinct instant where you might expect to see an obvious change in the data graph e.g. when the athlete starts pedaling. This can be easily matched, for example, to the cadence stream (see illustration above).


10.2.4.2 Drawings

The data can be directly overlayed on the video image in the *Analyzer*. This is done by linking drawings to data from a *Data Stream*. The following is a representative but not comprehensive list of drawing tools that can be linked to data. Different devices will produce data which can be best represented by different types of drawing:


- Text tool: Use to display any value from a Data Stream. Using the Dartfish symbol font, the text tool can also be used to display data specific icons to label values (see below).
- Graph tool: Use to represent numerical data as a graph.
- Force Meter: Use to represent the magnitude and direction of a force (typically for devices producing this type of data).

To link a drawing to a data stream (example using *Text* drawing):

1. Use the Text drawing tool to create a small text drawing. The text is not important e.g. "xxx". Be sure to finish editing the text before proceeding to the next step; to do this click on the video display outside the drawing.
2. Right click on the drawing to display the context menu.



3. Select the *External Data Display...* option.
4. Select the *Data Source* and *Data Stream* then click the OK button.



5. The text box now displays the value of the selected data stream.

! Don't forget to synchronise to make sure the displayed values have proper meaning.

Displaying Dartfish explanatory symbols

The *Dartfish SRM Reader* provides the *Dartfish Symbol* font which you can use with the *Text* tool of the *Analyzer* or *In the Action* modules. Using this you can substitute long names with self-descriptive symbols. See the Table 1 for the key mapping.

Key	Symbol (character)	Description
S or s		Speed
P or p		Power
C or c		Cadence (pedals)
H or h		Heart rate

! The *Dartfish Symbol* font is automatically installed with the *Dartfish SRM Reader*.


10.2.5 Sharing linked data

In order for others to see linked data you have two options:

1. You can publish a movie from the Analyzer. This will include drawings that have been added to the video clip - including those displaying Data Streams.
2. You can share the video file and the Data Source with other Dartfish users. Although the recipient will need to re-establish the link using their own SRM Reader, synchronization is retained.

10.2.5.1 Publishing

You can publish the video with overlayed data from the *Analyzer* (see Saving movies from the Analyzer to learn how to do this) as illustrated below :




In this case, the result is a video that can be shared in your team. It does not require Dartfish to play it.

! You cannot embed the data in the video file (i.e. in the .dartclip file associated to the video clip). The *Dartfish SRM Reader* only creates a "live" link between both the data and video files.

10.2.5.2 Sharing data

The *Dartfish SRM Reader* does not embed data in the video file (i.e. in the .dartclip file associated with the video clip). It only creates a "live" link between the data and video files. Therefore if you wish to share video and linked data with other Dartfish users the following are required :

- The recipient must have Dartfish Software
- The recipient must have the *Dartfish SRM Reader* add-on.
- You must provide the video clip, the Data Source file and the Dartclip file as shown below.



The recipient establishes a link using the *Relink* function described in Managing links.

! Dartclip files store all additions made to video by Dartfish. These include details of external data links and synchronisation. If the Dartclip file has not been shared then the recipient must create a new link between the video clip and *Data Source*.

Index

- A -

- Analysis Recorder 121, 122
 - capture location 122
 - clip properties 121
 - enabling 121
 - recording device 122
 - using 123
 - video settings 122
- Analyze performance 72
- Analyzer 72
 - comments 73, 87
 - display modes 73, 94
 - drawings 73
 - play controls 73, 75
 - playing clips 75
 - screen 73
 - storyboard 73, 74
 - timeline 73
 - workspace 73
- Analyzer project 74
 - new 76
 - open... 76
 - save 76
 - save as... 76
- Aspect ratio
 - correcting errors 52

- B -

- Background task manager 44
- Blend mode 94

- C -

- Comments 87
 - audio 88
 - written 88
- Comparing clips 92
 - analyzing 96
 - default synchronization 96
 - display modes 94
 - loading 93
 - synchronizing 94
 - synchronizing at key positions 95
- Convert 15
- Convert in background 44

- Convert video 44
- Converting clips
 - converting files in the Library 50
- CSV Reader 214
 - .Net 214
 - csv document properties 220
 - Dartfish symbol font 225
 - data graph 224
 - drawings 225
 - external data link 216
 - force meter 225
 - graph 224
 - graph tool 225
 - hide comments beginning with 220
 - installation 214
 - link data streams 216
 - linking data 216
 - managing links 223
 - manually set the file encoding 220
 - publishing 227
 - requirements 214
 - save movie 227
 - selecting columns 222
 - selecting data streams 222
 - sharing data 227
 - sharing linked data 227
 - stream attributes 222
 - synchronization 225
 - text data 215
 - text drawing 224
 - text tool 225
 - time stamp 221
 - use first row as headers 220
 - viewing data 224

- D -

- Dartfish TV
 - mediabook publishing 115
 - Mediabooks 114
 - publish tagging highlights 193
 - publishing game video 190
 - tagging event notes 196
- Drawing tools
 - angles 81
 - automatic tracking 85
 - clone rectangle 80
 - data table 87
 - distances 82
 - manual tracking 84
 - picture 80

Drawing tools
 spline 84
 time 83

Drawings
 adding 78
 editing 78
 fading in/out 86
 properties 79
 toolbar 77

- E -

Easytag
 importing events from 180
 quick import 184
 synchronising imported events 182

Encoding profile
 background task manager 44
 encoding during capture 44

Encoding profiles 15

Export list 33

- F -

File 12
 new 12
 open... 12
 save 12
 save as... 12
 save movie... 13

Filename template tool 169

Flip horizontally 76

Flip vertically 76

- G -

Getting familiar with Dartfish 6

Group box 160

- I -

Importing events
 organising data 180
 quick import 184
 synchronising 182

Interlacing
 correcting errors 52

InTheAction 56
 capturing 62
 instant visual feedback 62
 live delay 68
 remote controlling 63

replaying 63
 self coaching 68
 sound trigger 64

InTheAction comparing clips 65
 comparing 66
 setting reference 66
 synchronizing 67

InTheAction drawings 67
 drawing library 67

InTheAction Settings 56
 capture device 56
 clip duration 59
 clip properties 58
 Pre-record buffer 61
 pre-record duration 59
 recording folder 58
 replay sequence 60
 two cameras 57

Introduction 2

- K -

Keep the original recording file 44

Key Positions 88
 adding 89
 analyzing 90
 editing 90
 fixed interval 92
 importing 91
 Mosaic 97

Keyword buttons 163

Keywords 29
 classifying video clips 31
 defining keywords and keyword categories 30
 editing categories 30
 editing keywords 31
 exporting data as CSV 33
 importing/exporting keyword sets 33
 removing keywords 32
 understanding keywords 29

- L -

Library 8, 22
 adding folders 22
 importing video 35
 Use for tagging 150

Library workspace 23
 items list 25
 items properties 26

Library workspace 23
 toolbar 24
 tray 28

Live tagging
 naming files 169

Locating files 46
 by keyword 46
 in folders 48
 search 47

- M -

Manual tagging 179

Mediabook 108
 destination 110
 preview 113
 publishing 113
 settings 111
 video settings 112

Mediabooks
 Dartfish TV 114

Modules 8

Mosaic 97
 activating 98
 Drawing 98
 Snapshot 98

MPEG
 encoding during capture 44

- P -

Pictures 118
 emailing 119
 printing 119
 saving 118
 snapshot 120

Player list selector 167

Playlist 49
 creating 49
 modifying 50
 opening 50

Pre-Record
 Video Recorder settings 42

Pre-record buffer 61

Publishing 102
 analysis recorder 121
 destinations 102
 game video 190
 highlights movies 193
 mediabook 108
 pictures 118

save movie 116
tagging video 190

- R -

Recording Duration
 Video Recorder settings 42

Recording location
 choosing 43

Remote control 18
 installing 18
 StreamZap 19

- S -

Save movie
 video settings 117

Saving files 12
 Dartfish projects 12
 new video 13

Score panel 163

Sharing
 destinations 102

Sharing video 14, 50, 106
 Dartfish TV 107
 wizard 106

SimulCam 126
 conditions 127

SimulCam Fixed 126

SimulCam publishing 136
 creation 137
 destination 137
 video settings 136

SimulCam step 1 128
 loading clips 128
 synchronizing 128
 trimming 129

SimulCam step 2 129
 adding alignment frames 134
 checking alignment 132
 drag & zoom 130
 matched alignment points 133

SimulCam step 3 135
 blending mode 135
 previewing 135
 saving 136

Software registration 3

Split-screen mode 94

SRM Data 230

SRM Reader 228
 drawings 236

- SRM Reader 228
 - installation 229
 - linking data 230, 231
 - managing links 233
 - publishing 238
 - requirements 229
 - sharing 238
 - sharing linked data 237
 - synchronization 235
 - viewing data 234
- Start Page 7
- Statistics matrix 189
- Storyboard 74
 - analyzing tagging events 196
 - loading clips 74
 - playing clips 75
 - saving project 76
- StroMotion 138
- StroMotion Fixed 138
- StroMotion step 1
 - loading clip 139
 - trimming clip 139
- StroMotion step 2
 - alignment points 140
 - computing camera movement 140
- StroMotion step 3
 - panorama reconstruction 141
- StroMotion step 4 141
 - clones - creating 142
 - clones - editing 142
 - identifying key frames 141
 - publishing 143
 - saving 144
- Support 3
- Synchronizing 94
 - default synchronization 96
 - key positions 95
- T -**
- Tab group box
 - adding pages 160
- Tagging
 - additional analysis 196
 - automating tagging 171
 - Definition of tagging 148, 149
 - export to storyboard 196
 - importing events 180, 182, 184
 - manual tagging 179
 - play events mode 184
 - process of 175
 - publishing 190
 - publishing game video 190
 - publishing highlights movies 193
 - reviewing video during live tagging 187
 - sharing panels 190
 - sharing video 190
 - tag live 175
 - tag live mode 178
 - tag video clip 175
 - tag video clip mode 177
 - team presentation 196
 - using keyboard shortcuts 179
 - using tagging panels 175
- Tagging database
 - distribution 174
- Tagging editor
 - adding tools 156
 - copying tools 156
 - deleting tools 156
 - Event buttons 162
 - group box 160
 - keyword buttons 163
 - keyword macros 173
 - modifying properties 157
 - moving tools 156
 - player list selector 167
 - properties 169
 - reset category property 171
 - score panel 163
 - tab group box 160
 - team group box 166, 167
 - team manager 166
 - team manager database 166
 - text box 163
 - trigger property 171
 - variable keywords 173
 - zone tool 163, 165
- Tagging events list
 - adding notes to events 196
 - analyzing events in a spreadsheet 197
 - editing keywords 185
 - editing position and duration 185
 - export events 197
 - features 154
 - introduction 154
 - reset columns 186
 - selecting events 184
 - sorting events 184
- Tagging multiple files 150

Tagging panels
 creating 155
 editing 155
 feature summary 175
 introduction 152
 introduction to 155
 manual tagging panel 179
 opening 152
 planning layout 158
 saving 174
 selecting 152
 use of 175
Tagging search events 187
 show all 189
 table search 189
Tagging video in real time 178
Tagging workspace 150
 Using Tray to load video 150
 video panel features 151
Team group box 166, 167
Team manager 166
 use of 179
Text box 163
Timeline 10
Tracking
 automatic 85
 manual 84
Tray 28
Trimming video clips 10

- V -

Video Conversion Wizard 15
Video error correction 52
Video file importer 36
 DVD import 38
 file destination 37
 indexing 38
 joining video clips 38
 naming files 37
 notes 38
 Selecting files 36
Video playback 10, 11
 controls 11
 repeat mode 12
 speed 11
Video properties
 source info 52
Video Recorder 38, 42
 clip properties 40

 Pre-record 42
 recording options 42
 recording video 46
 setting up capture 39
Video settings 15
Video Sharing Wizard 14
Video types
 usable by Dartfish 51

- W -

Windows Media
 encoding during capture 44
Workspace 6
 resizing 9

- Z -

Zone tool 163, 165
Zoom
 options 76